

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Moderate	148	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Poor	206	PM <sub>2.5</sub>	1
4	Aizawl	Good	29	03	1
5	Ajmer	Moderate	140	PM <sub>2.5</sub>	1
6	Alwar	Moderate	112	PM <sub>10</sub>	1
7	Amaravati	Moderate	111	PM <sub>2.5</sub>	1
8	Ambala	Moderate	181	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	182	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	73	PM <sub>2.5</sub>	1
11	Ankleshwar	Poor	238	PM <sub>2.5</sub>	1
12	Araria	Moderate	160	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	158	O <sub>3</sub>	1
14	Asansol	Moderate	141	PM <sub>10</sub>	1
15	Aurangabad	Moderate	144	PM <sub>10</sub>	1
16	Aurangabad	Moderate	107	PM <sub>10</sub>	1
17	Baddi	Moderate	157	03	1
18	Bagalkot	Good	39	PM <sub>10</sub>	1
19	Baghpat	Poor	224	PM <sub>2.5</sub>	1
20	Bahadurgarh	Very Poor	329	PM <sub>2.5</sub>	1
21	Ballabgarh	Very Poor	310	PM <sub>10</sub>	1
22	Bareilly	Moderate	128	PM <sub>10</sub>	2
23	Begusarai	Moderate	186	PM <sub>2.5</sub>	1
24	Belgaum	Moderate	126	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	53	CO, PM <sub>10</sub>	7
26	Bettiah	Poor	206	PM <sub>2.5</sub>	1
27	Bhagalpur	Moderate	106	NO <sub>2</sub> , PM <sub>10</sub>	2
28	Bhiwadi	Moderate	191	PM <sub>10</sub>	1
29	Bhiwani	Poor	219	PM <sub>2.5</sub>	1
30	Bhopal	Poor	209	PM <sub>2.5</sub>	2
31	Bihar Sharif	Moderate	130	PM <sub>2.5</sub>	1
32	Bilaspur	Satisfactory	56	PM <sub>10</sub>	1
33	Bulandshahr	Poor	229	PM <sub>2.5</sub>	1
34	Chamarajanagar	Good	41	PM <sub>10</sub>	1
35	Chandigarh	Moderate	167	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
36	Chandrapur	Moderate	165	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Moderate

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Breathing discomfort to the people with lungs, asthma and heart diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Poor	212	PM <sub>2.5</sub>	1
38	Chengalpattu	Satisfactory	71	SO <sub>2</sub>	1
39	Chennai	Good	50	CO, PM <sub>2.5</sub>	7
40	Chhapra	Moderate	187	PM <sub>2.5</sub>	1
41	Chikkaballapur	Good	33	PM <sub>10</sub>	1
42	Chikkamagaluru	Satisfactory	65	PM <sub>10</sub>	1
43	Damoh	Moderate	101	PM <sub>2.5</sub>	1
44	Darbhanga	Poor	209	PM <sub>2.5</sub>	1
45	Davanagere	Good	48	PM <sub>10</sub>	1
46	Dehradun	Satisfactory	88	PM <sub>2.5</sub>	1
47	Delhi	Very Poor	376	PM <sub>10</sub> , PM <sub>2.5</sub>	34
48	Dewas	Moderate	191	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Moderate	159	PM <sub>2.5</sub>	1
50	Eloor	Satisfactory	59	PM <sub>10</sub>	1
51	Faridabad	Very Poor	346	PM <sub>10</sub> , PM <sub>2.5</sub>	4
52	Fatehabad	Poor	276	PM <sub>2.5</sub>	1
53	Firozabad	Satisfactory	94	PM <sub>2.5</sub> , NO <sub>2</sub>	2
54	Gadag	Satisfactory	64	PM <sub>10</sub>	1
55	Gandhinagar	Moderate	154	PM <sub>10</sub>	1
56	Gangtok	Good	28	O <sub>3</sub>	1
57	Gaya	Moderate	111	PM <sub>10</sub> , PM <sub>2.5</sub>	3
58	Ghaziabad	Very Poor	332	PM <sub>2.5</sub>	4
59	Gorakhpur	Moderate	193	PM <sub>2.5</sub>	1
60	Greater Noida	Very Poor	336	PM <sub>10</sub>	2

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gummidipoondi	Good	43	PM <sub>2.5</sub>	1
62	Gurugram	Very Poor	310	PM <sub>2.5</sub>	4
63	Guwahati	Satisfactory	76	PM <sub>2.5</sub> , PM <sub>10</sub>	3
64	Gwalior	Poor	253	PM <sub>2.5</sub>	1
65	Hajipur	Moderate	140	PM <sub>10</sub>	1
66	Haldia	Satisfactory	70	PM <sub>10</sub>	1
67	Hapur	Moderate	189	PM <sub>2.5</sub>	1
68	Haveri	Satisfactory	72	PM <sub>10</sub>	1
69	Hisar	Poor	244	PM <sub>2.5</sub>	1
70	Howrah	Satisfactory	100	PM <sub>10</sub> , O <sub>3</sub>	2
71	Hubballi	Satisfactory	72	PM <sub>2.5</sub>	1
72	Hyderabad	Satisfactory	95	PM <sub>2.5</sub> , PM <sub>10</sub>	13

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Poor	250	O <sub>3</sub>	1
74	Indore	Moderate	166	PM <sub>10</sub>	1
75	Jabalpur	Moderate	144	PM <sub>2.5</sub>	1
76	Jaipur	Moderate	183	PM <sub>2.5</sub>	3
77	Jalandhar	Moderate	157	PM <sub>2.5</sub>	1
78	Jhansi	Moderate	159	PM <sub>2.5</sub>	1
79	Jind	Very Poor	320	PM <sub>2.5</sub>	1
80	Jodhpur	Moderate	172	PM <sub>2.5</sub>	1
81	Kaithal	Poor	269	PM <sub>2.5</sub>	1
82	Kalaburgi	Moderate	107	PM <sub>2.5</sub>	1
83	Kalyan	Moderate	146	PM <sub>10</sub>	1
84	Kanchipuram	Satisfactory	56	SO <sub>2</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	67	PM <sub>10</sub>	1
86	Kanpur	Poor	208	PM <sub>2.5</sub>	3
87	Karnal	Moderate	179	PM <sub>2.5</sub>	1
88	Katihar	Poor	265	PM <sub>2.5</sub>	1
89	Katni	Moderate	164	PM <sub>10</sub>	1
90	Khanna	Moderate	181	PM <sub>10</sub>	1
91	Khurja	Moderate	146	PM <sub>2.5</sub>	1
92	Kishanganj	Moderate	114	PM <sub>10</sub>	1
93	Kochi	Moderate	200	PM <sub>2.5</sub>	1
94	Kolar	Satisfactory	63	SO <sub>2</sub>	1
95	Kolkata	Moderate	105	PM <sub>2.5</sub> , PM <sub>10</sub>	5
96	Kollam	Satisfactory	81	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact				
Satisfactory	Minor breathing discomfort to sensitive people				
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases				
Poor	Breathing discomfort to most people on prolonged exposure				
Very Poor	Respiratory illness on prolonged exposure				
Severe	Affects healthy people and seriously impacts those with existing diseases				

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Good	48	03	1
98	Kota	Moderate	192	PM <sub>2.5</sub>	1
99	Kozhikode	Satisfactory	75	PM <sub>10</sub>	1
100	Kurukshetra	Poor	220	PM <sub>2.5</sub>	1
101	Lucknow	Moderate	172	PM <sub>10</sub> , PM <sub>2.5</sub>	6
102	Ludhiana	Poor	252	PM <sub>2.5</sub>	1
103	Madikeri	Good	47	PM <sub>2.5</sub>	1
104	Maihar	Good	44	PM <sub>10</sub>	1
105	Mandi Gobindgarh	Moderate	117	PM <sub>2.5</sub>	1
106	Mandideep	Poor	249	PM <sub>10</sub>	1
107	Mandikhera	Moderate	120	PM <sub>10</sub>	1
108	Manesar	Poor	299	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact					
Satisfactory	Minor breathing discomfort to sensitive people					
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases					
Poor	Breathing discomfort to most people on prolonged exposure					
Very Poor	Respiratory illness on prolonged exposure					
Severe	Affects healthy people and seriously impacts those with existing diseases					

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manglore	Satisfactory	51	PM <sub>10</sub>	1
110	Manguraha	Good	48	PM <sub>10</sub>	1
111	Meerut	Moderate	198	O <sub>3</sub> , PM <sub>2.5</sub>	3
112	Moradabad	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	4
113	Motihari	Poor	281	PM <sub>2.5</sub>	1
114	Mumbai	Moderate	169	PM <sub>10</sub> , PM <sub>2.5</sub> , NO <sub>2</sub>	16
115	Munger	Moderate	121	PM <sub>2.5</sub>	1
116	Muzaffarpur	Moderate	137	PM <sub>2.5</sub> , CO	3
117	Mysuru	Good	34	PM <sub>10</sub>	1
118	Nagpur	Moderate	183	PM <sub>2.5</sub>	1
119	Narnaul	Poor	211	PM <sub>10</sub>	1
120	Nashik	Moderate	133	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Navi Mumbai	Poor	237	PM <sub>2.5</sub> , PM <sub>10</sub>	3
122	Noida	Very Poor	339	PM <sub>2.5</sub> , PM <sub>10</sub>	4
123	Ooty	Good	48	SO <sub>2</sub>	1
124	Pali	Moderate	127	PM <sub>2.5</sub>	1
125	Palwal	Moderate	121	PM <sub>10</sub>	1
126	Panchkula	Moderate	137	PM <sub>2.5</sub>	1
127	Panipat	Moderate	195	PM <sub>10</sub>	1
128	Patiala	Moderate	170	PM <sub>2.5</sub>	1
129	Patna	Moderate	156	PM <sub>2.5</sub> , PM <sub>10</sub>	6
130	Pithampur	Moderate	137	PM <sub>10</sub>	1
131	Prayagraj	Moderate	136	PM <sub>2.5</sub>	3
132	Puducherry	Good	34	СО	1

#### Possible Health Impacts

Good	Minimal Impact				
Satisfactory	Minor breathing discomfort to sensitive people				
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases				
Poor	Breathing discomfort to most people on prolonged exposure				
Very Poor	Respiratory illness on prolonged exposure				
Severe	Affects healthy people and seriously impacts those with existing diseases				

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Purnia	Moderate	148	PM <sub>2.5</sub>	1
134	Rajamahendravaram	Satisfactory	77	PM <sub>10</sub>	1
135	Rajgir	Satisfactory	96	PM <sub>10</sub>	1
136	Ramanagara	Good	39	PM <sub>10</sub>	1
137	Ramanathapuram	Good	37	PM <sub>10</sub>	1
138	Ratlam	Moderate	164	PM <sub>10</sub>	1
139	Rohtak	Poor	207	PM <sub>2.5</sub>	1
140	Rupnagar	Moderate	133	PM <sub>10</sub>	1
141	Sagar	Moderate	111	O <sub>3</sub> , CO	2
142	Salem	Good	29	SO <sub>2</sub>	1
143	Samastipur	Moderate	140	PM <sub>2.5</sub>	1
144	Sasaram	Satisfactory	100	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact					
Satisfactory	Minor breathing discomfort to sensitive people					
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases					
Poor	Breathing discomfort to most people on prolonged exposure					
Very Poor	Respiratory illness on prolonged exposure					
Severe	Affects healthy people and seriously impacts those with existing diseases					

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Satna	Satisfactory	54	PM <sub>10</sub>	1
146	Shillong	Good	20	SO <sub>2</sub>	1
147	Shivamogga	Satisfactory	63	PM <sub>10</sub>	1
148	Siliguri	Satisfactory	74	PM <sub>10</sub>	1
149	Singrauli	Poor	248	PM <sub>2.5</sub>	1
150	Sirsa	Poor	267	PM <sub>2.5</sub>	1
151	Sivasagar	Good	37	PM <sub>10</sub>	1
152	Siwan	Very Poor	302	PM <sub>2.5</sub>	1
153	Solapur	Moderate	106	PM <sub>2.5</sub>	1
154	Sonipat	Poor	300	PM <sub>10</sub>	1
155	Srinagar	Satisfactory	87	PM <sub>10</sub>	1
156	Talcher	Moderate	121	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thane	Moderate	144	PM <sub>10</sub>	1
158	Thiruvananthapuram	Good	49	CO, PM <sub>2.5</sub>	2
159	Thoothukudi	Satisfactory	54	PM <sub>10</sub>	1
160	Tirupati	Good	48	со	1
161	Tirupur	Satisfactory	75	PM <sub>10</sub>	1
162	Udaipur	Moderate	130	PM <sub>10</sub>	1
163	Udupi	Satisfactory	94	СО	1
164	Ujjain	Poor	215	PM <sub>2.5</sub>	1
165	Varanasi	Moderate	102	PM <sub>10</sub> , PM <sub>2.5</sub>	4
166	Vatva	Poor	244	PM <sub>2.5</sub>	1
167	Vijayapura	Good	47	PM <sub>10</sub>	1
168	Visakhapatnam	Satisfactory	97	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact					
Satisfactory	Minor breathing discomfort to sensitive people					
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases					
Poor	Breathing discomfort to most people on prolonged exposure					
Very Poor	Respiratory illness on prolonged exposure					
Severe	Affects healthy people and seriously impacts those with existing diseases					

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vrindavan	Moderate	122	PM <sub>10</sub>	1
170	Yadgir	Satisfactory	74	PM <sub>2.5</sub>	1
171	Yamunanagar	Poor	217	PM <sub>2.5</sub>	1
172	vellore	Good	20	SO <sub>2</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Bidar, Brajrajnagar, Buxar, Coimbatore, Dharuhera, Dindigul, Ernakulam, Hassan, Hosur, Jorapokhar, Kohima, Korba, Muzaffarnagar, Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Thrissur, Vapi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.