

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	138	PM _{2.5}	2
2	Agra	Moderate	101	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Poor	253	PM ₁₀	1
4	Aizawl	Good	21	PM ₁₀	1
5	Ajmer	Moderate	103	PM ₁₀	1
6	Alwar	Moderate	106	PM ₁₀	1
7	Amritsar	Satisfactory	73	PM ₁₀	1
8	Anantapur	Moderate	145	PM _{2.5}	1
9	Ankleshwar	Moderate	143	PM _{2.5}	1
10	Araria	Moderate	200	PM _{2.5}	1
11	Arrah	Moderate	173	PM ₁₀	1
12	Asansol	Moderate	199	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Notes: Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	169	PM ₁₀	1
14	Aurangabad (Maharashtra)	Moderate	141	PM _{2.5}	1
15	Baddi	Poor	211	O ₃	1
16	Bagalkot	Good	39	PM ₁₀	1
17	Baghpat	Very Poor	304	PM _{2.5}	1
18	Bahadurgarh	Poor	228	PM _{2.5}	1
19	Ballabgarh	Very Poor	334	PM _{2.5}	1
20	Bareilly	Moderate	178	PM _{2.5}	2
21	Bathinda	Poor	224	PM _{2.5}	1
22	Begusarai	Very Poor	339	PM _{2.5}	1
23	Belgaum	Moderate	133	PM ₁₀	1
24	Bengaluru	Moderate	119	PM _{2.5}	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Notes: Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Poor	298	PM _{2.5}	1
26	Bhagalpur	Poor	228	PM _{2.5}	2
27	Bhiwadi	Poor	251	PM _{2.5}	1
28	Bhiwani	Moderate	179	PM _{2.5}	1
29	Bhopal	Poor	262	PM _{2.5}	2
30	Bihar Sharif	Poor	208	PM _{2.5}	1
31	Bilaspur	Satisfactory	56	PM ₁₀	1
32	Bulandshahr	Poor	202	PM _{2.5}	1
33	Chamarajanagar	Good	46	PM ₁₀	1
34	Chandigarh	Poor	202	О ₃ , РМ ₁₀	3
35	Chandrapur	Poor	217	PM _{2.5}	1
36	Charkhi Dadri	Moderate	135	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Notes: Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Moderate	105	PM _{2.5}	6
38	Chhapra	Poor	265	PM _{2.5}	1
39	Chikkaballapur	Moderate	113	PM ₁₀	1
40	Chikkamagaluru	Satisfactory	57	PM ₁₀	1
41	Coimbatore	Satisfactory	80	со	1
42	Damoh	Moderate	141	PM _{2.5}	1
43	Darbhanga	Poor	206	PM ₁₀	1
44	Davanagere	Satisfactory	71	PM ₁₀	1
45	Delhi	Very Poor	354	PM _{2.5}	35
46	Dewas	Moderate	180	PM ₁₀	1
47	Dharuhera	Poor	250	PM _{2.5}	1
48	Dindigul	Good	46	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Moderate	152	PM ₁₀	1
50	Eloor	Satisfactory	61	PM ₁₀	1
51	Faridabad	Very Poor	338	PM _{2.5}	4
52	Fatehabad	Moderate	153	PM _{2.5}	1
53	Firozabad	Satisfactory	83	PM _{2.5}	2
54	Gadag	Satisfactory	62	O ₃	1
55	Gandhinagar	Moderate	113	PM ₁₀	1
56	Gangtok	Good	28	O ₃	1
57	Gaya	Moderate	179	PM _{2.5}	3
58	Ghaziabad	Very Poor	304	PM _{2.5}	4
59	Gorakhpur	Poor	217	PM _{2.5}	1
60	Greater Noida	Poor	298	PM _{2.5}	2

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Very Poor	305	PM _{2.5}	4
62	Guwahati	Satisfactory	86	PM _{2.5} , PM ₁₀	3
63	Gwalior	Very Poor	312	PM _{2.5}	2
64	Hajipur	Poor	235	PM _{2.5}	1
65	Haldia	Moderate	102	PM ₁₀	1
66	Hassan	Satisfactory	61	PM _{2.5}	1
67	Haveri	Satisfactory	91	PM ₁₀	1
68	Hisar	Moderate	154	PM _{2.5}	1
69	Howrah	Moderate	168	PM _{2.5}	3
70	Hubballi	Satisfactory	77	PM ₁₀	1
71	Hyderabad	Satisfactory	100	PM _{2.5}	12
72	Imphal	Satisfactory	81	SO ₂	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Notes: Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Moderate	142	PM ₁₀	1
74	Jabalpur	Poor	214	PM _{2.5}	1
75	Jaipur	Moderate	142	PM _{2.5} , PM ₁₀	3
76	Jalandhar	Moderate	148	PM ₁₀	1
77	Jhansi	Moderate	112	PM ₁₀	1
78	Jind	Poor	290	PM _{2.5}	1
79	Jodhpur	Poor	245	PM ₁₀	1
80	Kaithal	Very Poor	307	PM _{2.5}	1
81	Kalaburgi	Moderate	104	PM _{2.5}	1
82	Kalyan	Poor	212	PM ₁₀	1
83	Kanchipuram	Satisfactory	65	PM ₁₀	1
84	Kannur	Satisfactory	76	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Poor	219	PM _{2.5}	3
86	Karnal	Poor	258	PM _{2.5}	1
87	Katihar	Very Poor	360	PM _{2.5}	1
88	Katni	Poor	263	PM _{2.5}	1
89	Khanna	Moderate	174	PM ₁₀	1
90	Khurja	Moderate	181	PM _{2.5}	1
91	Kishanganj	Moderate	144	PM ₁₀	1
92	Kochi	Good	49	PM ₁₀	1
93	Kohima	Moderate	118	SO ₂	1
94	Kolar	Moderate	124	PM ₁₀	1
95	Kolkata	Moderate	140	PM _{2.5}	6
96	Koppal	Satisfactory	64	СО	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kurukshetra	Poor	244	PM _{2.5}	1
98	Lucknow	Moderate	156	PM _{2.5}	6
99	Ludhiana	Poor	214	PM _{2.5}	1
100	Madikeri	Satisfactory	59	O ₃	1
101	Maihar	Satisfactory	72	PM ₁₀	1
102	Mandi Gobindgarh	Moderate	118	PM ₁₀	1
103	Mandideep	Poor	260	PM ₁₀	1
104	Mandikhera	Good	50	PM _{2.5}	1
105	Manesar	Poor	289	PM _{2.5}	1
106	Meerut	Poor	265	PM _{2.5}	3
107	Moradabad	Moderate	181	PM _{2.5}	6
108	Motihari	Poor	270	PM _{2.5}	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Moderate	146	PM _{2.5} , NO ₂	15
110	Munger	Moderate	166	PM _{2.5}	1
111	Muzaffarnagar	Moderate	180	PM ₁₀	1
112	Muzaffarpur	Poor	217	PM _{2.5}	3
113	Mysuru	Satisfactory	54	0 ₃	1
114	Nagpur	Moderate	179	PM _{2.5}	1
115	Narnaul	Moderate	132	PM ₁₀	1
116	Nashik	Moderate	122	PM _{2.5}	1
117	Navi Mumbai	Poor	232	PM _{2.5}	3
118	Noida	Very Poor	328	PM _{2.5}	4
119	Ooty	Good	49	SO ₂	1
120	Pali	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Notes: Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Poor	208	PM ₁₀	1
122	Patiala	Moderate	158	PM _{2.5}	1
123	Patna	Poor	225	PM ₁₀ , PM _{2.5}	6
124	Pithampur	Moderate	111	PM ₁₀	1
125	Prayagraj	Moderate	140	PM _{2.5} , PM ₁₀	3
126	Puducherry	Satisfactory	60	PM ₁₀	1
127	Purnia	Poor	214	PM _{2.5}	1
128	Rajamahendravaram	Moderate	131	PM _{2.5}	1
129	Rajgir	Moderate	115	PM ₁₀	1
130	Ramanagara	Satisfactory	80	PM _{2.5}	1
131	Ramanathapuram	Good	36	PM ₁₀	1
132	Ratlam	Moderate	138	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rohtak	Moderate	154	PM _{2.5}	1
134	Rupnagar	Moderate	151	PM _{2.5}	1
135	Sagar	Moderate	106	РМ _{2.5} , СО	2
136	Saharsa	Poor	258	PM _{2.5}	1
137	Salem	Satisfactory	69	PM ₁₀	1
138	Samastipur	Poor	269	PM ₁₀	1
139	Sasaram	Moderate	123	PM _{2.5}	1
140	Satna	Satisfactory	61	PM ₁₀	1
141	Shillong	Good	21	SO ₂	1
142	Shivamogga	Satisfactory	53	PM ₁₀	1
143	Siliguri	Satisfactory	97	PM ₁₀	1
144	Singrauli	Poor	253	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Notes: Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sirsa	Moderate	178	O ₃	1
146	Sivasagar	Good	27	PM ₁₀	1
147	Siwan	Very Poor	331	PM _{2.5}	1
148	Solapur	Satisfactory	87	PM ₁₀	1
149	Sonipat	Very Poor	324	PM ₁₀	1
150	Srinagar	Good	48	PM ₁₀	1
151	Talcher	Moderate	113	PM _{2.5}	1
152	Thane	Moderate	130	PM ₁₀	1
153	Thiruvananthapuram	Satisfactory	54	со	2
154	Thoothukudi	Good	39	PM ₁₀	1
155	Tirupati	Satisfactory	95	PM _{2.5}	1
156	Tirupur	Moderate	114	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Udaipur	Moderate	114	PM _{2.5}	1
158	Ujjain	Moderate	181	PM ₁₀	1
159	Varanasi	Moderate	150	PM _{2.5}	4
160	Visakhapatnam	Poor	202	PM _{2.5}	1
161	Vrindavan	Moderate	131	PM ₁₀	1
162	Yadgir	Satisfactory	71	PM _{2.5}	1
163	Yamunanagar	Moderate	188	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Ambala,

Notes: Aurangabad, Aurangabad, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Ernakulam, Gummidipoondi, Hapur, Hosur, Jorapokhar, Kollam, Korba, Kota, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Panchkula, Pune, Raichur, Raipur, Surat, Thrissur, Udupi, Vapi, Vatva, Vijayapura, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.