

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	90	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	66	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	168	PM ₁₀	1
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Satisfactory	100	PM ₁₀	1
6	Alwar	Satisfactory	80	PM _{2.5}	1
7	Amaravati	Moderate	149	PM _{2.5}	1
8	Ambala	Severe	447	PM _{2.5}	1
9	Amritsar	Very Poor	320	PM _{2.5}	1
10	Anantapur	Satisfactory	97	PM _{2.5}	1
11	Ankleshwar	Moderate	186	PM _{2.5}	1
12	Araria	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	170	PM ₁₀	1
14	Asansol	Moderate	171	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	132	PM _{2.5}	1
16	Baddi	Very Poor	357	PM _{2.5}	1
17	Bagalkot	Good	39	PM ₁₀	1
18	Baghpat	Moderate	194	PM _{2.5}	1
19	Bahadurgarh	Moderate	180	PM _{2.5}	1
20	Ballabgarh	Poor	216	PM _{2.5}	1
21	Bareilly	Moderate	184	PM _{2.5}	2
22	Bathinda	Moderate	165	PM ₁₀	1
23	Begusarai	Very Poor	380	PM _{2.5}	1
24	Belgaum	Moderate	157	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	100	PM _{2.5} , CO	6
26	Bettiah	Very Poor	304	PM _{2.5}	1
27	Bhagalpur	Poor	209	PM _{2.5}	2
28	Bhiwadi	Moderate	186	PM ₁₀	1
29	Bhiwani	Moderate	150	PM _{2.5}	1
30	Bhopal	Moderate	188	PM _{2.5}	2
31	Bidar	Satisfactory	68	со	1
32	Bihar Sharif	Poor	213	PM _{2.5}	1
33	Bilaspur	Satisfactory	67	со	1
34	Bulandshahr	Moderate	181	PM _{2.5}	1
35	Chamarajanagar	Good	39	PM ₁₀	1
36	Chandigarh	Very Poor	400	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	179	PM _{2.5}	1
38	Charkhi Dadri	Satisfactory	95	PM _{2.5}	1
39	Chengalpattu	Satisfactory	100	PM _{2.5}	1
40	Chennai	Satisfactory	74	PM ₁₀	7
41	Chhapra	Poor	227	PM ₁₀	1
42	Chikkaballapur	Moderate	116	PM ₁₀	1
43	Coimbatore	Satisfactory	79	СО	1
44	Damoh	Satisfactory	93	PM _{2.5}	1
45	Darbhanga	Poor	286	PM _{2.5}	1
46	Davanagere	Satisfactory	96	PM ₁₀	1
47	Delhi	Poor	260	PM _{2.5}	37
48	Dewas	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Moderate	195	PM _{2.5}	1
50	Dindigul	Good	42	SO ₂	1
51	Durgapur	Satisfactory	92	PM ₁₀	1
52	Faridabad	Poor	248	PM _{2.5}	4
53	Fatehabad	Very Poor	306	PM _{2.5}	1
54	Firozabad	Satisfactory	58	PM ₁₀	2
55	Gandhinagar	Moderate	180	PM _{2.5}	1
56	Gangtok	Good	37	PM ₁₀	1
57	Gaya	Moderate	187	PM _{2.5}	3
58	Ghaziabad	Poor	246	PM _{2.5}	4
59	Gorakhpur	Poor	221	PM _{2.5}	1
60	Greater Noida	Poor	246	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Moderate	174	PM ₁₀ , PM _{2.5}	4
62	Guwahati	Satisfactory	96	PM _{2.5} , PM ₁₀	3
63	Gwalior	Poor	285	PM _{2.5}	2
64	Hajipur	Poor	241	PM ₁₀	1
65	Haldia	Moderate	105	PM ₁₀	1
66	Hapur	Poor	269	PM _{2.5}	1
67	Hassan	Satisfactory	73	PM _{2.5}	1
68	Haveri	Moderate	110	PM ₁₀	1
69	Hisar	Poor	215	PM _{2.5}	1
70	Hosur	Satisfactory	89	со	1
71	Howrah	Moderate	178	PM _{2.5} , PM ₁₀	3
72	Hubballi	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Satisfactory	90	PM _{2.5} , PM ₁₀	14
74	Imphal	Satisfactory	97	PM ₁₀	2
75	Indore	Moderate	125	PM ₁₀	1
76	Jabalpur	Moderate	121	PM ₁₀	1
77	Jaipur	Moderate	106	PM ₁₀	3
78	Jalandhar	Very Poor	333	PM _{2.5}	1
79	Jhansi	Moderate	106	PM ₁₀	1
80	Jind	Poor	211	PM _{2.5}	1
81	Jodhpur	Moderate	152	PM _{2.5}	1
82	Kaithal	Very Poor	391	PM _{2.5}	1
83	Kalaburgi	Satisfactory	78	PM _{2.5}	1
84	Kalyan	Moderate	186	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanchipuram	Satisfactory	64	PM ₁₀	1
86	Kannur	Satisfactory	76	PM ₁₀	1
87	Kanpur	Poor	237	PM _{2.5}	3
88	Karnal	Very Poor	337	PM _{2.5}	1
89	Katihar	Very Poor	387	PM _{2.5}	1
90	Katni	Poor	226	PM _{2.5}	1
91	Khanna	Severe	417	PM _{2.5}	1
92	Khurja	Moderate	169	PM _{2.5}	1
93	Kishanganj	Moderate	175	PM ₁₀	1
94	Kochi	Poor	215	PM _{2.5}	1
95	Kohima	Moderate	116	SO ₂	1
96	Kolar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Moderate	158	PM _{2.5}	7
98	Kota	Poor	248	PM _{2.5}	1
99	Kurukshetra	Severe	449	PM _{2.5}	1
100	Lucknow	Moderate	200	PM _{2.5}	6
101	Ludhiana	Severe	408	PM _{2.5}	1
102	Madikeri	Satisfactory	61	03	1
103	Maihar	Satisfactory	76	PM ₁₀	1
104	Mandi Gobindgarh	Poor	219	PM _{2.5}	1
105	Mandideep	Poor	213	PM ₁₀	1
106	Mandikhera	Satisfactory	88	PM ₁₀	1
107	Manesar	Moderate	162	PM _{2.5}	1
108	Meerut	Very Poor	328	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Moradabad	Moderate	172	PM _{2.5}	6
110	Motihari	Very Poor	360	PM _{2.5}	1
111	Mumbai	Moderate	192	PM _{2.5} , NO ₂	18
112	Munger	Moderate	166	PM _{2.5}	1
113	Muzaffarnagar	Very Poor	365	PM _{2.5}	1
114	Muzaffarpur	Poor	275	PM _{2.5}	3
115	Mysuru	Satisfactory	70	PM ₁₀	1
116	Nagpur	Moderate	153	PM _{2.5}	1
117	Narnaul	Moderate	111	PM _{2.5}	1
118	Nashik	Moderate	124	PM _{2.5}	1
119	Navi Mumbai	Poor	265	PM _{2.5}	3
120	Noida	Moderate	186	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ooty	Good	50	PM ₁₀	1
122	Pali	Moderate	154	PM _{2.5}	1
123	Palwal	Satisfactory	97	PM ₁₀	1
124	Panchkula	Very Poor	330	PM _{2.5}	1
125	Panipat	Very Poor	320	PM ₁₀	1
126	Patiala	Very Poor	368	PM _{2.5}	1
127	Patna	Poor	247	PM _{2.5} , PM ₁₀	6
128	Pithampur	Moderate	125	PM ₁₀	1
129	Prayagraj	Moderate	115	PM _{2.5} , PM ₁₀	3
130	Puducherry	Satisfactory	59	PM ₁₀	1
131	Pune	Good	43	со	1
132	Purnia	Poor	269	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Raichur	Satisfactory	60	PM _{2.5}	1
134	Rajamahendravaram	Moderate	140	PM _{2.5}	1
135	Rajgir	Moderate	137	PM _{2.5}	1
136	Ramanagara	Satisfactory	85	PM ₁₀	1
137	Ramanathapuram	Good	37	PM ₁₀	1
138	Ratlam	Moderate	108	PM ₁₀	1
139	Rohtak	Good	43	PM _{2.5}	1
140	Rupnagar	Poor	281	PM _{2.5}	1
141	Sagar	Satisfactory	86	O ₃ , CO	2
142	Saharsa	Poor	269	PM _{2.5}	1
143	Samastipur	Very Poor	308	PM _{2.5}	1
144	Sasaram	Moderate	138	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Satna	Satisfactory	55	PM ₁₀	1
146	Shillong	Good	27	PM _{2.5}	1
147	Shivamogga	Satisfactory	64	PM ₁₀	1
148	Siliguri	Moderate	128	PM ₁₀	1
149	Singrauli	Poor	240	PM _{2.5}	1
150	Sirsa	Poor	276	PM _{2.5}	1
151	Sivasagar	Good	34	PM ₁₀	1
152	Siwan	Very Poor	340	PM _{2.5}	1
153	Sonipat	Poor	236	PM _{2.5}	1
154	Srinagar	Satisfactory	72	PM ₁₀	1
155	Surat	Poor	299	PM _{2.5}	1
156	Talcher	Moderate	132	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thane	Moderate	198	03	1
158	Thiruvananthapuram	Good	48	со	2
159	Thoothukudi	Good	35	PM ₁₀	1
160	Thrissur	Satisfactory	87	PM _{2.5}	1
161	Tirupur	Moderate	136	PM _{2.5}	1
162	Udaipur	Moderate	143	PM _{2.5}	1
163	Udupi	Satisfactory	98	O ₃	1
164	Ujjain	Moderate	142	PM ₁₀	1
165	Varanasi	Satisfactory	90	PM ₁₀ , NO ₂	4
166	Vatva	Poor	231	PM _{2.5}	1
167	Vijayapura	Good	47	PM ₁₀	1
168	Visakhapatnam	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vrindavan	Satisfactory	85	PM ₁₀	1
170	Yadgir	Satisfactory	73	PM ₁₀	1
171	Yamunanagar	Very Poor	371	PM _{2.5}	1
172	vellore	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chikkamagaluru, Dehradun, Eloor, Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kollam, Koppal, Korba, Kozhikode, Manglore, Manguraha, Naharlagun, Nandesari, Raipur, Salem, Solapur, Tirupati, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.