

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	96	PM <sub>10</sub>	2
2	Agra	Moderate	181	PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	110	NO <sub>2</sub>	1
4	Aizawl	Good	23	PM <sub>10</sub>	1
5	Ajmer	Moderate	114	PM <sub>10</sub>	1
6	Alwar	Satisfactory	95	PM <sub>10</sub>	1
7	Amaravati	Moderate	120	PM <sub>2.5</sub>	1
8	Ambala	Moderate	184	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	117	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	73	O <sub>3</sub>	1
11	Ankleshwar	Poor	247	PM <sub>2.5</sub>	1
12	Arrah	Very Poor	327	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Baghpat

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	301	PM <sub>10</sub>	1
14	Aurangabad (Bihar)	Poor	297	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	97	PM <sub>10</sub>	1
16	Baddi	Poor	278	O <sub>3</sub>	1
17	Bahadurgarh	Poor	288	PM <sub>2.5</sub>	1
18	Ballabgarh	Poor	246	PM <sub>2.5</sub>	1
19	Bareilly	Moderate	162	PM <sub>10</sub>	2
20	Baripada	Moderate	199	PM <sub>2.5</sub>	1
21	Bathinda	Poor	271	PM <sub>10</sub>	1
22	Begusarai	Severe	457	PM <sub>2.5</sub>	1
23	Belgaum	Satisfactory	98	PM <sub>10</sub>	1
24	Bengaluru	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	6

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Baghpat

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Severe	434	PM <sub>2.5</sub>	1
26	Bhagalpur	Very Poor	304	PM <sub>2.5</sub>	2
27	Bhiwadi	Very Poor	366	PM <sub>10</sub>	1
28	Bhiwani	Poor	213	PM <sub>2.5</sub>	1
29	Bhopal	Poor	220	PM <sub>2.5</sub>	2
30	Bihar Sharif	Very Poor	368	PM <sub>2.5</sub>	1
31	Bilaspur	Satisfactory	91	PM <sub>10</sub>	1
32	Bileipada	Moderate	147	PM <sub>10</sub>	1
33	Bulandshahr	Poor	258	PM <sub>2.5</sub>	1
34	Buxar	Severe	418	PM <sub>2.5</sub>	1
35	Chamarajanagar	Good	42	PM <sub>10</sub>	1
36	Chandigarh	Moderate	163	PM <sub>2.5</sub> , O <sub>3</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	111	PM <sub>2.5</sub>	1
38	Charkhi Dadri	Moderate	200	PM <sub>10</sub>	1
39	Chennai	Moderate	120	PM <sub>2.5</sub>	8
40	Chikkaballapur	Moderate	135	PM <sub>10</sub>	1
41	Chikkamagaluru	Satisfactory	92	PM <sub>10</sub>	1
42	Chittoor	Moderate	114	PM <sub>2.5</sub>	1
43	Davanagere	Satisfactory	69	PM <sub>10</sub>	1
44	Delhi	Very Poor	333	PM <sub>2.5</sub> , PM <sub>10</sub>	35
45	Dewas	Satisfactory	90	PM <sub>10</sub>	1
46	Dharuhera	Very Poor	331	PM <sub>2.5</sub>	1
47	Dindigul	Satisfactory	69	PM <sub>2.5</sub>	1
48	Durgapur	Moderate	122	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	63	PM <sub>10</sub>	1
50	Faridabad	Very Poor	314	PM <sub>2.5</sub>	4
51	Fatehabad	Poor	235	PM <sub>2.5</sub>	1
52	Firozabad	Satisfactory	100	PM <sub>2.5</sub>	2
53	Gandhinagar	Satisfactory	80	PM <sub>10</sub>	1
54	Gangtok	Good	31	03	1
55	Gaya	Poor	252	PM <sub>2.5</sub>	3
56	Ghaziabad	Very Poor	305	PM <sub>10</sub>	4
57	Gorakhpur	Moderate	123	PM <sub>10</sub>	1
58	Greater Noida	Very Poor	382	PM <sub>10</sub> , PM <sub>2.5</sub>	2
59	Gurugram	Poor	283	PM <sub>2.5</sub>	4
60	Guwahati	Moderate	106	PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Baghpat

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Very Poor	309	PM <sub>2.5</sub>	1
62	Hajipur	Very Poor	307	PM <sub>2.5</sub>	1
63	Haldia	Moderate	124	PM <sub>10</sub>	1
64	Hapur	Poor	218	PM <sub>2.5</sub>	1
65	Haveri	Satisfactory	51	PM <sub>10</sub>	1
66	Hisar	Poor	259	PM <sub>2.5</sub>	1
67	Howrah	Poor	266	PM <sub>2.5</sub>	3
68	Hubballi	Satisfactory	89	PM <sub>2.5</sub>	1
69	Hyderabad	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	12
70	Imphal	Satisfactory	89	SO <sub>2</sub>	2
71	Indore	Moderate	133	PM <sub>10</sub>	1
72	Jabalpur	Poor	251	PM <sub>2.5</sub>	1

Notes:

#### Possible Health Impacts

#### Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Jalandhar	Moderate	124	PM <sub>10</sub>	1
75	Jhansi	Moderate	182	PM <sub>2.5</sub>	1
76	Jind	Very Poor	312	PM <sub>2.5</sub>	1
77	Jodhpur	Moderate	175	PM <sub>2.5</sub>	1
78	Kaithal	Poor	294	PM <sub>2.5</sub>	1
79	Kalaburgi	Moderate	174	PM <sub>2.5</sub>	1
80	Kalyan	Moderate	158	PM <sub>10</sub>	1
81	Kanchipuram	Satisfactory	68	PM <sub>10</sub>	1
82	Kannur	Satisfactory	80	PM <sub>10</sub>	1
83	Kanpur	Moderate	199	PM <sub>2.5</sub>	3
84	Karnal	Moderate	173	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQL is not calculated for today's bulletin for Argria, Pagalket, Raghnet

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katni	Poor	233	PM <sub>2.5</sub>	1
86	Keonjhar	Moderate	154	O <sub>3</sub>	1
87	Khanna	Moderate	106	PM <sub>10</sub>	1
88	Khurja	Poor	224	PM <sub>2.5</sub>	1
89	Kishanganj	Moderate	187	PM <sub>10</sub>	1
90	Kohima	Good	43	PM <sub>10</sub>	1
91	Kolar	Satisfactory	93	PM <sub>10</sub>	1
92	Kolkata	Poor	234	PM <sub>2.5</sub> , PM <sub>10</sub>	7
93	Kollam	Satisfactory	73	PM <sub>2.5</sub>	1
94	Kurukshetra	Poor	210	PM <sub>2.5</sub>	1
95	Lucknow	Poor	236	PM <sub>2.5</sub>	6
96	Ludhiana	Moderate	159	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Baghpat

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	21	O <sub>3</sub>	1
98	Maihar	Satisfactory	74	PM <sub>10</sub>	1
99	Mandi Gobindgarh	Moderate	116	PM <sub>2.5</sub>	1
100	Mandideep	Moderate	172	PM <sub>10</sub>	1
101	Mandikhera	Moderate	125	PM <sub>10</sub>	1
102	Manesar	Poor	278	PM <sub>2.5</sub>	1
103	Mangalore	Satisfactory	58	NO <sub>2</sub>	1
104	Manguraha	Moderate	109	PM <sub>2.5</sub>	1
105	Meerut	Poor	242	PM <sub>2.5</sub>	3
106	Moradabad	Moderate	113	PM <sub>2.5</sub>	6
107	Motihari	Severe	402	PM <sub>2.5</sub>	1
108	Mumbai	Moderate	167	PM <sub>2.5</sub> , PM <sub>10</sub>	19

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Baghpat

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Munger	Poor	296	PM <sub>2.5</sub>	1
110	Muzaffarnagar	Poor	264	PM <sub>2.5</sub>	1
111	Muzaffarpur	Very Poor	367	PM <sub>2.5</sub>	2
112	Mysuru	Good	43	PM <sub>10</sub>	1
113	Nalbari	Moderate	123	PM <sub>10</sub>	1
114	Narnaul	Moderate	179	PM <sub>2.5</sub>	1
115	Navi Mumbai	Poor	203	PM <sub>2.5</sub>	3
116	Nayagarh	Moderate	123	PM <sub>10</sub>	1
117	Noida	Very Poor	330	PM <sub>2.5</sub>	4
118	Ooty	Satisfactory	56	PM <sub>2.5</sub>	1
119	Pali	Moderate	150	PM <sub>2.5</sub>	1
120	Palwal	Satisfactory	86	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Baghpat

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panchkula	Satisfactory	92	PM <sub>2.5</sub>	1
122	Patiala	Moderate	181	PM <sub>2.5</sub>	1
123	Patna	Very Poor	364	PM <sub>10</sub> , PM <sub>2.5</sub>	6
124	Pithampur	Moderate	103	PM <sub>10</sub>	1
125	Prayagraj	Poor	211	PM <sub>2.5</sub> , O <sub>3</sub>	3
126	Puducherry	Moderate	110	PM <sub>2.5</sub>	1
127	Purnia	Very Poor	314	PM <sub>2.5</sub>	1
128	Raichur	Moderate	138	PM <sub>10</sub>	1
129	Rairangpur	Moderate	160	PM <sub>2.5</sub>	1
130	Rajamahendravaram	Moderate	140	PM <sub>2.5</sub>	1
131	Rajgir	Very Poor	318	PM <sub>2.5</sub>	1
132	Ramanagara	Satisfactory	84	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ramanathapuram	Satisfactory	68	PM <sub>2.5</sub>	1
134	Ratlam	Satisfactory	83	PM <sub>10</sub>	1
135	Rohtak	Poor	278	PM <sub>2.5</sub>	1
136	Rourkela	Poor	227	PM <sub>10</sub>	1
137	Rupnagar	Moderate	126	PM <sub>10</sub>	1
138	Sagar	Moderate	182	03	1
139	Saharsa	Very Poor	329	PM <sub>2.5</sub>	1
140	Salem	Satisfactory	82	PM <sub>2.5</sub>	1
141	Satna	Satisfactory	57	PM <sub>10</sub>	1
142	Shillong	Good	21	SO <sub>2</sub>	1
143	Shivamogga	Satisfactory	75	PM <sub>10</sub>	1
144	Siliguri	Moderate	102	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Baghpat

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Singrauli	Very Poor	319	PM <sub>2.5</sub>	1
146	Sirsa	Poor	216	PM <sub>2.5</sub>	1
147	Siwan	Severe	439	PM <sub>2.5</sub>	1
148	Srinagar	Moderate	136	PM <sub>2.5</sub>	1
149	Suakati	Moderate	186	03	1
150	Surat	Poor	259	PM <sub>2.5</sub>	1
151	Talcher	Poor	218	PM <sub>2.5</sub>	1
152	Tensa	Moderate	140	PM <sub>2.5</sub>	1
153	Thane	Moderate	177	O <sub>3</sub>	1
154	Thiruvananthapuram	Good	45	PM <sub>2.5</sub> , CO	2
155	Tirupati	Moderate	147	PM <sub>2.5</sub>	2
156	Tirupur	Satisfactory	85	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Baghpat

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Udaipur	Moderate	174	PM <sub>2.5</sub>	1
158	Ujjain	Moderate	189	PM <sub>2.5</sub>	1
159	Varanasi	Moderate	162	PM <sub>2.5</sub>	4
160	Vatva	Moderate	122	PM <sub>10</sub>	1
161	Vijayapura	Satisfactory	78	PM <sub>10</sub>	1
162	Visakhapatnam	Poor	221	PM <sub>2.5</sub>	1
163	Vrindavan	Moderate	122	PM <sub>10</sub>	1
164	Yadgir	Moderate	149	PM <sub>2.5</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQL is not coloulated for today's bulletin for Araria, Pagalket, Baghnet

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.