

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	203	PM _{2.5}	2
2	Agra	Satisfactory	62	PM ₁₀	6
3	Ahmedabad	Satisfactory	77	PM ₁₀	1
4	Aizawl	Good	19	PM ₁₀	1
5	Ajmer	Moderate	137	PM _{2.5}	1
6	Alwar	Satisfactory	99	PM ₁₀	1
7	Amaravati	Moderate	127	PM _{2.5}	1
8	Ambala	Moderate	101	PM _{2.5}	1
9	Amritsar	Moderate	179	PM _{2.5}	1
10	Anantapur	Satisfactory	75	03	1
11	Ankleshwar	Poor	223	PM _{2.5}	1
12	Araria	Poor	300	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	344	PM ₁₀	1
14	Asansol	Poor	255	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	304	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	110	PM ₁₀	1
17	Baddi	Poor	250	PM _{2.5}	1
18	Bagalkot	Satisfactory	53	PM _{2.5}	1
19	Baghpat	Moderate	155	PM _{2.5}	1
20	Bahadurgarh	Moderate	184	PM _{2.5}	1
21	Ballabgarh	Poor	229	PM _{2.5}	1
22	Bareilly	Moderate	156	PM ₁₀	2
23	Baripada	Poor	228	PM _{2.5}	1
24	Bathinda	Satisfactory	77	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	433	PM _{2.5}	1
26	Belgaum	Poor	228	PM _{2.5}	1
27	Bengaluru	Moderate	125	PM _{2.5} , PM ₁₀	8
28	Bhagalpur	Very Poor	348	PM _{2.5}	2
29	Bhiwadi	Moderate	178	PM ₁₀	1
30	Bhiwani	Moderate	158	PM _{2.5}	1
31	Bhopal	Moderate	142	PM ₁₀	2
32	Bidar	Satisfactory	76	SO ₂	1
33	Bihar Sharif	Very Poor	363	PM _{2.5}	1
34	Bilaspur	Satisfactory	69	PM ₁₀	1
35	Bileipada	Moderate	174	PM _{2.5}	1
36	Brajrajnagar	Satisfactory	86	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	188	PM _{2.5}	1
38	Chamarajanagar	Good	44	PM ₁₀	1
39	Chandigarh	Moderate	181	PM _{2.5} , PM ₁₀	3
40	Chandrapur	Moderate	108	PM _{2.5}	1
41	Charkhi Dadri	Moderate	149	PM _{2.5}	1
42	Chengalpattu	Poor	260	PM _{2.5}	1
43	Chennai	Poor	203	PM _{2.5}	7
44	Chhapra	Very Poor	391	PM ₁₀	1
45	Chikkaballapur	Moderate	188	PM _{2.5}	1
46	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
47	Chittoor	Satisfactory	82	O ₃	1
48	Damoh	Satisfactory	53	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Darbhanga	Severe	412	PM ₁₀	1
50	Davanagere	Moderate	126	PM ₁₀	1
51	Delhi	Poor	281	PM _{2.5}	36
52	Dewas	Moderate	108	PM ₁₀	1
53	Dharuhera	Moderate	130	PM ₁₀	1
54	Durgapur	Moderate	150	PM ₁₀	1
55	Eloor	Satisfactory	66	PM ₁₀	1
56	Faridabad	Poor	216	PM _{2.5}	3
57	Fatehabad	Moderate	200	PM _{2.5}	1
58	Firozabad	Satisfactory	74	PM _{2.5}	2
59	Gadag	Very Poor	315	PM ₁₀	1
60	Gandhinagar	Satisfactory	65	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Good	28	03	1
62	Gaya	Poor	261	PM _{2.5}	3
63	Ghaziabad	Poor	230	PM _{2.5}	4
64	Gorakhpur	Moderate	126	PM ₁₀	1
65	Greater Noida	Poor	238	PM _{2.5}	2
66	Gurugram	Poor	219	PM _{2.5}	3
67	Guwahati	Moderate	174	PM _{2.5}	3
68	Gwalior	Poor	243	PM _{2.5}	3
69	Hajipur	Very Poor	301	PM ₁₀	1
70	Haldia	Moderate	145	PM ₁₀	1
71	Hapur	Satisfactory	100	PM ₁₀	1
72	Hassan	Satisfactory	91	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Poor	229	PM _{2.5}	1
74	Hisar	Moderate	198	PM _{2.5}	1
75	Hosur	Moderate	195	PM _{2.5}	1
76	Howrah	Poor	266	PM _{2.5}	3
77	Hubballi	Moderate	147	PM _{2.5}	1
78	Hyderabad	Moderate	111	PM _{2.5} , PM ₁₀	14
79	Imphal	Satisfactory	86	PM _{2.5} , SO ₂	2
80	Indore	Satisfactory	90	PM ₁₀	1
81	Jabalpur	Poor	205	PM _{2.5}	1
82	Jaipur	Moderate	156	PM _{2.5} , PM ₁₀	3
83	Jalandhar	Moderate	189	PM ₁₀	1
84	Jhansi	Moderate	126	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jind	Poor	295	PM _{2.5}	1
86	Jodhpur	Moderate	197	PM ₁₀	1
87	Kaithal	Moderate	174	PM _{2.5}	1
88	Kalaburgi	Moderate	148	PM _{2.5}	1
89	Kalyan	Moderate	172	PM ₁₀	1
90	Kanchipuram	Satisfactory	100	PM ₁₀	1
91	Kannur	Satisfactory	76	PM _{2.5}	1
92	Kanpur	Moderate	131	PM _{2.5}	3
93	Karnal	Moderate	165	PM _{2.5}	1
94	Katihar	Very Poor	386	PM _{2.5}	1
95	Katni	Poor	253	PM ₁₀	1
96	Keonjhar	Poor	228	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khanna	Moderate	171	PM _{2.5}	1
98	Khurja	Moderate	132	PM _{2.5}	1
99	Kishanganj	Poor	238	PM _{2.5}	1
100	Kochi	Poor	293	PM _{2.5}	1
101	Kohima	Satisfactory	63	PM ₁₀	1
102	Kolar	Moderate	170	SO ₂	1
103	Kolkata	Poor	295	PM _{2.5}	7
104	Kollam	Satisfactory	83	PM ₁₀	1
105	Koppal	Moderate	110	O ₃	1
106	Kota	Moderate	140	PM ₁₀	1
107	Kozhikode	Good	41	PM ₁₀	1
108	Kurukshetra	Moderate	176	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Lucknow	Moderate	179	PM _{2.5}	6
110	Ludhiana	Poor	253	PM _{2.5}	1
111	Madikeri	Good	45	03	1
112	Maihar	Good	49	PM ₁₀	1
113	Mandi Gobindgarh	Poor	251	PM _{2.5}	1
114	Mandideep	Satisfactory	81	PM ₁₀	1
115	Mandikhera	Satisfactory	90	PM ₁₀	1
116	Manesar	Moderate	168	PM _{2.5}	1
117	Mangalore	Moderate	109	PM ₁₀	1
118	Manguraha	Satisfactory	89	PM _{2.5}	1
119	Meerut	Poor	222	PM _{2.5}	3
120	Moradabad	Moderate	119	PM _{2.5} , PM ₁₀	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Motihari	Very Poor	318	PM ₁₀	1
122	Mumbai	Poor	255	PM _{2.5} , PM ₁₀	18
123	Munger	Very Poor	318	PM _{2.5}	1
124	Muzaffarnagar	Poor	298	PM _{2.5}	1
125	Muzaffarpur	Poor	298	PM _{2.5}	3
126	Mysuru	Satisfactory	64	PM ₁₀	1
127	Nagpur	Moderate	121	PM _{2.5}	1
128	Nalbari	Moderate	156	PM _{2.5}	1
129	Narnaul	Moderate	127	PM ₁₀	1
130	Nashik	Moderate	169	PM _{2.5}	1
131	Navi Mumbai	Poor	210	PM _{2.5}	3
132	Nayagarh	Moderate	170	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Noida	Poor	239	PM _{2.5}	4
134	Ooty	Satisfactory	62	со	1
135	Pali	Moderate	127	PM _{2.5}	1
136	Palwal	Satisfactory	74	PM ₁₀	1
137	Panchkula	Moderate	148	PM _{2.5}	1
138	Patiala	Moderate	108	PM ₁₀	1
139	Patna	Very Poor	385	PM ₁₀ , PM _{2.5}	6
140	Pithampur	Moderate	121	PM ₁₀	1
141	Prayagraj	Satisfactory	96	PM ₁₀	3
142	Puducherry	Poor	212	PM _{2.5}	1
143	Pune	Moderate	173	PM _{2.5}	1
144	Purnia	Severe	404	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rairangpur	Poor	260	PM _{2.5}	1
146	Rajamahendravaram	Moderate	177	PM _{2.5}	1
147	Rajgir	Very Poor	351	PM _{2.5}	1
148	Ramanagara	Moderate	118	PM _{2.5}	1
149	Ramanathapuram	Poor	234	PM _{2.5}	1
150	Ratlam	Satisfactory	94	PM ₁₀	1
151	Rohtak	Moderate	190	PM _{2.5}	1
152	Rourkela	Poor	248	PM ₁₀	1
153	Rupnagar	Moderate	122	PM ₁₀	1
154	Sagar	Satisfactory	80	O ₃ , CO	2
155	Salem	Moderate	149	PM _{2.5}	1
156	Samastipur	Very Poor	348	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sasaram	Poor	274	PM _{2.5}	1
158	Satna	Satisfactory	52	PM ₁₀	1
159	Shillong	Good	27	PM _{2.5}	1
160	Shivamogga	Satisfactory	58	03	1
161	Siliguri	Moderate	151	PM ₁₀	1
162	Singrauli	Poor	245	PM _{2.5}	1
163	Sirsa	Moderate	193	PM _{2.5}	1
164	Siwan	Severe	406	PM _{2.5}	1
165	Sonipat	Moderate	180	PM ₁₀	1
166	Srinagar	Satisfactory	99	PM ₁₀	1
167	Suakati	Poor	217	PM _{2.5}	1
168	Surat	Poor	280	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Talcher	Moderate	182	PM _{2.5}	1
170	Thiruvananthapuram	Moderate	116	PM _{2.5}	2
171	Thoothukudi	Moderate	117	PM ₁₀	1
172	Thrissur	Satisfactory	86	PM _{2.5}	1
173	Tirupati	Moderate	126	PM _{2.5}	2
174	Tirupur	Moderate	171	PM ₁₀	1
175	Udaipur	Moderate	169	PM _{2.5}	1
176	Udupi	Poor	204	O ₃	1
177	Ujjain	Moderate	181	PM _{2.5}	1
178	Vapi	Very Poor	334	PM _{2.5}	1
179	Varanasi	Satisfactory	87	PM ₁₀ , NO ₂	4
180	Vatva	Moderate	105	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vijayapura	Satisfactory	69	PM ₁₀	1
182	Visakhapatnam	Moderate	191	PM _{2.5}	1
183	Vrindavan	Moderate	104	PM ₁₀	1
184	Yadgir	Satisfactory	97	PM _{2.5}	1
185	Yamunanagar	Moderate	166	PM _{2.5}	1
186	vellore	Moderate	168	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Naharlagun, Nandesari, Panipat, Raichur, Raipur, Saharsa, Sivasagar, Solapur, Tensa, Thane, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.