

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	248	PM _{2.5}	2
2	Agra	Moderate	102	PM _{2.5}	6
3	Ahmedabad	Moderate	190	NO ₂	1
4	Ajmer	Moderate	126	PM ₁₀	1
5	Alwar	Moderate	187	PM _{2.5}	1
6	Amaravati	Satisfactory	76	PM ₁₀	1
7	Ambala	Poor	220	PM _{2.5}	1
8	Amritsar	Moderate	171	PM _{2.5}	1
9	Anantapur	Satisfactory	64	O ₃	1
10	Ankleshwar	Poor	284	PM _{2.5}	1
11	Araria	Very Poor	369	PM _{2.5}	1
12	Ariyalur	Good	41	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	397	PM _{2.5}	1
14	Asansol	Very Poor	317	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	372	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	143	PM _{2.5}	1
17	Baddi	Very Poor	397	PM _{2.5}	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Very Poor	368	PM _{2.5}	1
20	Bahadurgarh	Very Poor	314	PM _{2.5}	1
21	Ballabgarh	Poor	287	PM _{2.5}	1
22	Bareilly	Moderate	188	PM _{2.5}	2
23	Baripada	Moderate	179	PM _{2.5}	1
24	Bathinda	Moderate	198	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	470	PM _{2.5}	1
26	Belgaum	Moderate	155	PM ₁₀	1
27	Bengaluru	Satisfactory	72	со	8
28	Bhagalpur	Severe	448	PM _{2.5}	2
29	Bhiwadi	Very Poor	302	PM _{2.5}	1
30	Bhopal	Moderate	160	PM ₁₀	2
31	Bilaspur	Satisfactory	61	PM ₁₀	1
32	Bileipada	Moderate	180	PM _{2.5}	1
33	Brajrajnagar	Satisfactory	81	PM ₁₀	1
34	Bulandshahr	Poor	261	PM _{2.5}	1
35	Chamarajanagar	Good	40	PM ₁₀	1
36	Chandigarh	Poor	278	PM _{2.5}	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	152	PM ₁₀	2
38	Charkhi Dadri	Very Poor	305	PM _{2.5}	1
39	Chennai	Satisfactory	65	PM _{2.5} , PM ₁₀	8
40	Chikkaballapur	Satisfactory	83	PM ₁₀	1
41	Chikkamagaluru	Good	38	PM ₁₀	1
42	Chittoor	Satisfactory	64	PM ₁₀	1
43	Coimbatore	Satisfactory	97	PM _{2.5}	1
44	Darbhanga	Severe	449	PM _{2.5}	1
45	Davanagere	Satisfactory	57	PM ₁₀	1
46	Dehradun	Poor	215	PM _{2.5}	1
47	Delhi	Very Poor	399	PM _{2.5}	39
48	Dewas	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Very Poor	357	PM _{2.5}	1
50	Dindigul	Poor	216	NO ₂	1
51	Durgapur	Moderate	186	PM ₁₀	1
52	Faridabad	Very Poor	346	PM _{2.5}	4
53	Fatehabad	Very Poor	348	PM _{2.5}	1
54	Firozabad	Moderate	146	PM _{2.5}	2
55	Gadag	Satisfactory	53	O ₃	1
56	Gandhinagar	Satisfactory	94	PM ₁₀	1
57	Gangtok	Satisfactory	100	PM _{2.5}	1
58	Gaya	Very Poor	340	PM _{2.5}	3
59	Ghaziabad	Very Poor	336	PM _{2.5}	4
60	Gorakhpur	Moderate	175	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Very Poor	374	PM _{2.5}	2
62	Gummidipoondi	Satisfactory	97	PM ₁₀	1
63	Gurugram	Very Poor	348	PM _{2.5}	4
64	Guwahati	Poor	247	PM _{2.5}	3
65	Gwalior	Poor	265	PM _{2.5}	3
66	Hajipur	Poor	296	PM _{2.5}	1
67	Haldia	Moderate	148	PM ₁₀	1
68	Hapur	Moderate	194	PM _{2.5}	1
69	Hassan	Good	38	PM _{2.5}	1
70	Haveri	Satisfactory	71	PM ₁₀	1
71	Hisar	Very Poor	316	PM _{2.5}	1
72	Hosur	Moderate	103	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Poor	273	PM _{2.5}	3
74	Hubballi	Satisfactory	93	PM ₁₀	2
75	Hyderabad	Moderate	104	PM _{2.5} , PM ₁₀	14
76	Imphal	Moderate	118	PM _{2.5} , SO ₂	2
77	Indore	Moderate	150	PM ₁₀	1
78	Jabalpur	Moderate	121	PM ₁₀	1
79	Jaipur	Moderate	101	PM ₁₀	3
80	Jalandhar	Poor	266	PM _{2.5}	1
81	Jhansi	Moderate	122	PM ₁₀	1
82	Jind	Very Poor	341	PM _{2.5}	1
83	Jodhpur	Moderate	150	PM _{2.5}	1
84	Kaithal	Very Poor	316	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Satisfactory	65	PM _{2.5}	1
86	Kalyan	Poor	223	PM ₁₀	1
87	Kannur	Satisfactory	73	PM _{2.5}	1
88	Kanpur	Poor	223	PM _{2.5}	4
89	Katihar	Severe	442	PM _{2.5}	1
90	Katni	Poor	238	PM _{2.5}	1
91	Keonjhar	Satisfactory	95	PM ₁₀	1
92	Khanna	Poor	202	PM _{2.5}	1
93	Khurja	Poor	275	PM _{2.5}	1
94	Kishanganj	Very Poor	306	PM _{2.5}	1
95	Kochi	Moderate	119	PM _{2.5}	1
96	Kohima	Satisfactory	80	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Poor	252	PM _{2.5}	7
98	Kollam	Satisfactory	73	PM ₁₀	1
99	Koppal	Satisfactory	59	PM ₁₀	1
100	Kota	Moderate	188	PM _{2.5}	1
101	Kurukshetra	Poor	288	PM _{2.5}	1
102	Lucknow	Poor	273	PM _{2.5}	6
103	Ludhiana	Very Poor	301	PM _{2.5}	1
104	Madikeri	Good	41	O ₃	1
105	Maihar	Good	41	PM ₁₀	1
106	Mandi Gobindgarh	Moderate	162	PM _{2.5}	1
107	Mandideep	Poor	242	PM _{2.5}	1
108	Mandikhera	Moderate	137	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Very Poor	338	PM _{2.5}	1
110	Mangalore	Satisfactory	72	PM ₁₀	1
111	Manguraha	Poor	270	PM _{2.5}	1
112	Meerut	Very Poor	337	PM ₁₀	3
113	Moradabad	Moderate	188	PM _{2.5}	6
114	Motihari	Very Poor	375	PM ₁₀	1
115	Mumbai	Poor	229	PM _{2.5} , PM ₁₀	17
116	Munger	Very Poor	397	PM _{2.5}	1
117	Muzaffarnagar	Very Poor	395	PM _{2.5}	1
118	Muzaffarpur	Severe	424	PM _{2.5}	3
119	Mysuru	Good	41	O ₃	1
120	Nagpur	Poor	210	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nalbari	Poor	282	PM _{2.5}	1
122	Narnaul	Moderate	134	PM ₁₀	1
123	Navi Mumbai	Very Poor	316	PM _{2.5}	3
124	Noida	Very Poor	344	PM _{2.5}	4
125	Ooty	Satisfactory	81	PM ₁₀	1
126	Pali	Moderate	138	PM _{2.5}	1
127	Palwal	Satisfactory	97	PM ₁₀	1
128	Panchkula	Poor	250	PM _{2.5}	1
129	Panipat	Poor	235	PM ₁₀	1
130	Patiala	Poor	217	PM _{2.5}	1
131	Patna	Severe	424	PM ₁₀ , PM _{2.5}	6
132	Pithampur	Moderate	130	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Prayagraj	Moderate	199	PM _{2.5}	3
134	Puducherry	Good	48	PM ₁₀	1
135	Purnia	Severe	432	PM _{2.5}	1
136	Rairangpur	Moderate	118	PM _{2.5}	1
137	Rajamahendravaram	Satisfactory	80	PM ₁₀	1
138	Rajgir	Very Poor	394	PM _{2.5}	1
139	Ramanagara	Satisfactory	51	PM ₁₀	1
140	Ramanathapuram	Good	33	PM ₁₀	1
141	Ratlam	Moderate	146	PM ₁₀	1
142	Rohtak	Very Poor	310	PM _{2.5}	1
143	Rourkela	Moderate	193	PM ₁₀	1
144	Rupnagar	Very Poor	336	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sagar	Good	49	O ₃ , CO	2
146	Salem	Satisfactory	70	SO ₂	1
147	Samastipur	Severe	424	PM _{2.5}	1
148	Sasaram	Very Poor	371	PM _{2.5}	1
149	Satna	Satisfactory	82	PM ₁₀	1
150	Shillong	Satisfactory	71	PM _{2.5}	1
151	Shivamogga	Good	41	PM ₁₀	1
152	Siliguri	Moderate	165	PM _{2.5}	1
153	Sivasagar	Good	42	PM _{2.5}	1
154	Siwan	Severe	488	PM _{2.5}	1
155	Solapur	Moderate	118	PM _{2.5}	1
156	Sonipat	Very Poor	311	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Suakati	Satisfactory	94	PM ₁₀	1
158	Surat	Poor	276	PM _{2.5}	1
159	Talcher	Poor	227	PM _{2.5}	1
160	Tensa	Satisfactory	85	PM ₁₀	1
161	Thane	Moderate	190	03	1
162	Thiruvananthapuram	Satisfactory	60	PM _{2.5} , PM ₁₀	2
163	Thoothukudi	Good	29	PM ₁₀	1
164	Thrissur	Satisfactory	74	PM ₁₀	1
165	Tirupati	Satisfactory	67	NO ₂	1
166	Tirupur	Good	50	PM _{2.5}	1
167	Udaipur	Moderate	141	PM _{2.5}	1
168	Ujjain	Moderate	178	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vapi	Very Poor	366	PM _{2.5}	1
170	Varanasi	Moderate	118	PM _{2.5} , PM ₁₀	4
171	Vatva	Poor	224	PM _{2.5}	1
172	Vijayapura	Satisfactory	53	PM ₁₀	1
173	Visakhapatnam	Moderate	171	PM _{2.5}	1
174	Yadgir	Satisfactory	68	PM ₁₀	1
175	Yamunanagar	Poor	232	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bhilai, Notes: Bhiwani, Bidar, Bihar Sharif, Buxar, Byrnihat, Chengalpattu, Chhapra, Damoh, Dharwad, Eloor, Ernakulam, Jorapokhar, Kanchipuram, Karnal, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raichur, Raipur, Saharsa, Singrauli, Sirsa, Srinagar, Tumakuru, Udupi, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.