

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	69	PM _{2.5}	1
2	Agra	Satisfactory	70	PM _{2.5}	6
3	Ahmedabad	Satisfactory	75	PM ₁₀	7
4	Aizawl	Good	18	PM ₁₀	1
5	Ajmer	Satisfactory	93	PM ₁₀	1
6	Akola	Good	37	PM ₁₀	1
7	Alwar	Satisfactory	56	NO ₂	1
8	Amaravati	Good	17	PM _{2.5}	1
9	Ambala	Satisfactory	97	со	1
10	Amravati	Good	40	PM ₁₀	2
11	Anantapur	Good	26	PM ₁₀	1
12	Ankleshwar	Satisfactory	61	0 ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane,

Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Satisfactory	61	со	1
14	Ariyalur	Good	20	NO ₂	1
15	Arrah	Satisfactory	86	PM ₁₀	1
16	Aurangabad (Bihar)	Good	43	0 ₃	1
17	Aurangabad (Maharashtra)	Good	40	0 ₃	2
18	Baddi	Satisfactory	67	PM ₁₀	1
19	Badlapur	Satisfactory	69	PM ₁₀	1
20	Bagalkot	Good	46	PM ₁₀	1
21	Baghpat	Satisfactory	62	NO ₂	1
22	Ballabgarh	Satisfactory	77	PM ₁₀	1
23	Banswara	Good	33	PM ₁₀	1
24	Baran	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Notes: Ka



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	26	SO ₂	1
26	Baripada	Good	39	PM ₁₀	1
27	Barmer	Good	33	PM ₁₀	1
28	Bathinda	Satisfactory	67	PM ₁₀	1
29	Begusarai	Moderate	154	PM ₁₀	1
30	Belapur	Good	30	PM ₁₀	1
31	Belgaum	Good	47	СО	1
32	Bengaluru	Good	40	CO, PM ₁₀	8
33	Bettiah	Satisfactory	89	СО	1
34	Bhagalpur	Satisfactory	73	PM ₁₀	2
35	Bharatpur	Satisfactory	87	PM ₁₀	1
36	Bhilai	Good	42	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	54	NO ₂	1
38	Bhiwandi	Good	36	PM ₁₀	1
39	Bhiwani	Satisfactory	61	PM ₁₀	1
40	Bhopal	Good	44	PM ₁₀	3
41	Bihar Sharif	Satisfactory	72	0 ₃	1
42	Bikaner	Satisfactory	81	PM ₁₀	1
43	Bilaspur	Moderate	139	СО	1
44	Bileipada	Satisfactory	96	PM ₁₀	1
45	Bulandshahr	Satisfactory	58	PM ₁₀	1
46	Chamarajanagar	Good	40	PM ₁₀	1
47	Chandigarh	Satisfactory	60	PM ₁₀	3
48	Chandrapur	Good	38	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanba Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa,

Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur,

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane,

Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	75	PM ₁₀	1
50	Chennai	Satisfactory	66	NO ₂ , CO	6
51	Chhapra	Satisfactory	89	СО	1
52	Chikkaballapur	Good	27	O ₃	1
53	Chikkamagaluru	Good	19	PM ₁₀	1
54	Chittoor	Good	23	O ₃	1
55	Chittorgarh	Satisfactory	53	PM ₁₀	1
56	Churu	Satisfactory	78	PM ₁₀	1
57	Cuddalore	Moderate	113	NO ₂	2
58	Damoh	Satisfactory	83	PM ₁₀	1
59	Dausa	Satisfactory	90	PM ₁₀	1
60	Dehradun	Good	40	0 ₃	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane,

Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	102	O ₃ , PM _{2.5}	29
62	Dewas	Good	34	SO ₂	1
63	Dharwad	Good	35	PM ₁₀	1
64	Dholpur	Satisfactory	95	СО	1
65	Dhule	Good	37	0 ₃	1
66	Dindigul	Good	42	SO ₂	1
67	Durgapur	Satisfactory	63	PM ₁₀	1
68	Eloor	Satisfactory	68	PM ₁₀	1
69	Faridabad	Satisfactory	70	PM ₁₀ , PM _{2.5}	4
70	Fatehabad	Moderate	136	0 ₃	1
71	Firozabad	Satisfactory	75	PM _{2.5}	2
72	Gadag	Good	46	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Notes:



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Good	27	PM _{2.5}	1
74	Gangtok	Satisfactory	54	SO ₂	1
75	Gaya	Satisfactory	55	O ₃	3
76	Ghaziabad	Satisfactory	77	PM ₁₀	4
77	Gorakhpur	Satisfactory	64	SO ₂	1
78	Greater Noida	Moderate	136	O ₃	2
79	Gummidipoondi	Satisfactory	83	PM ₁₀	1
80	Gurugram	Satisfactory	79	РМ _{2.5} , СО	4
81	Guwahati	Satisfactory	64	PM ₁₀ , SO ₂	4
82	Gwalior	Satisfactory	59	РМ ₁₀ , СО	4
83	Hajipur	Satisfactory	71	0 ₃	1
84	Haldia	Good	38	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dava Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Satisfactory	75	PM ₁₀	1
86	Hapur	Good	44	PM ₁₀	1
87	Haveri	Good	36	СО	1
88	Hosur	Good	16	PM ₁₀	1
89	Howrah	Good	44	NO ₂ , PM ₁₀	2
90	Hyderabad	Good	45	CO, NO ₂	14
91	Indore	Satisfactory	57	СО	1
92	Jabalpur	Satisfactory	61	O ₃	1
93	Jaipur	Satisfactory	86	PM ₁₀ , PM _{2.5}	5
94	Jaisalmer	Satisfactory	56	PM ₁₀	1
95	Jalandhar	Satisfactory	59	PM ₁₀	1
96	Jalgaon	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ceimbatore, Darbhanga, Davanagere, Dhanbar Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur,

Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane,

Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Notes:



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalna	Satisfactory	64	PM ₁₀	1
98	Jhalawar	Good	40	O ₃	1
99	Jhansi	Moderate	104	PM _{2.5}	1
100	Jhunjhunu	Satisfactory	74	O ₃	1
101	Jind	Satisfactory	92	СО	1
102	Jodhpur	Satisfactory	57	PM ₁₀	5
103	Kaithal	Satisfactory	80	PM _{2.5}	1
104	Kalaburgi	Good	8	PM ₁₀	2
105	Kalyan	Moderate	128	O ₃	1
106	Kanpur	Satisfactory	76	PM ₁₀	2
107	Karauli	Satisfactory	66	O ₃	1
108	Karnal	Good	49	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbae Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane,

Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Notes:



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kashipur	Satisfactory	59	PM ₁₀	1
110	Katihar	Satisfactory	62	со	1
111	Katni	Satisfactory	64	PM ₁₀	1
112	Keonjhar	Satisfactory	63	со	1
113	Khanna	Good	47	PM ₁₀	1
114	Khurja	Moderate	103	PM _{2.5}	1
115	Kishanganj	Satisfactory	51	со	1
116	Kohima	Good	45	SO ₂	1
117	Kolar	Good	26	NH ₃	1
118	Kolhapur	Good	25	PM _{2.5}	1
119	Kolkata	Good	33	О ₃ , РМ ₁₀	7
120	Kollam	Satisfactory	74	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane,

Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Good	40	PM ₁₀	2
122	Kota	Moderate	138	PM _{2.5}	3
123	Kunjemura	Good	35	PM ₁₀	1
124	Kurukshetra	Satisfactory	61	O ₃	1
125	Latur	Good	45	СО	1
126	Lucknow	Satisfactory	73	PM ₁₀	6
127	Ludhiana	Moderate	108	PM ₁₀	1
128	Madikeri	Good	23	PM _{2.5}	1
129	Mahad	Good	29	NO ₂	1
130	Maihar	Good	44	PM ₁₀	1
131	Mandi Gobindgarh	Satisfactory	70	PM _{2.5}	1
132	Mandikhera	Satisfactory	56	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbac Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manesar	Satisfactory	61	PM _{2.5}	1
134	Mangalore	Good	49	PM ₁₀	1
135	Meerut	Satisfactory	62	CO, PM ₁₀	3
136	Moradabad	Satisfactory	90	PM _{2.5}	6
137	Motihari	Good	46	со	1
138	Mumbai	Satisfactory	81	РМ _{2.5} , СО	18
139	Munger	Moderate	143	PM ₁₀	1
140	Muzaffarnagar	Satisfactory	68	PM ₁₀	1
141	Muzaffarpur	Satisfactory	91	СО	3
142	Mysuru	Good	38	PM ₁₀	1
143	Nagaon	Good	42	0 ₃	1
144	Nagaur	Satisfactory	61	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar,

Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbac Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane,

Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Good	45	PM ₁₀	4
146	Naharlagun	Good	20	PM _{2.5}	1
147	Nalbari	Satisfactory	79	PM ₁₀	1
148	Nanded	Satisfactory	67	PM ₁₀	1
149	Narnaul	Satisfactory	66	PM _{2.5}	1
150	Nashik	Good	30	РМ ₁₀ , СО	3
151	Navi Mumbai	Satisfactory	53	NO ₂ , PM ₁₀	6
152	Nayagarh	Good	32	PM ₁₀	1
153	Noida	Satisfactory	85	СО	4
154	Pali	Moderate	124	PM ₁₀	1
155	Palwal	Good	40	PM ₁₀	1
156	Panchkula	Satisfactory	54	СО	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panipat	Satisfactory	58	PM ₁₀	1
158	Parbhani	Good	37	PM ₁₀	1
159	Patiala	Satisfactory	54	со	1
160	Patna	Satisfactory	99	PM _{2.5} , NO ₂	6
161	Pimpri Chinchwad	Good	34	PM ₁₀ , NO ₂	3
162	Pithampur	Satisfactory	57	PM ₁₀	1
163	Pratapgarh	Good	45	O ₃	1
164	Prayagraj	Satisfactory	73	PM ₁₀	3
165	Puducherry	Good	32	PM ₁₀	1
166	Pune	Satisfactory	91	NO ₂ , PM ₁₀	5
167	Purnia	Satisfactory	80	СО	1
168	Raichur	Good	48	0 ₃	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane,

Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Notes: Kanchipu Mangurah



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raipur	Good	49	PM ₁₀ , NO ₂	4
170	Rairangpur	Good	40	PM ₁₀	1
171	Rajamahendravaram	Good	14	СО	1
172	Rajgir	Good	47	PM ₁₀	1
173	Rajsamand	Satisfactory	96	PM ₁₀	1
174	Ramanagara	Good	45	NO ₂	1
175	Ramanathapuram	Good	46	PM ₁₀	1
176	Rishikesh	Good	31	СО	1
177	Rohtak	Good	44	PM _{2.5}	1
178	Rourkela	Good	46	PM _{2.5}	2
179	Rupnagar	Moderate	144	PM ₁₀	1
180	Sagar	Good	40	0 ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dava Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Saharsa	Satisfactory	74	PM ₁₀	1
182	Salem	Good	33	SO ₂	1
183	Samastipur	Moderate	160	PM ₁₀	1
184	Sangli	Good	18	O ₃	1
185	Satna	Satisfactory	94	PM ₁₀	1
186	Sawai Madhopur	Good	47	PM ₁₀	1
187	Shillong	Good	27	PM _{2.5}	1
188	Shivamogga	Good	29	СО	1
189	Sikar	Moderate	101	PM ₁₀	1
190	Silchar	Good	27	СО	1
191	Siliguri	Good	35	PM ₁₀	1
192	Singrauli	Moderate	114	NO ₂	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbac Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sirohi	Good	26	PM ₁₀	1
194	Sivasagar	Good	33	SO ₂	1
195	Siwan	Satisfactory	98	PM ₁₀	1
196	Solapur	Good	41	PM ₁₀	3
197	Sonipat	Satisfactory	100	PM ₁₀	1
198	Sri Ganganagar	Moderate	171	PM ₁₀	1
199	Suakati	Satisfactory	53	PM ₁₀	1
200	Surat	Good	13	PM _{2.5}	1
201	Thoothukudi	Satisfactory	53	PM ₁₀	1
202	Thrissur	Good	48	PM _{2.5}	1
203	Tirupati	Good	36	PM _{2.5} , NO ₂	2
204	Tonk	Satisfactory	84	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbac Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar,

Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumidih	Good	30	PM ₁₀	1
206	Udaipur	Good	49	PM ₁₀	1
207	Ulhasnagar	Good	44	PM ₁₀	1
208	Vapi	Satisfactory	69	СО	1
209	Varanasi	Good	33	PM ₁₀	4
210	Vatva	Satisfactory	61	PM ₁₀	1
211	Vijayapura	Good	46	PM ₁₀	1
212	Visakhapatnam	Good	42	PM ₁₀	1
213	Vrindavan	Satisfactory	82	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar, Asansol, Bahadurgarh, Bhilwara, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dharuhera, Ernakulam, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kochi, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Ratlam, Sasaram, Sirsa, Srinagar, Talcher, Tensa, Thane, Thiruvananthapuram, Tirupur, Tumakuru, Udupi, Ujjain, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.