

# TELEPHONE DIRECTORY

# 2021



**CENTRAL POLLUTION CONTROL BOARD**  
**'Parivesh Bhawan', East Arjun Nagar, Shahdara, Delhi - 110032 (INDIA)**  
**Website: [www.cpcb.nic.in](http://www.cpcb.nic.in)**

## INDEX

S. No.	Contents	Page No.
<b>Head Office</b>		
1.0	Important/Emergency Nos.	1
2.0	Chairman Section (CCB)	2
3.0	Member Secretary Section (MS)	2
4.0	Pollution Control Planning (PCP)	2
5.0	Public Relation & Grievances (PR & G)	2
6.0	Environmental Training Unit (ETU)	2
7.0	Industrial Pollution Control (IPC)	3
7.1	IPC-I	3
7.2	IPC-II	3
7.3	IPC-III	3
7.4	IPC-IV	3
7.5	IPC-V	3
7.6	IPC-VI	3
7.7	IPC-VII	3
8.0	Urban Pollution Control (UPC)	4
8.1	UPC-I	4
8.2	UPC-II	4
9.0	Waste Management (WM)	4
9.1	WM-I	4
9.2	WM-II	4
9.3	WM-III	4
10.1	Air Quality Monitoring (AQMN)	4
10.2	Air Quality Management (AQM)	4-5
11.0	Water Quality Management (WQM)	5
11.1	WQM-I	5
11.2	WQM-II	5
12.0	Information Technology (IT) Division	6
13.0	Laboratories	6
13.1	Air Lab	6-7
13.2	Biological Lab	7
13.3	Research & Development	7
13.4	Instrumentation Lab	7
13.5	Trace Organic Lab	8
13.6	Water & Waste Water Lab	8
14.0	LAW	8
15.0	Administration (Recruitment)	9
16.0	Administration (Personal)	9
17.0	Administration (Material)	9
18.0	Finance & Account (F&A)	10
19.0	Building (Infrastructure and Emergency Services) Division	10-11
20.0	Hindi section	11
21.0	System Management	11
21.1	Occupational Health and Safety Management System (OH & SMS) IS 18001:2007	11
21.2	Laboratories Management System ISO 17025:2005	11
22.0	Conference/Committee Rooms of CPCB	12
23.0	Other Phone Nos. of CPCB	12
<b>Regional Directorates</b>		
24.1	Bengaluru	13
24.2	Bhopal	14
24.3	Kolkata	15-16
24.4	Lucknow	17
24.5	Shillong	18
24.6	Vadodara	29
24.7	Pune	20
24.8	Chandigarh	20
24.9	Chennai	21
<b>Project Office</b>		
25.1	Project Office, Agra	22

## Important/Emergency Numbers

Name	Contact No.
<b>Emergency Nos.</b>	
Police	100
Fire	101
Ambulance	102
Women Helpline Number	181,1091
Disaster Management	1077,1078
<b>General Enquiry Nos.</b>	
Indian Railways	131
Indian Airlines	18001801407
<b>Bus Services Enquiry Nos.</b>	
Inter-State at Kashmiri Gate	23860290
Inter-State at Sarai Kale Khan	65160290
Inter-State at Anand Vihar	22148097,24358343
<b>Blood Banks</b>	
AIIMS	26588700
Indian Red Cross Society II	23711551
Rotary Noida Blood Bank	0120-4553000,844775017
<b>Telephone Services (MTNL)</b>	
Directory Enquiry	197
Telephone Complaint	198
Internet Customer Care	1504
Change Number Hindi/Eng.	1951/1952
<b>Bomb Disposal Squads</b>	
South West	28042979,28042978
New Delhi	23362229,23818614
Delhi	23270000
North	23818584
<b>Nearby Hospitals</b>	
Dr. Hedgewar Arogya Sansthan	011-22393151, 22393155
Guru Teg Bahadur Hospital	011-22586262, 22588383
Deepak Memorial Hospital	011-22155555,22154444
<b>In House Complaints/Suggestions</b>	
D. Gauda (Suggestions)	9868143169, 43102420
Sanjay Kumar (First Aider)	9911867604, 43102376
Namita Mishra (First Aider)	9811129041,43102367
S.K. Sharma (Building Complaints)	9891349445,43102283
Savita Gupta (Housekeeping/Security)	9968078986,43102282
R.S. Rai (Electrical/Fire Safety)	9810762847,43102294
Sanmukh Mishra (Telephone/Fax/Elevators)	9910893710, 43102287
Upendra Kumar (Civil Maintenance/Air/ Train Tickets)	9868820005,43102286

**CENTRAL POLLUTION CONTROL BOARD**  
**'Parivesh Bhawan', East Arjun Nagar Delhi - 110032 (INDIA)**  
**STD Code: 011**  
**For Direct Contact, Dial '43102' + Desired Extension No.**  
**After Office Hours: 43102486 (Security)**

EPBAX No. 43102030						
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
<b>CHAIRMAN SECTION (CCB)</b>						
Shiv Das Meena, IAS (TN:1989)	Chairman	201	22307233 22304948	-		ccb.cpcb@nic.in
Tanushree B.	PA	202	43102202	-		ccb.cpcb@nic.in
Section	-	204	-	-	-	-
<b>MEMBER SECRETARY SECTION (MS)</b>						
Dr. Prashant Gargava	Member Secretary	206	43102206* 22307078	9990870057	22733662	mscb.cpcb@nic.in
Kaushalya Sharma	AO	207	22307078* 22303655	9868212882	-	ksharma.cpcb@nic.in
Garima Sharma	Sc. D & AS	209	43102209, 22305923*	-	-	garima.cpcb@nic.in
Section	-	208, 211 215	-	-	-	-
<b>POLLUTION CONTROL PLANING (PCP)</b>						
V.P. Yadav	Sc. E & DH	336	22301932* 43102336	9971796947	22385759	vpyadav.cpcb@nic.in
Pushpa Mohanan	PA	337	43102337	-	-	pmohanan.cpcb@nic.in
Shriance Jain	Sc. E	210	22305793* 43102210	9891300238	-	shriance.cpcb@nic.in
Anamika Sagar	Sc. D	338	43102338	9313830383	-	anamika.cpcb@nic.in
<b>PUBLIC RELATION &amp; GRIEVANCES (PR &amp; G)</b>						
M.K. Choudhury	Sc. E & DH	454	43102454	9868129126	-	mkc.cpcb@gov.in
G. Ganesh	Sc. D	258	43102258	9213828705	-	ganesh.cpcb@nic.in
Anajna Singh	Sc. D	261	43102434	9899286201	-	anjanasingh.cpcb@nic.in
Satish Kumar	Pub. Asst.	264	43102264	9599661582	-	satishk.cpcb@nic.in
Naveen Chand	Asst.	259	43102259	9899297839	-	-
Rajpal Singh	UDC	-	-	9971180764	-	rajpalsingh.cpcb@nic.in
Ravindra kumar	Attendant	-	-	9540212879	-	ravicpcb1@gmail.com
Section		260	43102260			
ENVIS Centre	-	265	43102265	-	-	cpcb@envis.nic.in
<b>ENVIRONMENTAL TRAINING UNIT (ETU)</b>						
Madhu Luthra	AO & DH	311	-	9818260648	-	madhu.cpcb@nic.in
Budhram Shah	UDC	-	-		-	budhramsah027@gmail.com
Anju Bhardwaj	LDC	-	-		-	anju.cpcb@gmail.com
Section	-	315	43102315	-	-	cpcb.etu@gmail.com

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
<b>INDUSTRIAL POLLUTION CONTROL (IPC)</b>						
<b>IPC- I (Chemical Industries)</b>						
Dinbandhu Gouda	Sc. E & DH	420	22304812	9868143169	22305288	dinabandhu.cpcb@nic.in
Mukesh Balodhi	Sc. D	421	43102421	9911330624	-	mbalodhi.cpcb@nic.in
Ashbir Singh	Sc. D	422	43102422	-	-	ashbirsingh.cpcb@nic.in
M K Gupta	SSA	417	43102417	-	-	mkg71india@yahoo.com
Section	-	417	-	-	-	-
<b>IPC-II (Energy &amp; Metallurgical)</b>						
Nazimuddin	Sc. E & DH	444	22391026* 43102444	9411232637	-	nazim.cpcb@nic.in
S.K. Paliwal	Sc. E	433	43102433	9711113945	-	sanjeevpaliwal.cpcb@nic.in
Ankur Tiwary	Sc. D	431	43102431	9650672891	-	ankur.cpcb@nic.in
Gaurav Gehlot	Sc. B	426	43102426	8051109442		gehlot.cpcb@gov.in
Section	427	-	-	-	-	-
<b>IPC-III (Agro Based)</b>						
P.K. Mishra	Sc. E & DH	443	22306179 43102443	9695206868	22231185	eepkm.cpcb@nic.in
Kamlesh Singh	Sc. E	447	43102447	9718209083	-	ks.cpcb@nic.in
Rishab Srivastav	Sc. B	449	43102311	7982250879	-	rishab.cpcb@gov.in
<b>IPC-IV (Animal Products)</b>						
S K Gupta	Sc. E & DH	440	43102440 22300070	7678997444	-	skg.cpcb@gov.in
Y N Mishra	Sc. C	297	43102297			ynm.cpcb@nic.in
Vinay Prabhakar	Sc. C	438	43102438	9910460029		vinayp.cpcb@gov.in
Section	-	460	-	-	-	-
<b>IPC-V (SSI)</b>						
S K Gupta	Sc. E & DH	440	22391025 43102440	7678997444		skg.cpcb@gov.in
Narender Sharma	Sc. E	418	22301122	9814004377	-	narendersharma.cpcb@nic.in
Alka Srivastava	SSA	429	43102429	9811293828	-	alka.cpcb@gov.in
<b>IPC-VI (Industrial Pollution Coordination)</b>						
Ajay Aggarwal	Sc. E & DH	437	22391032 43102437	9868210860	-	ajayaggarwal.cpcb@nic.in
Smriti Upadhyay	Sc. E	298	43102298	9891801489	-	smriti.cpcb@nic.in
Saubhagya Dixit	Sc. C	461	43102461	9716685665	-	dixit.cpcb@gov.in
<b>IPC-VII (Industrial Clusters &amp; Enforcement)</b>						
Ajay Aggarwal	Sc. E & DH	437	22391032 43102437	9868210860		ajayaggarwal.cpcb@nic.in
K. Ranganathan	Sc. E	310	43102310	9560086142	-	rangacpcb@yahoo.com
V.K. Upadhyay	Sc. C	436	43102436	8745073839	-	vkupadhyay.cpcb@gov.in

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
Medha Sharma	Sc. B	456	43102456	8826983068		medha.cpcb@gov.in
<b>URBAN POLLUTION CONTROL (UPC)</b>						
<b>UPC-I</b>						
N. K. Gupta	Sc. E & DH	306	43102306	9868216558	-	nkgupta.cpcb@nic.in
Rajesh Debroy	Sc. E	309	43102309 22389243	9871460333	-	rajeshdebroy.cpcb@nic.in
Vishal Gandhi	Sc. D	411	43102411	9891254423		vishalgandhi.cpcb@nic.in
K.N. Dash	Sc. D	435	43102435	9958908078	-	knd.cpcb@nic.in
Danish Meena	Sc. B	455	43102455	7838021589		danish.cpcb@nic.in
Section	-	214	-	-	-	-
<b>UPC-II</b>						
Divya Sinha	Sc. E & DH	453	43102453	9868262316	-	divyasinha.cpcb@nic.in
Pankaj Agrawal	Sc. E	370	43102370	9870544022	-	pagarwal.cpcb@gov.in
Ratnesh Kumar	Sc. B	466	43102466	9868280467		ratneshkumar.cpcb@nic.in
Yogesh Chandra	Sc. B	450	43102450	-	-	yogesh.cpcb@gov.in
Section	-	469	-	-	-	-
<b>WASTE MANAGEMENT(WM)</b>						
<b>WM-I</b>						
B.Vinod Babu	Sc. E & DH	296	43102296	9910061597	21210274	bvbabu.cpcb@nic.in
G. Rambabu	Sc. D	325	43102325	-	-	grbabu.cpcb@nic.in
Youthika	Sc. D	321	43102321	-	-	youthika.cpcb@nic.in
Niralee Verma	Sc. B	322	43102322	-	-	niralee.cpcb@gov.in
Section	-	318	43102318	-	-	-
<b>WM-II</b>						
Abhey S. Soni	Sc. E & DH	212	22384025	9312305450	-	abheysoni@gmail.com
M.K. Choudhury	Sc. E	454	43102454	9868129126		mkc.cpcb@gov.in
Anil C. Ranveer	Sc. E	410	43102410	9892094125	-	anilranveer.cpcb@gov.in
Deepti Kapil	Sc. D	319	43102319	-	-	deepti.cpcb@nic.in
Sahil Patel	Sc. B	213	43102213	9818381248	-	sahil.cpcb@gov.in
Vineeta	Sc. B	326	43102326	-	-	vineeta.cpcb@nic.in
<b>WM-III</b>						
Anand Kumar	Sc. E & DH	467	22391024 43102467	9818255368	-	anand.cpcb@nic.in
Sarla Kadam	PS	467	43102467	-	-	kadams.cpcb@nic.in
Tarun Darbari	Sc. D	412	43102412	9999969389	-	tarundarbari@gmail.com
Meetu Puri	Sc. B	329	43102329	9910094034	-	mpuri.cpcb@nic.in
Section	-	327	43102327	-	-	-
<b>AIR QUALITY MONITORING (AQMN)</b>						
V. K. Shukla	Sc. E & DH	428	43102428, 22308902*	9956009777	-	vkshukla.cpcb@nic.in
Sanghmittar	PS	262	43102261	-	-	smitter.cpcb@gmail.com
S. K. Sharma	Sc. 'D'	283	43102283	9891349445	-	sks@nic.in
Deepak Gautam	Sc. 'B'	-	-	7838898139	-	dgautam.cpcb@gov.in
Fasiur Rahman	Sc. 'C'	355	43102355			
Niraj Katiyar	SSA	360	43102360			

Section	-	357	43102357	-	-	-
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
<b>AIR QUALITY MANAGEMENT (AQM)</b>						
P.K. Gupta	Sc. E & DH	432	22391032 43102432	9968276538	22302482	pkgupta.cpcb@nic.in
Sharandeep Singh	Sc. D	472	43102472	9312011262	-	sharandeep.cpcb@nic.in
Ankush Tewani	Sc. D	414	43102414	9871232021	-	ankush.cpcb@nic.in
Gautam K Sharma	Sc. B	419	43102419	8076203716	-	gautam.cpcb@gov.in
Sakshi Batra	Sc. B	471	43102471	9911046969	-	sakshi.cpcb@nic.in
Section	-	473	43102473	-	-	-
<b>WATER QUALITY MANAGEMENT (WQM)</b>						
<b>WQM-I</b>						
A. Sudhakar	Sc. E & DH	409	22306274* 43102409	8800326699	22306274	asudhakar.cpcb@nic.in
Aarti Bhatia	PS	406	43102406	9582684300	-	pswqm.cpcb@gov.in
J C Babu	Sc. E	322	43102322	9868278903	-	jcb.cpcb@nic.in
Suniti Parashar	Sc. C	416	43102416	-	-	suniti.cpcb@gov.in
AlpanaNarula	SSA	407	43102407	-	-	alpananarula.cpcb@gov.in
Ravi Charan	UDC	-	-	9871996688	-	ravicharan0303@gmail.com
Section	-	415	43102415	-	-	-
<b>WQM-II</b>						
A.K. Vidyarthi	Sc. E & DH	445	22391519 43102445	9871177730	-	vidyarthi.cpcb@nic.in
Reena Satavan	Sc. D	446	43102446	8376931053	-	reenasatawan.cpcb@nic.in
C.B. Churashiya (Project)	Sc. E	478	43102478	-	-	-
Pankaj Kumar (Project)	Sc. D	478	43102478	-	-	-
Abhas Kr. Maharana (Project)	Sc. B	474	43102474	-	-	-
Rakesh Ahuja	TS	290	43102290	9968078986	-	ahujacpcb@yahoo.com
Section	-	470	43102470	-	-	ngrba.cpcb@gmail.com

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
<b>INFORMATION TECHNOLOGY (IT) DIVISION</b>						
B. Vinod Babu	Sc. E & DH	296	43102296	9910061597	21210274	bvbabu.cpcb@nic.in
Aditya Sharma	Sc. D	300	22305903	9911328120	-	aditya.cpcb@nic.in
U. A. Ansari	Sc. D	299	43102299	9810438222	-	uaa.cpcb@nic.in
Archit Uprit	Sc. D	301	43102301	9958161440	-	archituprit.cpcb@nic.in
Anurag Sharma	Sc. B	302	43102302	9425627366	-	anurag.cpcb@gov.in
Shashi Goel	DPA	303	43102303	-	-	sg.cpcb@nic.in
V. Narasimha Murthy	TS	304	43102304	9868283503	-	vnmurthy.cpcb@nic.in
Pooja Rani	DPA	303	43102303	-	-	pooja.cpcb@nic.in
Ashish Kumar Singh	DPA	304	43102304	-	-	ashish.cpcb@nic.in
Naman Srivastava	DPA	480	43102480	-	-	naman.cpcb@nic.in
AMC of Computers	-	490	43102490	-	-	-
Section	-	305	43102305	-	-	-
<b>LABORATORIES</b>						
<b>AIR LAB</b>						
Gurnam Singh	Sc. E & DH	441	22301955* 43102441	7840015561	27570778	gurnamsingh.cpcb@nic.in
Vivekanand	DEO-II	342	43102342	9910532319	-	vncpcb@rediffmail.com
R.C. Srivastava	Sc. D	346	43102346	9968662589	22123097	rajeshcs.cpcb@nic.in
P. Krishnamurthy	Sc. D	356	43102356	9968667028	-	pkrishnamurthy.cpcb@nic.in
Abhijit Pathak	Sc. D	348	43102348	9971566700	-	apathak.cpcb@nic.in
M. Satheesh Kumar	Sc. C	358	43102358	9873421062	-	msk.cpcb@nic.in
Dharmendra Gupta	Sc. C	343	43102343	9911165964	-	dg.cpcb@gmail.com
Ramesh Chand	Sc. C	359	43102359	9968684822	-	rccpcb17@rediffmail.com
Prashant Bhardawj	Sc. B	353	43102353	9149155854	-	-
Ved Parkash	STS	351	43102351	9868170389	-	vedprakashenv@yahoo.com
Navkant Juyal	SSA	347	43102347	9968680416	-	navkant426@gmail.com
Dolly Kulshreshtha	SSA	345	43102345	9310361222	-	dollykul@gmail.com
Vinod Kumar	SSA	360	43102360	9891211732	-	vkuk423@yahoo.in
G. M. Khan	SSA	-	-	9811676813	-	gmkhan76@gmail.com
Subhash Chand	TS	350	43102350	9891777294	-	schand.cpcb@nic.in
Amit Kumar Sharma	JSA	-	-	9219194519	-	amitkumarc dri@gmail.com
Virpal Singh	SLA	-	-	9968305938	-	singhvirpal64@gmail.com
Surendra Prasad	SLA	-	-	9899633439	-	surendraprasad151969@gmail.com
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID



Amit Kumar Sharma	SLA	-	-	9953940521	-	graceamit@rediffmail.com
K.P. Rathi	JSA	-	-	8373915433	-	kprathi2004@yahoo.co.in
Pravin Kumar Gupta	JLA	-	-	9873459971	-	pravin1970@yahoo.co.in
Surendra Singh Rawat	JLA	-	-	9968510224	-	seru001@rediffmail.com
Nandu Prasad,	JLA	-	-	8750734838	-	nandu467@yahoo.co.in
C.P. Singh	JLA	-	-	9871345269	-	cpsinghcpcb@gmail.com
Krishan Kumar	FA	-	-	9250817459	-	-
Section	-	344	-	--	-	-
<b>BIOLOGICAL LAB</b>						
P K Behera	Sc. E	393	43102393	9868838091	-	behera.cpcb@nic.in
Yashpal Yadav	Sc. B	363	43102363	9527623120	-	yashpal.cpcb@gov.in
V. Hima Jwala	Sc. B	460	43102460	-	22301868	himajwala.cpcb@gov.in
M.Y. Ansari	SSA	364	43102364	9868884008	-	-
Anand Salve	JSA	362	43102362			absalve.cpcb@gov.in
Section	-	373	43102373	-	-	-
<b>RESEARCH AND DEVELOPMENT</b>						
G. Thirumurthy	Sc. E	365	43102365	09449004265		thiru.cpcb@nic.in
<b>INSTRUMENTATIONLAB</b>						
Gurnam Singh	Sc. E & DH	441	22301955* 43102441	7840015561	27570778	gurnamsingh.cpcb@nic.in
Namita Mishra	Sc. D	367	43102367	9811129041	-	namita.cpcb@nic.in
B.K. Jena	Sc. C	372	43102372	9868472945	-	bkj93.cpcb@nic.in
Yogita Kharayat	Sc. C	368	43102368	-	-	yogita.cpcb@nic.in
S.S. Sharma	Sc. C	369	43102369	9868271161	-	ssharma.cpcb@nic.in
Maneesh N	SSA	372	43102372	9990587793		sesmaneesh@gmail.com
Nirmal Kumar Sharma	JSA	372	43102372	7742923790		nir01471@gmail.com
Alok Kumar Meher	JSA	372	43102372	8788025414		alok.cpcb@nic.in
Sanjay	SLA			9999013336		pgdca_s@yahoo.com
Mahavir Singh	Sr. MTS			9582364699		
M. Sandhya	FA			8826688630		
Sunil Kumar	MTS			8287012045		

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
<b>TRACE ORGANICLAB</b>						
Sanjay Kumar	Sc. D & DH	376	22306001* 43102376	9911867604	-	skumar.cpcb@nic.in
Bhupender Kumar	Sc. D	379	43102379	9212135238	-	bk451.cpcb@nic.in
Dev Prakash	Sc. C	380	43102380	9968655604	-	dprakash.cpcb@nic.in
S. K. Singh	Sc. C	381	43102381	9968651341	-	raghavsk@rediffmail.com
Charu Sharma	SSA	378	43102378		-	csharma2006@gmail.com
V. K. Verma	SSA	378	43102378	8586866951	-	vkvermacpcb@gmail.com
Meenu Mishra	JSA	378	43102378		-	meenu.cpcb@nic.in
Beerendra Singh	JLA	378	43102378	9958061994	-	bsingh2000_2000@yahoo.com
Section	-	378	43102378	-	-	-
<b>WATER AND WASTEWATER LAB</b>						
P K Behera	Sc. E	393	43102393	9868838091	-	behera.cpcb@nic.in
J. K. Bhatia	Sc. C	394	43102394	9968076207	-	jkhatia.cpcb@nic.in
C K Dixit	Sc. C	366	43102366	9140622063	-	ckdixit.cpcb@nic.in
Syed M Bilal	Sc. B	398	43102398	8089567922	-	bilal.cpcb@gov.in
A. K. Tyagi	Sc. B	388	43102388	9868850323	-	aktyagi.cpcb@nic.in
Gargi Gurtu	Sc. B	397	43102397	9560061636	-	ggbachloo@gmail.com
B. Sasi Devi	Sc. B	392	43102392	-	-	sasibandlamudi@gmail.com
Vijay Laxmi	Sc. B	388	43102388	9971086002	-	environmentalist80@gmail.com
Ram Kishan	SLA	-	-	9911395033	-	rk661154@gmail.com
Babu Lal Meena	SLA	-	-	9953735335	-	bLM150864@gmail.com
Vinod Kumar	SLA	-	-	9718963565	-	vkchhillar@gmail.com
Atul Sharma	JLA	-	-	9811858245	-	atulsatul@yahoo.co.in
U. S. Mishra	JLA	-	-	9968073539	-	-
Inder Mohan	JLA	-	-	9958641358	-	-
Basant kumar	Attendant	-	-	9312906222	-	-
<b>LAW</b>						
G. Rambabu	Sc. D & DH	325	43102325 22384375	8010479108	-	grbabu.cpcb@nic.in
Avanish Nath Tripathi	LO	402	43102402	9717785796	-	atripathi.cpcb@gov.in
Urmila Thakur	LO	403	43102403	9560141742	-	urmila.cpcb@gov.in utlo1cpcb@gmail.com
Kamal Bandhu	ALO	401	43102401	8285815812	-	kamalbandhu1983@gmail.com
Krishan Kumar	ALO	400	43102400	-	-	-
Sushma Dutta	DEO	403	43102403	-	-	-
Section	-	404	43102404	-	-	-

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
<b>ADMINISTRATION ( RECRUITMENT )</b>						
Ashok Kashyap	Sr. AO	266	22391448	9868859584	-	ashokkashyap.cpcb@nic.in
Komal Saini	PS	268	43102268	9891725400	-	komal.cpcb@nic.in
Rameshwar	SO	273	43102273	-	-	rameshwar.cpcb@nic.in
Vikas Rawat	Asst.	274	43102274		-	
Amit Yadav	Asst.	274	43102274		-	
Neli Naik	Asst.	-	-	9910765432	-	-
Section	-	271	43102271	-	-	-
<b>ADMINISTRATION (PERSONAL)</b>						
S.K. Anand	AO & VO	246	22306281* 43102246	9868815217	-	sanand.cpcb@nic.in
K.K. Hembrom	SO	249	43102249	9654801001	7070133848	hembrokk331@gmail.com
I. J. Kakkar	Asst.	250	43102250	9873150768	27653473	inderjeetkakar.cpcb@nic.in
Poonam Arora	Asst.	252	43102252	9899297839	-	-
Gopi P. Nair	Asst.	254	43102254	9873437884	22756229	gpnaair41@gmail.com
Kundan Lal	Asst.	255	43102255	9717285860	-	k.l.jyotrela@gmail.com
Kundan Kumar	Asst.	253	43102253	8272033081	-	kundndrda@gmail.com
Kailash Kumar	Asst.	251	43102251	9990436459	-	-
Meenakshi Rudra	Asst.	251	43102251		-	
Arjun Kumar	UDC	-	-	9868814403	-	-
Pushkar S	Attendant	-	-	9968030471	-	-
<b>ADMINISTRATION (MATERIAL)</b>						
Meena Sharma	AO & DH	243	43102243	9868837083	-	msharma.cpcb@gov.in, asm_31@yahoo.co.in
Pankaj Tripathi	Asst.	242	43102242	-	-	pankajtripathi.cpcb@gov.in
Ganga Singh	UDC	-	-	9654556918	-	-
Pankaj Kumar	UDC	245	43102245			
Section	-	245	43102245	9968721820	-	-
<b>ADMINISTRATION (COORDINATION &amp; MEDICAL CLAIMS)</b>						
Rekha Narang	AO & DH	267	43102267	9868275204	-	rekhanarang.cpcb@nic.in
Savita Gupta	SO	238	43102238	-	-	-
Suraj Mal	Drafting	237	43102237	9990774864	-	suraj.cpcb@nic.in
S. A. Ansari	UDC	237	43102237	9899169286	-	sagiransari.cpcb@nic.in
Manjeet	LDC	237	43102237	-	-	-
<b>FINANCE &amp; ACCOUNTS</b>						
Diganta Kalita	AACO & DH	223	22309842*	9891604064	-	dkalita.cpcb@nic.in
Ajay Siriskar	AACO	232	43102232	9650408376	-	ajay.sirsikar@rediff mail.com
Nardeo Singh	AACO	224	43102224	9873195017	-	nardeo.cpcb@nic.in

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
Archana Singh	AACO	218	43102218	-	-	-
Vipin Goel	AACO	226	43102226	9968691954	-	vipingoel.cpcb@nic.in
Saroj Bala	PS	230	43102230	-	-	-
Vijay Bansal	A. Asst.	227	43102227	-	-	-
Kamal Kumar	A. Asst.	229	43102229	-	-	-
Deepak Kumar	A. Asst.	217	43102217	-	-	deepakcpcb1991@gmail.com
Manoj Kumar Upadhyay	MTS	-	-	9910298649	-	-
<b>BUILDING (INFRASTRUCTURE AND EMERGENCY SERVICES) DIVISION</b>						
Dinabandhu Gouda	Sc. E & DH	420	22304812 43102420	9868143169	-	dinabandhu.cpcb@nic.in
S.K. Sharma	Sc. D	283	43102283 22381033	9891349445	-	sks.cpcb@nic.in
R.S. Rai	TS	294	43102294	9810762847	-	cpcbnil@gmail.com
Sanmukh Mishra	Sr. Tech.	287	-	9910893710	-	sanmukhk.mishra@gmail.com
Upendra Kumar	Sr. Tech.	286	43102286	9868820005	-	kumar.upendra818@gmail.com
Krishan Kumar	Sr. Tech.	-	-	8735048777	-	-
Rajendra	Assistant	484	43102484	9868831287	-	rajendracpcb@gmail.com
Rajesh Kumar	Assistant	281	43102281	9811552845	-	-
Vishnu Dutt Wailla	P & WV Operator	-	-	9868276265	-	-
Ramvir Singh	Driver	287	43102287	9718588778	-	-
Devi Prasad	Driver	287	43102287	9312907052	-	-
Dayal Chand	Driver	287	43102287	9868224512	-	-
Harish Singh Shahi	Driver	287	43102287	9891892175	-	-
Madan Singh	Driver	287	43102287	9999516442	-	-
Ravi Kumar	Driver	287	43102287	9650890580	-	-
Ravi Kant	Driver	287	43102287	9871076039	-	-
Siri Bhagwan	Driver	287	43102287	9475811213	-	-
Dinesh Joshi	Driver	287	43102287	8076577832	-	-
Parmeshwar Lal	Driver	287	43102287	9899058075	-	-
Surendra Shikawat	Driver	287	43102287	8440019125	-	-
Driver Room	-	287	43102287	-	-	-
Air Tickets /Civil	-	286	43102286	-	-	-
Telephone Complaints	-	285	43102285	-	-	-
<b>HINDI SECTION</b>						
Hemlata Raheja	AO & DH	248	43102248 22383710*	9891901661	-	hemlata.cpcb@nic.in
Avdhesh Tiwari	Asst. Director (O.L.)	333	43102333	7982494836	-	rajbasha.cpcb@gmail.com
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
Parul Rathi	Sr. Hindi Translator	331	43102331	-	-	-
Charu Sharma	Jr. Hindi Translator	335	43102335	-	-	-

Shainlendra Choudhary	UDC	331	43102331	-	-	-
<b>SYSTEM MANAGEMENT</b>						
<b>OCCUPATIONAL HEALTH &amp; SAFETY MANAGEMENT SYSTEM (OH&amp;SMS) – IS 18001:2007</b>						
R.C. Srivastava	Sc. D & DH	346	43102346	9968662589	22123097	rajeshcs.cpcb@nic.in
Abhijit Pathak	Nodal Officer (AQ)	348	43102348	9971566700	-	apathak.cpcb@nic.in
M. Satheesh Kumar	System Coordinator	358	43102358	9873421062	-	msk.cpcb@nic.in
S.K. Sharma		283	43102283	9891349445	-	sks.cpcb@nic.in
V. Himajwala	Nodal Officer (Bio Lab)	460	43102460	-	-	himajwala.cpcb@gov.in
Namita Mishra	Nodal Officer (Inst. Lab)	367	43102367	9811129041	-	namita.cpcb@nic.in
V K Verma	Nodal Officer (TOC Lab)	378	43102378	8586866951	-	vkverma.cpcb@gov.in
J. K. Bhatia	Nodal Officer (Water & Wastewater)	394	43102394	9968076207	-	bhatajk61@gmail.com
<b>LABORATORIES MANAGEMENT SYSTEM – ISO 17025:2005</b>						
Sanjay Kumar	Technical Manager	376	22306001* 43102376	9911867604	-	skumar.cpcb@nic.in
Bhupander Kumar	Deputy Technical Manager	379	43102378	9212135238	-	bhupi.cpcb@gov.in
R.C. Srivastava	Quality Manager	346	43102346	9968662589	22123097	rajeshcs.cpcb@nic.in
Namita Mishra	Deputy Quality Manager	367	43102367	9811129041	-	namita.cpcb@nic.in

### CONFERENCE/COMMITTEE ROOMS OF CPCB

Conference/Committee Rooms	Extn.	Telephone
Training Hall- Ground Floor	476	43102476
Conference Hall- 2 <sup>nd</sup> Floor	477	43102477
Committee Room-3 <sup>rd</sup> Floor (Water Lab)	478	43102478
Committee Room-5 <sup>th</sup> Floor (PCP)	479	43102479
Committee Room-5 <sup>th</sup> Floor (IT)	480	43102480

### OTHER COMMON NUMBERS

Hall No.	Extn.	Telephone
Reception	485	43102485
Library	258	43102258
AMC of Computers	490	43102490
Dispatch	483	43102483. 22300129
Security	486	43102486
Canteen	482	43102482
Union Room	487	43102487
House Keeping	488	43102488
Security(Main Entrance Gate)	489	43102489
ITO Monitoring Station	-	23370883

**REGIONAL DIRECTORATE- BENGALURU**

A-Block,NisargaBhavan,  
1<sup>st</sup> and 2<sup>nd</sup> Floors, 7th D Cross,  
ThimmaiahRoad,Shivanagar,  
Bengaluru-560079,  
STD Code: 080

**EPABX Number: 080-23233739, 23233827, Fax No. 080-23234059**  
**E-mail ID:cpcbszo@yahoo.com, zobangalore.cpcb@nic.in**

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
S. Suresh	Sc. E & Regional Director	102	23233827(D) 23233739	09480672128	26422689	ssuresh.cpcb@nic.in cpcbsuresh@gmail.com
Mary Alexander	PS	119	23233739	09448041638	-	maryalexander.cpcb@nic.in
G. Dharmalingam	Sc. D	118	23233739	09486344702	-	gdharmalingam.cpcb@nic.in
S. Jeyapaul	Sc. D	126	23233739	09449052314	-	jeyapaul.cpcb@nic.in
Anjana Kumari V.	Sc. D	107	23233739	09916355576	-	anjana.cpcb@nic.in
Sowmya D.	Sc. D	109	23233739	08762226688	-	sowmyad.cpcb@nic.in
Vivek K.	Sc. D	-	-	9990300758	-	vivekcpcb@gmail.com
P. K. Selvi	Sc. D	-	-	9868166753	-	pkselvi.cpcb@nic.in
R. Mahendra Kumar	AO	120	23233739	09448042297	-	rmahendra.cpcb@nic.in
A. Gnanavelu	Sc. C	124	23233739	09844030877	-	ganavelu.cpcb@nic.in
B.S. Anupama	Sc. C	113	23233739	09880027983	-	bsanupama.cpcb@nic.in
Deepesh. V	Sc. C	113	23233739	09611128895	-	deepecpcb@nic.in
M.Srinivasa Rao	AACO	114	23233739	-	-	srinivasarao.cpcb@nic.in
K.S. Rajasekar	Assistant	123	23233739	-	-	rajasekarks.cpcb@nic.in
S. Seenivel Raj	SLA	125	23233739	-	-	seenivelraj.cpcb@nic.in
S. Nadarajan	JLA	125	23233739	-	-	-

**REGIONAL DIRECTORATE- BHOPAL**

3<sup>rd</sup> Floor, Sahkar Bhawan, North TT  
Nagar, Bhopal-462003  
STD Code: 0755

**EPABX Number: 0755-2775385 / 86, Fax No. 0755-2775587**

**E-mail ID: cpcb.bhopal@gmail.com**

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
P. Jagan	Sc. E& Regional Director	209	2775385/86	9755559745	2424019	jagan_baunty@yahoo.co.in
R.P. Mishra	Sc. D	122	2775385/86	9752531049	2490004	rpmishra@gmail.com
Sunil Kumar Meena	Sc. D	212	2775385/86	9617007250	-	biosunil2006@gmail.com
Milind Kumar B. Nimje	Sc. C	320	2775385/86	9424440007	-	milindnmj07@gmail.com
Y.K. Saxena	Sc. C	407	2775385/86	9425677776	-	dryksaxena5@yahoo.com yksaxena.cpcb@nic.in
Dr. Ranu Chouksey Verma	Sc. B	214	-	9179903825	-	drrcverma.cpcb@gov.in
Anoop Chaturvedi	Sc. B	216	2775385/86	9424439755	-	anoopc1974@gmail.com
Praveen Kumar Jain	Sc. B	321	2775385/86	7746826294	-	praveen.cpcb@nic.in
S.D. Bokde	Section Officer	210	2775385/86	7389352908	-	sankar.bokde@rediffmail.com
Poulami C. Patil	SSA	215	2775385/86	9893572766	-	poulamichakrabortyp@gmail.com
Sanjay Kumar Mukati	SSA	403	2775385/86	9826779279	-	sanjaymukati200535@gmail.com
Rashmi Thakur	SSA	325	2775385/86	9993250617	-	rashmijsthakur@gmail.com
Rameshwar Bandewar	JSA	324	2775385/86	9424949391	-	rameshwarbhopal.564@gmail.com
Rajeev Sharma	Sr. Tech.	402	2775385/86	9425608548	-	rajeevani70@gmail.com
Farzana Khan	DEO	211	2775385/86	9826043931	-	alinalaiba@gmail.com
Sunil Kolhtkar	SLA	325	2775385/86	8817183414	-	skolhtkar@gmail.com
Jagjivan Ram	JLA	327	2775385/86	9630083821	-	jagjeevan.choudhary@gmail.com
Alfa Monika Lakra	JLA	441	2775385/86	8103746221	-	alfamonikalakra@gmail.com
Shiv Shankar Shukla	Hindi Typist	115		9893074197	-	ssshukla.cpcb@gov.in
Prahlad Baghel	LDC	219	2775385/86	9893809624	-	pbaghelcpcb@gmail.com
Bharat Bhushan Patil	Off. Asst. (A/C)	239		9926260901	-	



**REGIONAL DIRECTORATE - KOLKATA**

'South end Conclave' Block-  
502, 5<sup>th</sup> & 6<sup>th</sup> Floor,  
1582, Razidanga, Main Road,  
Kolkata-700107  
STD Code: 033

**EPABX: 033 2441 6634 / 4289 / 4677 / 6003, Fax No. 033-2441 8725**

**RD (Direct): 033 24416632**

**E-mail ID: zokolkatta.cpcb@nic.in**

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
M K Biswas	Sc. E & Regional Director	501	-	9911001631	-	mkbiswas.cpcb@nic.in
Manisha Banerjee	PS	-	-	9433681038	-	manisha.cpcb@nic.in
A. Bagchi	PA	-	-	9830283884	-	aparna.cpcb@nic.in
Susmita Ekka	Sc. D	602	-	7021995986	-	susmita_ekka@rediffmail.com
G.P. Singh	Sc. D	504	-	9748197279	-	gyan03@rediffmail.com
Sandeep Roy	Sc. D	505	-	9903816939	-	sandeeproym.cpcb@nic.in
A.K. Naskar	Sc. 'C'			9433018935	-	aknaskar.cpcb@nic.in
Tofic Aslam	Sc. B			7827106649	-	toufic.cpcb@gov.in
Tinneti Sudha	AACO	-	-	7892932434	-	ca.sudha.t@gmail.com
Md. A. Rafique	SSA	-	-	9333688009	-	rafique.cpcb@nic.in
Sukhendu Biswas	SSA	-	-	9831056571	-	sukhendu.cpcb@nic.in
A. Kumar	SSA	-	-	8902227213	9432573186	awanindra.cpcb@nic.in
Ajay kumar Dubey	SSA	-	-	9339895038	-	ajaycpcbkol@gmail.com
Abhineet K Varshney	Acc. Asst.			<b>8279860652</b>	-	
Chippada Jagadeesh Kumar	JT	-	-	9885272013	-	Jagadeesh.cpcb@gmail.com
Suman Bhattacharya	Assistant	-	-	-	24149305	-
Animesh Mondal	JSA	-	-	7003265092	-	animeshmondal009@gmail.com
Minati Bagchi	SLA	-	-	-	-	mntbagchi@gmail.com
Pratima Saha	SLA	-	-	9674861642	24120393	-

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
D. Sen gupta	SLA	-	-	7890022844	-	debashish1962.cpcb@gmail.com
S.N. Bhattacharya	SLA	-	-	9433238040	-	sakti.cpcb@nic.in
A.N. Thakur	SLA	-	-	9883584273	-	-
Tapan K. Mukhopadhyay	SLA	-	-	8961028218	-	tapan.mukhopadhyay.67@gmail.com
Debdeep Koner	JLA	-	-	9531642576	-	koner.debdeep@gmail.com
Bodhisatwa Mondal	JLA	-	-	-	-	bodhisatwamondal9556@gmail.com
Om Prakash Shaw	JLA	-	-	9748204427	-	-
Chandrani Bhattacharya	DEO	-	-	9674808345	24149305	chandrani.cpcb@nic.in
Shyam	MTS	-	-	7890386780	-	-

**REGIONAL DIRECTORATE - LUCKNOW**

PICUP Bhawan, Vibhuti Khand, Gomti  
Nagar, Lucknow  
STD Code: 0522

EPABX Direct No. 0522-4087600, Fax No. 0522-4087602

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
R.K. Singh	Sc. E & Regional Director	201	4087601	9793587222	-	rsingh1962@rediffmail.com
D.K.Soni	Sc. E	206	4087606	9794996946	-	soni_d_k@rediffmail.com
H.P.S. Rathore	Sc. C	203	4087603	9794996945	-	hps_rathore@rediffmail.com
R.D.Patil	Sc. D	217	4087617	7839455558	-	patil.cpcb@nic.in
Runa Oraon	Sc. D	204	4087604	9005229477	-	rorao.cpcb@nic.in
J.P. Meena	Sc. D	205	4087605	9793783111	-	jagdish_cpcb@rediffmail.com
A. K.Tripathi	Sc. C	309	4087609	9793407711	-	tripathi_cpcb@rediffmail.com
Anamika Singh	Sc. C	306	4087706	9839276897	-	anamikaenviro@gmail.com
Arvind Kumar	Sc. B	302	408806	9718102385	-	arvind.cpcb@gov.in
R. K. Mishra	SSA	222	4087622	9454380943	-	mishra-cpcb@rediffmail.com
R.K. Saxena	SSA	307	4087707	9450345695	-	rakeshsaxena6@gmail.com
C. S. Meena	STS	304	4087704	9793862228	-	csmcpcb@rediffmail.com
B. M. Singh	TS	305	4087705	9532098645	-	bms_cpcb@rediffmail.com
Mohammad Faisal	SSA	-	-	9911158274	-	faisalaug07@gmail.com
Manju Srivastava	SLA	306	4087706	9793208555	-	manju_cpcb04@rediffmail.com
Shahid Khan	SLA	307	4087707	9235873211	-	shahid.cpcb@gmail.com
Rajesh Prasad	SLA	307	4087707	9621043626	-	rajeshprasadshakya@rediffmail.com
Shreeram Shah	UDC	218	4087618	7408712221	-	-
Vinay Agarwal	LDC	220	4087620	9696984846	-	vkagarwalcpcb@rediffmail.com
Ranjana Saxena	LDC	207	4087607	9532969714	-	saxena.ranjna@gmail.com
Kunwar Singh	F.Attendant	-	-	9839364241	-	-
Jwala Prasad	Attendant	-	-	9389645324	-	-
Prakash Pant	Attendant	-	-	9554332356	-	-
R.K.Pandey	Attendant	-	-	-	-	-

**REGIONAL DIRECTORATE - SHILLONG**

“TUM-SIR”. Lower Motinagar, Near  
Fire Brigade H.Q., Shillong-793014  
STD Code: 0364  
Fax No. 0364-2520805

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
Z. Changsan	Sc. E & Regional Director	-	0364-2520805 2522859*	9436102587	0364-2585072	zchangsan.cpcb@nic.in
Shantanu Dutta	Sc. D	-	0364-2522859	7005839700	0364-2223602	shantanucpcb@gmail.com
R.P. Gurung	Sc. D	-	0364-2520923	9436701267 9774280634	-	rpgurung.cpcb@nic.in
Rakesh Basumatary	SSA	-	-	9864216425	-	rakeshbasu2000@gmail.com
Ananda Kumar Ngangom	SSA	-	-	9971023876	-	tatonanand@gmail.com
F. Lyngrah	Assistant	-	-	9862918385	-	-
S.K. M. Mihsill	SLA	-	-	9774486747	-	-
R. Lyngdoh	SLA	-	-	7308650624	-	-
Ratan Mutyent	JLA	-	-	9863026125	9089080108	ratanmutyent@yahoo.com
Agnes Sungoh	Attendant	-	-	9856838231	-	-
G. Lama	Driver	-	-	9863080925	-	-

**REGIONAL DIRECTORATE- VADODARA**

Parivesh Bhawan,  
Opp. Ward No. 10 VMC Office Subhanpura,  
Vadodara – 390 023  
STD code: 0265

**EPABX Number: 0265 – 2392831-33, 2392985 -86, Fax No. 0265-2392987**

**RD Direct: 0265 – 2392603-04**

**E-mail ID: westzonecpcb@yahoo.com**

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
Prasoon Gargava	Sc. E & Regional Director	-	2392831 2392985	9429896489	0265- 2336484	prasoon.cpcb@nic.in
D. Brahmaiah	Sc. E	-	2392831 2392985	9426724734	-	brahmaiah.cpcb@nic.in
Arvind Kumar Jha	Sc. D	-	2392831 2392985	9727792618	-	arvindjha.cpcb@nic.in
Amit R. Thakkar	Sc. D	-	2392831 2392985	9328566788	-	amitthakkar.cpcb@nic.in
S. Pradeep Raj	Sc. D	-	2392831 2392985	9722007220	-	pradeepraj.cpcb@nic.in
Kavitha B.V.	Sc. D	-	2392831 23929852	-	-	kavitha.cpcb@nic.in
N.Semwal	Sc. C	-	2392831 2392985	9722027220	-	semwaln.cpcb@gov.in
Manoj Kumar Singh	Sc. B	-	2392831 2392985	9724347465	-	manojsharma.cpcb@gov.in
Saket Kumar	Sc. B	-	2392831 2392985	8890952625	-	saketkr.cpcb@gov.in
B D Pandey	SSA	-	-	9427301741	-	bdpandey.cpcb@gov.in
Abhishek Singh	Acct. Asst.	-	-	9559818838	-	abhishek.cpcb@gov.in
Ashtha H. Trivedi	SLA	-	-	8128674971	-	asthatrivedi.cpcb@gov.in
Dharmesh J. Rana	SLA	-	-	9601106081	-	dharmeshrana.cpcb@gov.in
Ashma Kadiwala	SLA	-	-	9427446848	-	ashmakadiwala.cpcb@gov.in
Mayank Nimbark	JLA	-	-	8878546432	-	mayanknimbark.cpcb@gov.in

**REGIONAL DIRECTORATE- PUNE**

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
Bharat Kr. Sharma	Sc. E & Regional Director	-	-	9868278276	-	bksharma.cpcb@nic.in
Shashikant Lokhande	Sc. 'E'	-	-	9974199416	-	lokhandesl.cpcb@gov.in
Pratik D. Bharne	Sc. E	-	-	9428167876	-	pratik.cpcb@gov.in
Nishchal C	Sc. D	-	-	9722017220	-	nischal.cpcb@nic.in

**REGIONAL DIRECTORATE- CHANDIGARH**

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
Suneel Dave	Sc. E & Regional Director			9205849639		sdave.cpcb@nic.in
Narender Sharma	Sc. E	418	22301122	9814004377	-	narendersharma.cpcb@nic.in

**REGIONAL DIRECTORATE- CHENNAI**

Second Floor,77-A, South Avenue Road,  
Ambattur Industrial Estate, Chennai, Tamilnadu-600058

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
H. D. Varalaxmi	Sc. E & Regional Director	103		09449004165		vlaxmi.cpcb@nic.in
T. Mahima	Sc. 'D'			07204872300		mahima.cpcb@nic.in
Poornima B.M.	Sc. 'D'			09880805893		poornima.cpcb@nic.in
Rajkumar R.	Sc. 'D'			09035772683		Rajkumar.cpcb@nic.in
S. Karthikeyan	Sc. C			09243424389		skarthikeyan.cpcb@nic.in
K. Karunagaran	STS			09844030141		karunagarank.cpcb@nic.in

**PROJECT OFFICE - AGRA**

4-Dholpur House,  
M.G. Road, Agra-  
282001

STD Code: 0562

**Fax No.0562-2421568**

<b>Name of the Official</b>	<b>Desig.</b>	<b>Ext.</b>	<b>Office</b>	<b>Mobile</b>	<b>Residence</b>	<b>E-mail ID</b>
Kamal Kumar	Sc. D & In-charge	-	4005877 2421548	9412750224	-	kamalkumar.cpcb@nic.in
Vipul Kumar Singh	Sc. B	-	-	7906254789	-	vipulitrc@gmail.com
Adarsh Kumar	SSA	-	-	9412651413	-	akcpcb73@yahoo.com
Des Samrat Gautam	Sr. Tech.	-	-	9458085152	-	dessmrat@gmail.com
Himmat Singh	JLA	-	-	9927011073	-	144himmat@gmail.com
Kalicharan	Field Attendant	-	-	7081090578	-	-

**For any queries/changes, contact to  
Sh. Sanmukh Mishra, Sr. Tech (Building Div.)**

**Mob: 9910893710**

**E-mail ID- sanmukhk.mishra@gmail.com**

**Published By:**  
Building Division, Central Pollution  
Control Board, 'Parivesh Bhawan',  
East Arjun Nagar Delhi-110 032