

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	179	PM _{2.5}	1
2	Ahmedabad	Moderate	148	PM _{2.5}	1
3	Ajmer	Poor	252	PM _{2.5}	1
4	Alwar	Moderate	175	PM _{2.5}	1
5	Amaravati	Satisfactory	79	PM _{2.5}	1
6	Ambala	Very Poor	385	PM _{2.5}	1
7	Amritsar	Very Poor	337	PM _{2.5}	1
8	Ankleshwar	Satisfactory	70	со	1
9	Asanol	Moderate	161	PM _{2.5}	1
10	Aurangabad	Satisfactory	69	PM ₁₀	1
11	Baghpat	Very Poor	345	PM _{2.5}	1
12	Bahadurgarh	Poor	286	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Coimbatore, Damoh, Hubballi, Kanpur, Mysuru, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	240	PM _{2.5}	1
14	Bathinda	Moderate	136	PM ₁₀	1
15	Bengaluru	Satisfactory	84	PM _{2.5} , PM ₁₀	8
16	Bhiwadi	Poor	255	PM _{2.5}	1
17	Bhiwani	Very Poor	337	PM _{2.5}	1
18	Bhopal	Moderate	157	PM _{2.5}	1
19	Bulandshahr	Very Poor	320	PM _{2.5}	1
20	Chandigarh	Poor	267	PM _{2.5}	1
21	Chandrapur	Moderate	139	PM _{2.5}	1
22	Chennai	Moderate	129	PM _{2.5} , CO	4
23	Chikkaballapur	Good	44	PM _{2.5}	1
24	Delhi	Very Poor	368	PM _{2.5} , PM ₁₀	36

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Coimbatore, Damoh, Hubballi, Kanpur, Mysuru, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	63	OZONE	1
26	Dharuhera	Very Poor	345	PM _{2.5}	1
27	Eloor	Good	39	со	1
28	Faridabad	Very Poor	358	PM _{2.5}	1
29	Fatehabad	Poor	232	PM ₁₀	1
30	GandhiNagar	Satisfactory	63	PM ₁₀	1
31	Gaya	Poor	202	PM _{2.5}	1
32	Ghaziabad	Very Poor	396	PM _{2.5}	4
33	Greater_Noida	Very Poor	375	PM _{2.5}	2
34	Gurugram	Very Poor	372	PM _{2.5}	2
35	Guwahati	Moderate	175	PM _{2.5}	1
36	Haldia	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Coimbatore, Damoh, Hubballi, Kanpur, Mysuru, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Very Poor	348	PM ₁₀	1
38	Hisar	Very Poor	370	PM _{2.5}	1
39	Howrah	Moderate	187	PM _{2.5}	3
40	Hyderabad	Moderate	106	PM _{2.5} , PM ₁₀	6
41	Indore	Satisfactory	87	PM _{2.5}	1
42	Jabalpur	Moderate	164	PM _{2.5}	1
43	Jaipur	Poor	290	PM _{2.5} , PM ₁₀	3
44	Jalandhar	Very Poor	377	PM _{2.5}	1
45	Jind	Very Poor	373	PM _{2.5}	1
46	Jodhpur	Poor	235	PM ₁₀	1
47	Jorapokhar	Moderate	116	PM _{2.5}	1
48	Kaithal	Very Poor	319	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Coimbatore, Damoh, Hubballi, Kanpur, Mysuru, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Satisfactory	69	PM _{2.5}	1
50	Kalyan	Moderate	174	PM _{2.5}	1
51	Karnal	Very Poor	323	PM ₁₀	1
52	Katni	Poor	215	PM _{2.5}	1
53	Khanna	Very Poor	328	PM _{2.5}	1
54	Kolkata	Moderate	160	PM _{2.5}	7
55	Kota	Poor	212	PM _{2.5}	1
56	Kurukshetra	Very Poor	392	PM _{2.5}	1
57	Lucknow	Very Poor	305	PM _{2.5}	4
58	Ludhiana	Very Poor	353	PM _{2.5}	1
59	Maihar	Satisfactory	99	PM ₁₀	1
60	Mandi Gobindgarh	Very Poor	317	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Coimbatore, Damoh, Hubballi, Kanpur, Mysuru, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Satisfactory	64	PM ₁₀	1
62	Mandikhera	Very Poor	304	PM _{2.5}	1
63	Manesar	Very Poor	326	PM _{2.5}	1
64	Meerut	Very Poor	352	PM _{2.5}	3
65	Moradabad	Very Poor	398	PM _{2.5}	1
66	Mumbai	Moderate	104	PM _{2.5} , CO	8
67	Muzaffarnagar	Severe	426	PM _{2.5}	1
68	Muzaffarpur	Poor	277	PM _{2.5}	1
69	Nagpur	Satisfactory	73	PM _{2.5}	1
70	Narnaul	Very Poor	343	PM _{2.5}	1
71	Nashik	Satisfactory	73	PM _{2.5}	1
72	Navi Mumbai	Moderate	133	PM _{2.5} , CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Coimbatore, Damoh, Hubballi, Kanpur, Mysuru, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Noida	Very Poor	397	PM _{2.5}	4
74	Pali	Poor	225	PM _{2.5}	1
75	Palwal	Poor	292	PM _{2.5}	1
76	Panchkula	Poor	272	PM _{2.5}	1
77	Panipat	Very Poor	366	PM _{2.5}	1
78	Patiala	Very Poor	349	PM _{2.5}	1
79	Patna	Very Poor	334	PM _{2.5}	1
80	Pithampur	Satisfactory	59	PM _{2.5}	1
81	Pune	Moderate	123	PM _{2.5}	1
82	Rajamahendravaram	Moderate	148	PM _{2.5}	1
83	Ramanagara	Good	42	PM ₁₀	1
84	Ratlam	Moderate	138	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Coimbatore, Damoh, Hubballi, Kanpur, Mysuru, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Very Poor	329	PM _{2.5}	1
86	Rupnagar	Moderate	108	PM _{2.5}	1
87	Satna	Moderate	138	PM ₁₀	1
88	Siliguri	Moderate	197	PM _{2.5}	1
89	Singrauli	Poor	217	PM _{2.5}	1
90	Sirsa	Very Poor	392	PM _{2.5}	1
91	Solapur	Satisfactory	96	PM ₁₀	1
92	Sonipat	Moderate	140	PM ₁₀	1
93	Thane	Satisfactory	96	PM ₁₀	1
94	Thiruvananthapuram	Satisfactory	57	PM _{2.5}	1
95	Tirupati	Good	39	PM ₁₀	1
96	Udaipur	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Coimbatore, Damoh, Hubballi, Kanpur, Mysuru, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Satisfactory	96	PM _{2.5}	1
98	Vapi	Moderate	188	PM _{2.5}	1
99	Varanasi	Poor	287	PM _{2.5}	1
100	Vatva	Satisfactory	77	PM ₁₀	1
101	Visakhapatnam	Moderate	140	PM _{2.5}	1
102	Yadgir	Good	38	OZONE	1
103	Yamunanagar	Very Poor	342	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Coimbatore, Damoh, Hubballi, Kanpur, Mysuru, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.