Air Quality Index on Jan 09, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	142	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	82	PM_{10}	1
3	Ajmer	Satisfactory	54	PM_{10}	1
4	Alwar	Satisfactory	58	PM_{10}	1
5	Amaravati	Satisfactory	69	$PM_{2.5}$	1
6	Ambala	Satisfactory	73	PM_{10}	1
7	Amritsar	Satisfactory	83	$PM_{2.5}$	1
8	Ankleshwar	Moderate	105	PM_{10}	1
9	Asanol	Poor	253	$PM_{2.5}$	1
10	Aurangabad	Satisfactory	90	PM_{10}	1
11	Baghpat	Moderate	161	$PM_{2.5}$	1
12	Bahadurgarh	Satisfactory	81	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Moradabad, Mysuru, Narnaul, Palwal, Shillong, Siliguri, Singrauli, Sonipat as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 09, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	229	$PM_{2.5}$	1
14	Bathinda	Satisfactory	90	CO	1
15	Bengaluru	Satisfactory	84	O_3, $PM_{2.5}$, PM_{10}	9
16	Bhiwadi	Moderate	186	$PM_{2.5}$	1
17	Bhiwani	Satisfactory	84	$PM_{2.5}$	1
18	Bhopal	Moderate	195	$PM_{2.5}$	1
19	Brajrajnagar	Moderate	115	$PM_{2.5}$	1
20	Chandigarh	Good	39	$PM_{2.5}$	1
21	Chandrapur	Satisfactory	74	$PM_{2.5}$, PM_{10}	2
22	Chennai	Satisfactory	77	$PM_{2.5}$	3
23	Chikkaballapur	Satisfactory	66	O_3	1
24	Coimbatore	Satisfactory	68	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Moradabad, Mysuru, Narnaul, Palwal, Shillong, Siliguri, Singrauli, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 09, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	133	$PM_{2.5}$	1
26	Delhi	Poor	203	$PM_{2.5}$	34
27	Dewas	Moderate	141	$PM_{2.5}$	1
28	Dharuhera	Moderate	103	PM_{10}	1
29	Eloor	Moderate	130	PM_{10}	1
30	Faridabad	Poor	220	$PM_{2.5}$	1
31	Fatehabad	Satisfactory	69	PM_{10}	1
32	GandhiNagar	Satisfactory	57	PM_{10}	1
33	Gaya	Moderate	179	$PM_{2.5}$	1
34	Ghaziabad	Poor	256	$PM_{2.5}$	4
35	Greater_Noida	Poor	268	$PM_{2.5}$	2
36	Gurugram	Moderate	124	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Moradabad, Mysuru, Narnaul, Palwal, Shillong, Siliguri, Singrauli, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 09, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	263	$PM_{2.5}$	1
38	Haldia	Moderate	111	PM_{10}	1
39	Hapur	Satisfactory	85	PM_{10}	1
40	Hisar	Satisfactory	96	$PM_{2.5}$	1
41	Howrah	Poor	293	PM_{10}, $PM_{2.5}$	3
42	Hubballi	Satisfactory	86	PM_{10}	1
43	Hyderabad	Satisfactory	82	PM_{10}, $PM_{2.5}$	6
44	Indore	Moderate	150	$PM_{2.5}$	1
45	Jabalpur	Moderate	155	$PM_{2.5}$	1
46	Jaipur	Satisfactory	62	O_3, PM_{10}	2
47	Jalandhar	Satisfactory	95	PM_{10}	1
48	Jind	Satisfactory	98	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Moradabad, Mysuru, Narnaul, Palwal, Shillong, Siliguri, Singrauli, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 09, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	105	PM_{10}	1
50	Jorapokhar	Poor	263	O_3	1
51	Kaithal	Good	50	$PM_{2.5}$	1
52	Kalaburagi	Satisfactory	93	$PM_{2.5}$	1
53	Kalyan	Satisfactory	75	$PM_{2.5}$	1
54	Kanpur	Poor	263	$PM_{2.5}$	1
55	Karnal	Satisfactory	77	$PM_{2.5}$	1
56	Katni	Poor	206	$PM_{2.5}$	1
57	Khanna	Satisfactory	95	$PM_{2.5}$	1
58	Kolkata	Moderate	177	$PM_{2.5}$, PM_{10}	5
59	Kota	Satisfactory	74	PM_{10}	1
60	Kurukshetra	Satisfactory	70	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Moradabad, Mysuru, Narnaul, Palwal, Shillong, Siliguri, Singrauli, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 09, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Poor	206	$PM_{2.5}$	4
62	Ludhiana	Good	42	PM_{10}	1
63	Maihar	Good	46	PM_{10}	1
64	Mandi Gobindgarh	Moderate	170	$PM_{2.5}$	1
65	Mandideep	Satisfactory	100	PM_{10}	1
66	Mandikhera	Moderate	109	PM_{10}	1
67	Manesar	Satisfactory	96	$PM_{2.5}$	1
68	Meerut	Moderate	125	$PM_{2.5}$	2
69	Mumbai	Moderate	124	$PM_{2.5}$, PM_{10}, CO	9
70	Muzaffarpur	Very Poor	337	$PM_{2.5}$	1
71	Nagpur	Satisfactory	89	PM_{10}	1
72	Nashik	Satisfactory	95	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Moradabad, Mysuru, Narnaul, Palwal, Shillong, Siliguri, Singrauli, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 09, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Moderate	101	PM_{10}, CO	3
74	Noida	Poor	238	$PM_{2.5}$	3
75	Pali	Satisfactory	99	$PM_{2.5}$	1
76	Panchkula	Good	37	$PM_{2.5}$	1
77	Panipat	Moderate	126	PM_{10}	1
78	Patiala	Satisfactory	53	PM_{10}	1
79	Patna	Poor	250	$PM_{2.5}$	3
80	Pithampur	Moderate	138	$PM_{2.5}$	1
81	Pune	Moderate	115	$PM_{2.5}$	1
82	Rajamahendravaram	Satisfactory	94	$PM_{2.5}$	1
83	Ramanagara	Satisfactory	62	PM_{10}	1
84	Ratlam	Moderate	104	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Moradabad, Mysuru, Narnaul, Palwal, Shillong, Siliguri, Singrauli, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 09, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Satisfactory	96	$PM_{2.5}$	1
86	Rupnagar	Satisfactory	52	PM_{10}	1
87	Satna	Satisfactory	66	PM_{10}	1
88	Sirsa	Satisfactory	58	PM_{10}	1
89	Solapur	Moderate	115	PM_{10}	1
90	Talcher	Poor	251	$PM_{2.5}$	1
91	Thane	Satisfactory	52	O_3	1
92	Thiruvananthapuram	Satisfactory	53	$PM_{2.5}$	1
93	Tirupati	Satisfactory	52	PM_{10}	1
94	Udaipur	Satisfactory	51	O_3	1
95	Ujjain	Moderate	167	$PM_{2.5}$	1
96	Vapi	Poor	214	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Moradabad, Mysuru, Narnaul, Palwal, Shillong, Siliguri, Singrauli, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 09, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Poor	247	$PM_{2.5}$	1
98	Vatva	Moderate	106	PM_{10}	1
99	Visakhapatnam	Moderate	191	PM_{10}	1
100	Yadgir	Satisfactory	72	$PM_{2.5}$	1
101	Yamunanagar	Satisfactory	74	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bulandshahr, Moradabad, Mysuru, Narnaul, Palwal, Shillong, Siliguri, Singrauli, Sonipat as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.