

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	171	PM _{2.5}	1
2	Ahmedabad	Moderate	101	PM ₁₀	1
3	Ajmer	Satisfactory	75	O ₃	1
4	Alwar	Satisfactory	69	O ₃	1
5	Amaravati	Satisfactory	73	PM ₁₀	1
6	Ambala	Moderate	196	O ₃	1
7	Amritsar	Moderate	111	PM _{2.5}	1
8	Ankleshwar	Moderate	109	PM ₁₀	1
9	Asanol	Poor	217	PM _{2.5}	1
10	Aurangabad	Satisfactory	93	PM ₁₀	1
11	Baghpat	Moderate	193	PM _{2.5}	1
12	Bahadurgarh	Satisfactory	92	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Kaithal, Narnaul, Palwal, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	261	PM _{2.5}	1
14	Bathinda	Poor	203	PM _{2.5}	1
15	Bengaluru	Satisfactory	84	PM _{2.5} , PM ₁₀	8
16	Bhiwadi	Poor	201	PM _{2.5}	1
17	Bhiwani	Moderate	184	PM _{2.5}	1
18	Bhopal	Moderate	118	PM _{2.5}	1
19	Brajrajnagar	Moderate	167	PM _{2.5}	1
20	Bulandshahr	Poor	277	PM _{2.5}	1
21	Chandigarh	Satisfactory	61	PM ₁₀	1
22	Chandrapur	Satisfactory	83	PM _{2.5}	1
23	Chennai	Satisfactory	73	PM _{2.5} , PM ₁₀ , O ₃	4
24	Chikkaballapur	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Kaithal, Narnaul, Palwal, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	86	PM _{2.5}	1
26	Damoh	Satisfactory	87	PM _{2.5}	1
27	Delhi	Poor	255	PM _{2.5}	34
28	Dewas	Moderate	103	PM ₁₀	1
29	Dharuhera	Satisfactory	95	PM ₁₀	1
30	Eloor	Moderate	125	PM ₁₀	1
31	Faridabad	Poor	217	PM _{2.5}	1
32	Fatehabad	Satisfactory	95	PM ₁₀	1
33	GandhiNagar	Satisfactory	60	PM ₁₀	1
34	Gaya	Moderate	109	PM _{2.5}	1
35	Ghaziabad	Poor	292	PM _{2.5}	4
36	Greater_Noida	Poor	278	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kaithal, Narnaul, Palwal, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	139	PM _{2.5}	1
38	Guwahati	Poor	290	PM _{2.5}	1
39	Haldia	Satisfactory	83	PM ₁₀	1
40	Hapur	Moderate	121	PM ₁₀	1
41	Hisar	Moderate	194	PM _{2.5}	1
42	Howrah	Poor	239	PM _{2.5}	3
43	Hubballi	Satisfactory	92	PM ₁₀	1
44	Hyderabad	Moderate	142	PM _{2.5}	6
45	Indore	Satisfactory	96	PM _{2.5}	1
46	Jabalpur	Moderate	136	PM _{2.5}	1
47	Jaipur	Satisfactory	81	PM ₁₀ , O ₃	3
48	Jalandhar	Moderate	177	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Kaithal, Narnaul, Palwal, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Moderate	197	PM _{2.5}	1
50	Jodhpur	Moderate	108	PM ₁₀	1
51	Jorapokhar	Moderate	198	O ₃	1
52	Kalaburagi	Moderate	160	PM _{2.5}	1
53	Kalyan	Moderate	148	PM ₁₀	1
54	Kanpur	Poor	226	PM _{2.5}	1
55	Karnal	Moderate	134	PM _{2.5}	1
56	Katni	Moderate	135	PM _{2.5}	1
57	Khanna	Moderate	146	PM _{2.5}	1
58	Kolkata	Moderate	172	PM _{2.5} , PM ₁₀	7
59	Kota	Satisfactory	86	PM ₁₀	1
60	Kurukshetra	Moderate	124	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Kaithal, Narnaul, Palwal, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Moderate	199	PM _{2.5}	4
62	Ludhiana	Satisfactory	64	PM ₁₀	1
63	Maihar	Good	37	PM ₁₀	1
64	Mandi Gobindgarh	Poor	208	PM _{2.5}	1
65	Mandideep	Satisfactory	86	PM ₁₀	1
66	Mandikhera	Moderate	102	PM ₁₀	1
67	Manesar	Satisfactory	95	PM _{2.5}	1
68	Meerut	Poor	219	PM _{2.5}	3
69	Moradabad	Poor	252	PM _{2.5}	1
70	Mumbai	Moderate	125	PM ₁₀ , PM _{2.5}	9
71	Muzaffarpur	Poor	252	PM _{2.5}	1
72	Mysuru	Satisfactory	63	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Kaithal, Narnaul, Palwal, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nagpur	Satisfactory	57	PM ₁₀	1
74	Nashik	Satisfactory	70	PM ₁₀	1
75	Navi Mumbai	Moderate	127	PM _{2.5} , CO	3
76	Noida	Poor	275	PM _{2.5}	4
77	Pali	Satisfactory	95	PM _{2.5}	1
78	Panchkula	Satisfactory	86	PM _{2.5}	1
79	Panipat	Moderate	163	PM ₁₀	1
80	Patiala	Satisfactory	83	PM ₁₀	1
81	Patna	Poor	214	PM _{2.5}	3
82	Pithampur	Moderate	119	PM _{2.5}	1
83	Pune	Moderate	172	PM _{2.5}	1
84	Rajamahendravaram	Moderate	115	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kaithal, Narnaul, Palwal, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Satisfactory	80	PM ₁₀	1
86	Ratlam	Satisfactory	97	PM ₁₀	1
87	Rohtak	Moderate	151	PM _{2.5}	1
88	Rupnagar	Satisfactory	81	PM ₁₀	1
89	Satna	Satisfactory	70	PM ₁₀	1
90	Siliguri	Poor	227	PM _{2.5}	1
91	Singrauli	Moderate	148	PM _{2.5}	1
92	Sirsa	Satisfactory	83	PM ₁₀	1
93	Sonipat	Moderate	138	PM ₁₀	1
94	Talcher	Poor	240	PM _{2.5}	1
95	Thane	Satisfactory	65	PM ₁₀	1
96	Thiruvananthapuram	Satisfactory	70	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Kaithal, Narnaul, Palwal, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Tirupati	Satisfactory	59	PM ₁₀	1
98	Udaipur	Satisfactory	70	PM ₁₀	1
99	Ujjain	Moderate	102	PM _{2.5}	1
100	Vapi	Poor	201	PM _{2.5}	1
101	Varanasi	Moderate	144	PM _{2.5}	1
102	Vatva	Moderate	132	PM ₁₀	1
103	Visakhapatnam	Satisfactory	86	PM ₁₀	1
104	Yadgir	Moderate	133	PM _{2.5}	1
105	Yamunanagar	Moderate	131	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Kaithal, Narnaul, Palwal, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.