



Air Quality Index on Jan 13, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	326	PM _{2.5}	1
2	Ahmedabad	Poor	251	PM _{2.5}	1
3	Ajmer	Satisfactory	84	PM ₁₀	1
4	Alwar	Satisfactory	89	PM ₁₀	1
5	Amaravati	Moderate	175	PM _{2.5}	1
6	Ambala	Poor	291	PM _{2.5}	1
7	Amritsar	Satisfactory	73	PM _{2.5}	1
8	Ankleshwar	Poor	224	PM _{2.5}	1
9	Asanol	Moderate	173	PM _{2.5}	1
10	Bahadurgarh	Poor	236	PM _{2.5}	1
11	Ballabgarh	Very Poor	364	PM _{2.5}	1
12	Bathinda	Poor	250	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Chikkaballapur, Mandi Gobindgarh, Nagpur, Rupnagar, Singrauli, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 13, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	106	O ₃ , PM _{2.5} , PM ₁₀	8
14	Bhiwadi	Poor	292	PM _{2.5}	1
15	Bhiwani	Poor	232	PM _{2.5}	1
16	Bhopal	Moderate	147	PM ₁₀	1
17	Bulandshahr	Very Poor	353	PM _{2.5}	1
18	Chandigarh	Moderate	185	PM _{2.5}	1
19	Chandrapur	Moderate	134	PM _{2.5} , PM ₁₀	2
20	Chennai	Moderate	158	PM _{2.5}	4
21	Coimbatore	Satisfactory	91	NO ₂	1
22	Damoh	Moderate	144	PM _{2.5}	1
23	Delhi	Very Poor	366	PM _{2.5}	35
24	Dewas	Satisfactory	86	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghat, Brajrajnagar, Chikkaballapur, Mandi Gobindgarh, Nagpur, Rupnagar, Singrauli, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 13, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Poor	232	PM _{2.5}	1
26	Eloor	Satisfactory	100	PM ₁₀	1
27	Faridabad	Very Poor	374	PM _{2.5}	1
28	Fatehabad	Moderate	116	PM ₁₀	1
29	GandhiNagar	Satisfactory	88	PM _{2.5}	1
30	Gaya	Poor	296	PM _{2.5}	1
31	Ghaziabad	Very Poor	393	PM _{2.5}	4
32	Greater_Noida	Very Poor	389	PM _{2.5}	2
33	Gurugram	Very Poor	308	PM _{2.5}	1
34	Guwahati	Poor	265	PM _{2.5}	1
35	Haldia	Moderate	115	PM ₁₀	1
36	Hapur	Moderate	144	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Chikkaballapur, Mandi Gobindgarh, Nagpur, Rupnagar, Singrauli, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 13, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	249	PM _{2.5}	1
38	Howrah	Poor	287	PM ₁₀ , PM _{2.5}	2
39	Hubballi	Satisfactory	94	PM ₁₀	1
40	Hyderabad	Moderate	135	PM _{2.5} , PM ₁₀	3
41	Indore	Moderate	141	PM ₁₀	1
42	Jabalpur	Moderate	175	PM _{2.5}	1
43	Jaipur	Moderate	122	PM ₁₀	3
44	Jalandhar	Moderate	167	PM _{2.5}	1
45	Jind	Poor	280	PM _{2.5}	1
46	Jodhpur	Poor	208	PM _{2.5}	1
47	Jorapokhar	Moderate	132	PM ₁₀	1
48	Kaithal	Moderate	180	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Chikkaballapur, Mandi Gobindgarh, Nagpur, Rupnagar, Singrauli, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 13, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Moderate	120	PM _{2.5}	1
50	Kalyan	Moderate	155	PM ₁₀	1
51	Kanpur	Severe	437	PM _{2.5}	1
52	Karnal	Poor	278	PM _{2.5}	1
53	Katni	Poor	275	PM _{2.5}	1
54	Khanna	Very Poor	306	PM _{2.5}	1
55	Kolkata	Moderate	178	PM _{2.5} , O ₃	7
56	Kota	Moderate	124	PM _{2.5}	1
57	Kurukshetra	Poor	278	PM _{2.5}	1
58	Lucknow	Very Poor	353	PM _{2.5}	4
59	Ludhiana	Moderate	188	PM _{2.5}	1
60	Maihar	Satisfactory	51	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Chikkaballapur, Mandi Gobindgarh, Nagpur, Rupnagar, Singrauli, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 13, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Moderate	174	PM ₁₀	1
62	Mandikhera	Poor	244	PM _{2.5}	1
63	Manesar	Poor	228	PM _{2.5}	1
64	Meerut	Very Poor	366	PM _{2.5}	1
65	Moradabad	Very Poor	341	PM _{2.5}	1
66	Mumbai	Moderate	163	PM _{2.5}	8
67	Muzaffarpur	Very Poor	356	PM _{2.5}	1
68	Mysuru	Satisfactory	70	O ₃	1
69	Narnaul	Moderate	170	PM _{2.5}	1
70	Nashik	Moderate	107	PM _{2.5}	1
71	Navi Mumbai	Moderate	173	PM _{2.5} , CO	3
72	Noida	Very Poor	387	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghat, Brajrajnagar, Chikkaballapur, Mandi Gobindgarh, Nagpur, Rupnagar, Singrauli, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 13, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pali	Moderate	145	PM _{2.5}	1
74	Palwal	Very Poor	331	PM _{2.5}	1
75	Panchkula	Moderate	196	PM _{2.5}	1
76	Panipat	Very Poor	310	PM ₁₀	1
77	Patiala	Moderate	156	PM _{2.5}	1
78	Patna	Poor	217	PM _{2.5} , CO	3
79	Pithampur	Moderate	113	PM ₁₀	1
80	Pune	Moderate	188	PM _{2.5}	1
81	Rajamahendravaram	Moderate	170	PM _{2.5}	1
82	Ramanagara	Satisfactory	76	PM ₁₀	1
83	Ratlam	Moderate	131	PM _{2.5}	1
84	Rohtak	Poor	293	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghat, Brajrajnagar, Chikkaballapur, Mandi Gobindgarh, Nagpur, Rupnagar, Singrauli, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 13, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Moderate	145	PM ₁₀	1
86	Shillong	Good	32	O ₃	1
87	Siliguri	Moderate	112	PM ₁₀	1
88	Sirsa	Moderate	109	PM ₁₀	1
89	Sonipat	Poor	253	PM ₁₀	1
90	Talcher	Very Poor	307	PM _{2.5}	1
91	Thane	Satisfactory	72	PM ₁₀	1
92	Thiruvananthapuram	Satisfactory	87	PM _{2.5}	1
93	Tirupati	Moderate	129	PM _{2.5}	1
94	Udaipur	Moderate	115	PM ₁₀	1
95	Ujjain	Moderate	120	PM _{2.5}	1
96	Vapi	Poor	237	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghat, Brajrajnagar, Chikkaballapur, Mandi Gobindgarh, Nagpur, Rupnagar, Singrauli, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 13, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Very Poor	377	PM _{2.5}	1
98	Vatva	Poor	246	PM _{2.5}	1
99	Visakhapatnam	Moderate	194	O ₃	1
100	Yadgir	Moderate	102	PM _{2.5}	1
101	Yamunanagar	Poor	297	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghat, Brajrajnagar, Chikkaballapur, Mandi Gobindgarh, Nagpur, Rupnagar, Singrauli, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.