

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	174	PM _{2.5}	1
2	Ahmedabad	Satisfactory	75	PM ₁₀	1
3	Ajmer	Satisfactory	81	PM _{2.5}	1
4	Alwar	Satisfactory	76	PM ₁₀	1
5	Amaravati	Moderate	112	PM _{2.5}	1
6	Ambala	Satisfactory	91	PM _{2.5}	1
7	Amritsar	Satisfactory	72	PM ₁₀	1
8	Ankleshwar	Satisfactory	64	PM ₁₀	1
9	Asanol	Poor	292	PM _{2.5}	1
10	Bahadurgarh	Moderate	115	PM _{2.5}	1
11	Ballabgarh	Poor	271	PM _{2.5}	1
12	Bathinda	Satisfactory	90	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Narnaul, Shillong, Singrauli, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	119	O ₃ , CO	9
14	Bhiwadi	Poor	254	PM _{2.5}	1
15	Bhiwani	Satisfactory	94	PM _{2.5}	1
16	Bhopal	Very Poor	301	PM _{2.5}	1
17	Brajrajnagar	Poor	257	PM _{2.5}	1
18	Bulandshahr	Poor	275	PM _{2.5}	1
19	Chandigarh	Satisfactory	77	PM ₁₀	1
20	Chandrapur	Satisfactory	77	PM _{2.5}	2
21	Chennai	Satisfactory	54	O ₃ , PM _{2.5}	3
22	Chikkaballapur	Satisfactory	69	O ₃	1
23	Coimbatore	Satisfactory	77	NO ₂	1
24	Damoh	Poor	291	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Narnaul, Shillong, Singrauli, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	281	PM _{2.5}	33
26	Dewas	Moderate	168	PM _{2.5}	1
27	Dharuhera	Moderate	109	PM ₁₀	1
28	Eloor	Moderate	129	PM ₁₀	1
29	Faridabad	Poor	295	PM _{2.5}	1
30	Fatehabad	Satisfactory	65	PM ₁₀	1
31	GandhiNagar	Satisfactory	62	PM ₁₀	1
32	Gaya	Poor	242	PM _{2.5}	1
33	Ghaziabad	Very Poor	326	PM _{2.5}	4
34	Greater_Noida	Very Poor	308	PM _{2.5}	1
35	Gurugram	Moderate	169	PM _{2.5}	1
36	Guwahati	Very Poor	315	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Narnaul, Shillong, Singrauli, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Moderate	130	PM ₁₀	1
38	Hapur	Moderate	127	PM ₁₀	1
39	Hisar	Satisfactory	92	PM _{2.5}	1
40	Howrah	Very Poor	308	PM ₁₀ , PM _{2.5}	2
41	Hubballi	Moderate	115	PM ₁₀	1
42	Hyderabad	Satisfactory	69	PM _{2.5} , PM ₁₀	3
43	Indore	Moderate	146	PM _{2.5}	1
44	Jabalpur	Moderate	141	PM ₁₀	1
45	Jaipur	Satisfactory	92	PM ₁₀	3
46	Jalandhar	Satisfactory	79	PM _{2.5}	1
47	Jind	Moderate	137	PM _{2.5}	1
48	Jodhpur	Moderate	120	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Narnaul, Shillong, Singrauli, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Poor	253	PM ₁₀	1
50	Kaithal	Satisfactory	94	PM ₁₀	1
51	Kalaburagi	Good	48	PM ₁₀	1
52	Kalyan	Moderate	113	PM ₁₀	1
53	Kanpur	Moderate	175	PM _{2.5}	1
54	Karnal	Moderate	163	PM _{2.5}	1
55	Katni	Poor	293	PM _{2.5}	1
56	Khanna	Satisfactory	76	PM _{2.5}	1
57	Kolkata	Very Poor	321	PM _{2.5}	7
58	Kota	Satisfactory	83	PM ₁₀	1
59	Kurukshetra	Moderate	116	PM _{2.5}	1
60	Lucknow	Poor	214	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Narnaul, Shillong, Singrauli, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Good	46	PM ₁₀	1
62	Maihar	Satisfactory	64	PM ₁₀	1
63	Mandi Gobindgarh	Moderate	108	PM _{2.5}	1
64	Mandideep	Moderate	134	PM ₁₀	1
65	Mandikhera	Moderate	123	PM ₁₀	1
66	Manesar	Moderate	118	PM _{2.5}	1
67	Meerut	Poor	232	PM _{2.5}	2
68	Moradabad	Very Poor	338	PM _{2.5}	1
69	Mumbai	Satisfactory	81	PM ₁₀ , O ₃	8
70	Muzaffarpur	Severe	402	PM _{2.5}	1
71	Mysuru	Satisfactory	72	O ₃	1
72	Nagpur	Moderate	104	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Narnaul, Shillong, Singrauli, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Satisfactory	59	PM ₁₀	1
74	Navi Mumbai	Moderate	103	CO, PM ₁₀ , PM _{2.5}	3
75	Noida	Very Poor	316	PM _{2.5}	4
76	Pali	Moderate	118	PM _{2.5}	1
77	Palwal	Poor	289	PM _{2.5}	1
78	Panchkula	Satisfactory	99	PM _{2.5}	1
79	Panipat	Poor	217	PM ₁₀	1
80	Patiala	Satisfactory	76	PM ₁₀	1
81	Patna	Very Poor	325	PM _{2.5}	3
82	Pithampur	Moderate	113	PM _{2.5}	1
83	Pune	Satisfactory	100	PM _{2.5}	1
84	Rajamahendravaram	Moderate	128	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Narnaul, Shillong, Singrauli, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Satisfactory	68	PM _{2.5}	1
86	Ratlam	Moderate	127	PM _{2.5}	1
87	Rohtak	Moderate	122	PM _{2.5}	1
88	Rupnagar	Satisfactory	66	PM ₁₀	1
89	Satna	Moderate	108	PM ₁₀	1
90	Siliguri	Poor	238	PM _{2.5}	1
91	Sirsa	Satisfactory	65	PM ₁₀	1
92	Sonipat	Moderate	168	PM ₁₀	1
93	Talcher	Very Poor	307	PM _{2.5}	1
94	Thane	Good	48	NO ₂	1
95	Thiruvananthapuram	Satisfactory	96	PM _{2.5}	1
96	Tirupati	Good	40	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Narnaul, Shillong, Singrauli, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Moderate	131	PM _{2.5}	1
98	Ujjain	Moderate	182	PM _{2.5}	1
99	Vapi	Moderate	178	PM _{2.5}	1
100	Varanasi	Poor	252	PM _{2.5}	1
101	Visakhapatnam	Moderate	142	PM _{2.5}	1
102	Yadgir	Good	50	PM _{2.5}	1
103	Yamunanagar	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Narnaul, Shillong, Singrauli, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.