



Air Quality Index on Jan 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	165	PM _{2.5}	1
2	Ahmedabad	Moderate	146	PM _{2.5}	1
3	Ajmer	Satisfactory	91	PM _{2.5}	1
4	Alwar	Satisfactory	80	PM ₁₀	1
5	Amaravati	Satisfactory	53	PM _{2.5}	1
6	Ambala	Moderate	156	O ₃	1
7	Amritsar	Moderate	145	PM _{2.5}	1
8	Ankleshwar	Moderate	191	PM _{2.5}	1
9	Asanol	Poor	245	PM _{2.5}	1
10	Bahadurgarh	Moderate	110	PM _{2.5}	1
11	Ballabgarh	Poor	287	PM _{2.5}	1
12	Bathinda	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, GandhiNagar, Hapur, Hubballi, Mandi Gobindgarh, Moradabad, Palwal, Rajamahendravaram, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	74	PM ₁₀ , CO, PM _{2.5}	10
14	Bhiwadi	Poor	267	PM _{2.5}	1
15	Bhiwani	Moderate	156	PM _{2.5}	1
16	Bhopal	Moderate	180	PM _{2.5}	1
17	Brajrajnagar	Moderate	169	PM ₁₀	1
18	Bulandshahr	Moderate	146	PM _{2.5}	1
19	Chandigarh	Moderate	118	PM ₁₀	1
20	Chandrapur	Satisfactory	79	PM _{2.5}	1
21	Chennai	Satisfactory	52	SO ₂ , CO, O ₃	4
22	Chikkaballapur	Satisfactory	84	PM ₁₀	1
23	Coimbatore	Satisfactory	82	NO ₂	1
24	Damoh	Satisfactory	74	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, GandhiNagar, Hapur, Hubballi, Mandi Gobindgarh, Moradabad, Palwal, Rajamahendravaram, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	243	PM _{2.5}	34
26	Dewas	Moderate	130	PM _{2.5}	1
27	Dharuhera	Moderate	112	CO	1
28	Eloor	Moderate	125	PM ₁₀	1
29	Faridabad	Poor	241	PM _{2.5}	1
30	Fatehabad	Satisfactory	85	PM ₁₀	1
31	Gaya	Poor	251	PM _{2.5}	1
32	Ghaziabad	Poor	245	PM _{2.5}	4
33	Greater_Noida	Poor	256	PM _{2.5}	1
34	Gurugram	Moderate	148	PM _{2.5}	1
35	Guwahati	Poor	259	PM _{2.5}	1
36	Haldia	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, GandhiNagar, Hapur, Hubballi, Mandi Gobindgarh, Moradabad, Palwal, Rajamahendravaram, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	208	PM _{2.5}	1
38	Howrah	Poor	248	PM ₁₀ , PM _{2.5}	3
39	Hyderabad	Satisfactory	69	PM _{2.5} , PM ₁₀	5
40	Indore	Moderate	142	PM _{2.5}	1
41	Jabalpur	Moderate	162	PM _{2.5}	1
42	Jaipur	Moderate	105	PM ₁₀ , PM _{2.5}	3
43	Jalandhar	Satisfactory	98	PM ₁₀	1
44	Jind	Moderate	148	PM _{2.5}	1
45	Jodhpur	Moderate	121	PM _{2.5}	1
46	Jorapokhar	Moderate	181	O ₃	1
47	Kaithal	Moderate	103	PM ₁₀	1
48	Kalaburagi	Moderate	177	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, GandhiNagar, Hapur, Hubballi, Mandi Gobindgarh, Moradabad, Palwal, Rajamahendravaram, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Moderate	170	PM _{2.5}	1
50	Kanpur	Poor	255	PM _{2.5}	1
51	Karnal	Satisfactory	87	PM _{2.5}	1
52	Katni	Moderate	183	PM _{2.5}	1
53	Khanna	Moderate	130	PM _{2.5}	1
54	Kolkata	Moderate	191	PM _{2.5} , PM ₁₀	6
55	Kota	Satisfactory	78	PM _{2.5}	1
56	Kurukshetra	Satisfactory	83	PM _{2.5}	1
57	Lucknow	Moderate	178	PM _{2.5} , NO ₂	4
58	Ludhiana	Moderate	106	PM ₁₀	1
59	Maihar	Good	29	CO	1
60	Mandideep	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, GandhiNagar, Hapur, Hubballi, Mandi Gobindgarh, Moradabad, Palwal, Rajamahendravaram, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandikhera	Moderate	128	PM _{2.5}	1
62	Manesar	Moderate	109	PM ₁₀	1
63	Meerut	Satisfactory	86	PM _{2.5} , PM ₁₀	3
64	Mumbai	Moderate	188	PM _{2.5}	8
65	Muzaffarpur	Moderate	196	PM _{2.5}	1
66	Mysuru	Moderate	155	O ₃	1
67	Nagpur	Satisfactory	78	PM ₁₀	1
68	Narnaul	Moderate	166	PM _{2.5}	1
69	Nashik	Moderate	118	PM _{2.5}	1
70	Navi Mumbai	Moderate	142	PM _{2.5} , CO	2
71	Noida	Poor	287	PM _{2.5}	4
72	Pali	Moderate	137	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghat, GandhiNagar, Hapur, Hubballi, Mandi Gobindgarh, Moradabad, Palwal, Rajamahendravaram, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panchkula	Moderate	111	PM _{2.5}	1
74	Panipat	Poor	208	PM ₁₀	1
75	Patiala	Moderate	109	PM _{2.5}	1
76	Patna	Poor	224	PM _{2.5}	3
77	Pithampur	Moderate	197	PM _{2.5}	1
78	Pune	Moderate	163	PM _{2.5}	1
79	Ramanagara	Satisfactory	56	PM ₁₀	1
80	Ratlam	Moderate	102	PM ₁₀	1
81	Rohtak	Moderate	135	PM _{2.5}	1
82	Rupnagar	Satisfactory	100	PM _{2.5}	1
83	Satna	Satisfactory	57	PM ₁₀	1
84	Shillong	Good	48	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, GandhiNagar, Hapur, Hubballi, Mandi Gobindgarh, Moradabad, Palwal, Rajamahendravaram, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Siliguri	Poor	212	PM _{2.5}	1
86	Sirsa	Moderate	108	PM ₁₀	1
87	Solapur	Moderate	127	PM ₁₀	1
88	Sonipat	Moderate	129	CO	1
89	Talcher	Poor	263	PM _{2.5}	1
90	Thane	Satisfactory	67	PM ₁₀	1
91	Thiruvananthapuram	Satisfactory	63	PM ₁₀	1
92	Tirupati	Good	35	PM ₁₀	1
93	Udaipur	Moderate	124	PM _{2.5}	1
94	Ujjain	Moderate	154	PM _{2.5}	1
95	Vapi	Very Poor	312	PM _{2.5}	1
96	Varanasi	Poor	231	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghat, GandhiNagar, Hapur, Hubballi, Mandi Gobindgarh, Moradabad, Palwal, Rajamahendravaram, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vatva	Poor	217	PM _{2.5}	1
98	Visakhapatnam	Satisfactory	80	PM ₁₀	1
99	Yadgir	Satisfactory	59	PM ₁₀	1
100	Yamunanagar	Moderate	189	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, GandhiNagar, Hapur, Hubballi, Mandi Gobindgarh, Moradabad, Palwal, Rajamahendravaram, Singrauli as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.