

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	264	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	159	03	1
3	Ajmer	Satisfactory	99	PM <sub>10</sub>	1
4	Alwar	Satisfactory	85	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	67	03	1
6	Ambala	Poor	235	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	121	PM <sub>2.5</sub>	1
8	Ankleshwar	Moderate	131	PM <sub>2.5</sub>	1
9	Asansol	Satisfactory	59	PM <sub>10</sub>	1
10	Aurangabad	Satisfactory	62	PM <sub>2.5</sub>	1
11	Bagalkot	Satisfactory	91	PM <sub>2.5</sub>	1
12	Baghpat	Very Poor	331	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	295	PM <sub>2.5</sub>	1
14	Ballabgarh	Poor	279	PM <sub>2.5</sub>	1
15	Bathinda	Moderate	156	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	59	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	9
17	Bhiwadi	Poor	285	PM <sub>2.5</sub>	1
18	Bhiwani	Poor	234	O <sub>3</sub>	1
19	Bhopal	Moderate	155	03	1
20	Brajrajnagar	Moderate	168	PM <sub>2.5</sub>	1
21	Bulandshahr	Poor	282	PM <sub>2.5</sub>	1
22	Chandigarh	Moderate	111	PM <sub>10</sub>	1
23	Chandrapur	Moderate	122	PM <sub>10</sub>	2
24	Charkhi Dadri	Poor	240	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	69	PM <sub>2.5</sub> , PM <sub>10</sub>	4
26	Chikkaballapur	Good	45	PM <sub>10</sub>	1
27	Chikkamagaluru	Good	32	PM <sub>10</sub>	1
28	Coimbatore	Satisfactory	77	PM <sub>2.5</sub>	1
29	Delhi	Poor	296	PM <sub>10</sub> , PM <sub>2.5</sub>	35
30	Dewas	Moderate	133	PM <sub>2.5</sub>	1
31	Dharuhera	Very Poor	310	PM <sub>10</sub>	1
32	Eloor	Good	35	со	1
33	Ernakulam	Satisfactory	77	со	1
34	Faridabad	Very Poor	315	PM <sub>10</sub> , PM <sub>2.5</sub>	4
35	Fatehabad	Very Poor	306	PM <sub>2.5</sub>	1
36	Gaya	Satisfactory	93	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Very Poor	318	PM <sub>10</sub> , PM <sub>2.5</sub>	4
38	Greater Noida	Very Poor	328	PM <sub>10</sub> , PM <sub>2.5</sub>	2
39	Gurugram	Poor	215	PM <sub>2.5</sub> , PM <sub>10</sub>	4
40	Guwahati	Satisfactory	85	PM <sub>2.5</sub>	1
41	Gwalior	Moderate	176	PM <sub>10</sub>	1
42	Hajipur	Moderate	172	PM <sub>2.5</sub>	1
43	Hapur	Poor	234	PM <sub>10</sub>	1
44	Hisar	Poor	267	PM <sub>2.5</sub>	1
45	Howrah	Good	31	NO <sub>2</sub> , PM <sub>10</sub>	3
46	Hubballi	Satisfactory	87	PM <sub>10</sub>	1
47	Hyderabad	Moderate	143	PM <sub>2.5</sub>	6
48	Indore	Moderate	159	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Moderate	161	PM <sub>10</sub>	1
50	Jaipur	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	3
51	Jalandhar	Moderate	127	PM <sub>2.5</sub>	1
52	Jind	Poor	287	PM <sub>2.5</sub>	1
53	Jodhpur	Satisfactory	98	PM <sub>10</sub>	1
54	Kaithal	Poor	269	PM <sub>2.5</sub>	1
55	Kalaburgi	Moderate	118	PM <sub>10</sub>	1
56	Kalyan	Satisfactory	51	PM <sub>10</sub>	1
57	Kannur	Satisfactory	57	со	1
58	Kanpur	Poor	263	PM <sub>2.5</sub>	1
59	Karnal	Poor	285	PM <sub>2.5</sub>	1
60	Katni	Moderate	199	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	115	PM <sub>10</sub>	1
62	Kohima	Satisfactory	60	PM <sub>10</sub>	1
63	Kolkata	Good	31	O <sub>3</sub> , PM <sub>10</sub> , CO	7
64	Kollam	Moderate	108	PM <sub>2.5</sub>	1
65	Kota	Poor	212	PM <sub>2.5</sub>	1
66	Kurukshetra	Poor	285	PM <sub>2.5</sub>	1
67	Lucknow	Poor	298	PM <sub>2.5</sub>	3
68	Ludhiana	Moderate	138	PM <sub>10</sub>	1
69	Maihar	Good	37	PM <sub>10</sub>	1
70	Mandi Gobindgarh	Moderate	128	PM <sub>10</sub>	1
71	Mandideep	Moderate	153	PM <sub>10</sub>	1
72	Mandikhera	Poor	258	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Poor	249	PM <sub>2.5</sub>	1
74	Meerut	Poor	232	NO <sub>2</sub> , PM <sub>10</sub>	2
75	Moradabad	Poor	294	PM <sub>2.5</sub>	1
76	Mumbai	Satisfactory	90	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	9
77	Muzaffarnagar	Poor	283	PM <sub>2.5</sub>	1
78	Muzaffarpur	Moderate	114	PM <sub>2.5</sub> , PM <sub>10</sub>	2
79	Mysuru	Good	33	O <sub>3</sub>	1
80	Nandesari	Moderate	200	со	1
81	Narnaul	Moderate	152	PM <sub>10</sub>	1
82	Navi Mumbai	Satisfactory	82	PM <sub>2.5</sub>	2
83	Noida	Very Poor	308	PM <sub>10</sub>	3
84	Pali	Moderate	139	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Palwal	Poor	233	PM <sub>10</sub>	1
86	Panchkula	Satisfactory	99	PM <sub>2.5</sub>	1
87	Panipat	Very Poor	312	PM <sub>10</sub>	1
88	Patiala	Moderate	135	PM <sub>10</sub>	1
89	Patna	Poor	205	PM <sub>2.5</sub>	5
90	Pithampur	Moderate	164	PM <sub>2.5</sub>	1
91	Pune	Satisfactory	53	СО	1
92	Rajamahendravaram	Satisfactory	85	O <sub>3</sub>	1
93	Ratlam	Moderate	178	PM <sub>10</sub>	1
94	Rohtak	Moderate	139	PM <sub>2.5</sub>	1
95	Rupnagar	Moderate	160	PM <sub>10</sub>	1
96	Satna	Satisfactory	55	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shillong	Good	28	PM <sub>2.5</sub>	1
98	Singrauli	Poor	243	PM <sub>2.5</sub>	1
99	Sirsa	Moderate	159	PM <sub>10</sub>	1
100	Sonipat	Moderate	189	PM <sub>10</sub>	1
101	Talcher	Satisfactory	95	со	1
102	Thiruvananthapuram	Satisfactory	62	CO, PM <sub>10</sub>	2
103	Thrissur	Satisfactory	56	PM <sub>10</sub>	1
104	Tirupati	Good	41	со	1
105	Udaipur	Satisfactory	95	PM <sub>10</sub>	1
106	Ujjain	Moderate	170	PM <sub>2.5</sub>	1
107	Vapi	Satisfactory	98	PM <sub>2.5</sub>	1
108	Varanasi	Poor	220	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vatva	Satisfactory	97	PM <sub>10</sub>	1
110	Vijayapura	Satisfactory	63	O <sub>3</sub>	1
111	Visakhapatnam	Moderate	130	PM <sub>2.5</sub>	1
112	Yadgir	Satisfactory	62	PM <sub>2.5</sub>	1
113	Yamunanagar	Poor	258	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Damoh, Gandhinagar, Jorapokhar, Kochi, Kozhikode, Nagpur, Nashik, Ramanagara, Sagar, Siliguri, Solapur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.