

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	346	PM _{2.5}	1
2	Ahmedabad	Moderate	139	PM _{2.5}	1
3	Ajmer	Moderate	118	PM ₁₀	1
4	Alwar	Moderate	112	PM _{2.5}	1
5	Amaravati	Moderate	106	PM ₁₀	1
6	Ambala	Poor	275	PM _{2.5}	1
7	Amritsar	Moderate	176	PM _{2.5}	1
8	Ankleshwar	Moderate	133	PM ₁₀	1
9	Asansol	Moderate	116	PM ₁₀	1
10	Aurangabad	Satisfactory	81	PM ₁₀	1
11	Bagalkot	Moderate	163	PM _{2.5}	1
12	Baghpat	Very Poor	351	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Very Poor	366	PM _{2.5}	1
14	Ballabgarh	Very Poor	358	PM ₁₀	1
15	Bathinda	Poor	230	PM _{2.5}	1
16	Bengaluru	Satisfactory	77	PM _{2.5} , PM ₁₀ , O ₃	9
17	Bhiwadi	Very Poor	385	PM _{2.5}	1
18	Bhiwani	Very Poor	303	PM ₁₀	1
19	Bhopal	Moderate	165	PM _{2.5}	1
20	Brajrajnagar	Moderate	149	PM _{2.5}	1
21	Bulandshahr	Very Poor	313	PM _{2.5}	1
22	Chandigarh	Moderate	118	PM ₁₀	1
23	Chandrapur	Moderate	140	PM ₁₀	2
24	Charkhi Dadri	Very Poor	338	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	78	PM ₁₀ , PM _{2.5} , O ₃	4
26	Chikkaballapur	Satisfactory	92	PM _{2.5}	1
27	Chikkamagaluru	Satisfactory	83	O ₃	1
28	Coimbatore	Satisfactory	73	PM _{2.5}	1
29	Damoh	Moderate	131	PM ₁₀	1
30	Delhi	Very Poor	374	PM ₁₀ , PM _{2.5}	35
31	Dewas	Moderate	117	PM _{2.5}	1
32	Dharuhera	Very Poor	376	PM ₁₀	1
33	Eloor	Good	45	O ₃	1
34	Faridabad	Very Poor	337	PM _{2.5} , PM ₁₀	4
35	Fatehabad	Very Poor	398	PM _{2.5}	1
36	Gandhinagar	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	100	O ₃	1
38	Ghaziabad	Very Poor	382	PM _{2.5}	4
39	Greater Noida	Very Poor	394	PM ₁₀ , PM _{2.5}	2
40	Gurugram	Very Poor	367	PM _{2.5}	4
41	Guwahati	Satisfactory	100	PM ₁₀	1
42	Gwalior	Poor	294	PM _{2.5}	1
43	Hapur	Poor	251	PM ₁₀	1
44	Hisar	Severe	431	PM _{2.5}	1
45	Howrah	Moderate	111	PM ₁₀ , O ₃	3
46	Hubballi	Moderate	106	PM ₁₀	1
47	Hyderabad	Moderate	157	PM _{2.5}	5
48	Indore	Moderate	161	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Moderate	172	PM ₁₀	1
50	Jaipur	Moderate	198	PM _{2.5}	3
51	Jalandhar	Poor	212	PM _{2.5}	1
52	Jind	Very Poor	388	PM _{2.5}	1
53	Jodhpur	Poor	248	PM _{2.5}	1
54	Kaithal	Poor	290	PM _{2.5}	1
55	Kalaburgi	Moderate	122	PM ₁₀	1
56	Kalyan	Moderate	136	PM ₁₀	1
57	Kannur	Satisfactory	52	СО	1
58	Kanpur	Poor	243	PM _{2.5}	1
59	Karnal	Poor	253	PM _{2.5}	1
60	Katni	Poor	241	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Poor	209	PM _{2.5}	1
62	Kochi	Moderate	124	PM _{2.5}	1
63	Kohima	Satisfactory	65	PM ₁₀	1
64	Kolkata	Moderate	102	PM _{2.5} , PM ₁₀ , O ₃	7
65	Kollam	Moderate	152	PM _{2.5}	1
66	Kota	Moderate	167	PM _{2.5}	1
67	Kozhikode	Satisfactory	78	PM ₁₀	1
68	Kurukshetra	Poor	286	PM _{2.5}	1
69	Lucknow	Poor	219	PM ₁₀ , PM _{2.5}	4
70	Ludhiana	Moderate	186	PM _{2.5}	1
71	Maihar	Good	48	PM ₁₀	1
72	Mandi Gobindgarh	Poor	213	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Moderate	122	PM _{2.5}	1
74	Mandikhera	Poor	240	PM _{2.5}	1
75	Manesar	Very Poor	336	PM _{2.5}	1
76	Meerut	Poor	300	PM ₁₀ , PM _{2.5}	3
77	Moradabad	Poor	262	PM _{2.5}	1
78	Mumbai	Moderate	131	PM _{2.5} , PM ₁₀	9
79	Muzaffarnagar	Poor	253	PM _{2.5}	1
80	Muzaffarpur	Moderate	198	PM _{2.5} , O ₃	2
81	Mysuru	Moderate	153	O ₃	1
82	Nagpur	Satisfactory	86	PM _{2.5}	1
83	Nandesari	Good	45	PM _{2.5}	1
84	Narnaul	Poor	257	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	71	O ₃	1
86	Navi Mumbai	Moderate	192	PM _{2.5}	2
87	Noida	Very Poor	379	PM _{2.5} , PM ₁₀	3
88	Pali	Satisfactory	99	PM ₁₀	1
89	Palwal	Moderate	187	PM ₁₀	1
90	Panchkula	Moderate	146	PM _{2.5}	1
91	Panipat	Very Poor	303	PM ₁₀	1
92	Patiala	Poor	240	PM _{2.5}	1
93	Patna	Moderate	186	PM _{2.5}	2
94	Pithampur	Moderate	143	PM _{2.5}	1
95	Rajamahendravaram	Moderate	194	O ₃	1
96	Ramanagara	Satisfactory	94	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	149	PM ₁₀	1
98	Rohtak	Very Poor	335	PM _{2.5}	1
99	Rupnagar	Poor	299	PM _{2.5}	1
100	Sagar	Moderate	138	PM _{2.5}	1
101	Satna	Satisfactory	65	PM ₁₀	1
102	Shillong	Good	12	PM ₁₀	1
103	Siliguri	Satisfactory	92	PM ₁₀	1
104	Singrauli	Poor	238	PM _{2.5}	1
105	Sirsa	Very Poor	342	PM _{2.5}	1
106	Solapur	Moderate	151	PM ₁₀	1
107	Sonipat	Very Poor	354	PM ₁₀	1
108	Talcher	Moderate	102	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Moderate	151	PM ₁₀	1
110	Thiruvananthapuram	Satisfactory	69	PM ₁₀	1
111	Thrissur	Satisfactory	91	PM ₁₀	1
112	Tirupati	Satisfactory	86	PM ₁₀	1
113	Udaipur	Moderate	103	PM ₁₀	1
114	Ujjain	Poor	216	03	1
115	Vapi	Moderate	168	PM _{2.5}	1
116	Varanasi	Poor	245	PM ₁₀	1
117	Vatva	Moderate	157	PM _{2.5}	1
118	Vijayapura	Satisfactory	76	PM _{2.5}	1
119	Visakhapatnam	Moderate	148	PM ₁₀	1
120	Yadgir	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Poor	216	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Pune as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.