

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	96	PM ₁₀	1
2	Agra	Moderate	151	PM _{2.5}	1
3	Ahmedabad	Poor	207	PM _{2.5}	1
4	Aizawl	Satisfactory	86	PM ₁₀	1
5	Alwar	Satisfactory	84	PM ₁₀	1
6	Amaravati	Moderate	110	PM ₁₀	1
7	Ambala	Satisfactory	84	PM ₁₀	1
8	Amritsar	Satisfactory	64	PM ₁₀	1
9	Asansol	Moderate	190	PM _{2.5}	1
10	Aurangabad	Satisfactory	92	PM ₁₀	1
11	Bagalkot	Good	50	PM ₁₀	1
12	Baghpat	Moderate	198	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	148	PM ₁₀	1
14	Ballabgarh	Moderate	121	PM _{2.5}	1
15	Bengaluru	Satisfactory	83	NO ₂ , PM ₁₀	9
16	Bhiwadi	Poor	265	PM _{2.5}	1
17	Bhiwani	Satisfactory	93	03	1
18	Bhopal	Moderate	158	03	1
19	Bidar	Moderate	157	PM ₁₀	1
20	Bulandshahr	Moderate	195	PM ₁₀	1
21	Chamarajanagar	Satisfactory	76	PM ₁₀	1
22	Chandigarh	Moderate	115	PM ₁₀	1
23	Chandrapur	Moderate	179	PM _{2.5}	2
24	Charkhi Dadri	Moderate	148	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	71	PM ₁₀ , PM _{2.5} , CO	6
26	Chikkaballapur	Moderate	108	PM ₁₀	1
27	Chikkamagaluru	Satisfactory	66	03	1
28	Damoh	Satisfactory	65	PM _{2.5}	1
29	Delhi	Moderate	176	PM _{2.5} , PM ₁₀	32
30	Dewas	Poor	219	PM _{2.5}	1
31	Dharuhera	Poor	205	PM ₁₀	1
32	Durgapur	Poor	253	PM ₁₀	1
33	Eloor	Satisfactory	57	PM ₁₀	1
34	Faridabad	Moderate	157	PM ₁₀ , PM _{2.5} , NO ₂	4
35	Fatehabad	Moderate	138	PM ₁₀	1
36	Gadag	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	101	PM ₁₀	1
38	Gaya	Moderate	120	O ₃ , PM _{2.5}	2
39	Ghaziabad	Poor	202	PM ₁₀	4
40	Greater Noida	Moderate	193	PM ₁₀	2
41	Gummidipoondi	Moderate	124	PM ₁₀	1
42	Gurugram	Moderate	136	PM ₁₀ , PM _{2.5}	3
43	Guwahati	Satisfactory	76	PM ₁₀	2
44	Gwalior	Moderate	134	PM ₁₀	1
45	Hajipur	Moderate	185	PM ₁₀	1
46	Haldia	Moderate	116	PM ₁₀	1
47	Hapur	Moderate	195	PM ₁₀	1
48	Hassan	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	149	PM ₁₀	1
50	Howrah	Moderate	136	PM ₁₀	3
51	Hubballi	Satisfactory	97	PM ₁₀	1
52	Hyderabad	Moderate	152	PM _{2.5} , PM ₁₀	6
53	Indore	Poor	232	PM ₁₀	1
54	Jabalpur	Moderate	125	PM ₁₀	1
55	Jaipur	Moderate	120	PM _{2.5} , PM ₁₀	2
56	Jalandhar	Satisfactory	85	PM _{2.5}	1
57	Jind	Moderate	133	PM ₁₀	1
58	Jodhpur	Moderate	172	PM ₁₀	1
59	Kaithal	Moderate	140	PM ₁₀	1
60	Kalaburgi	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	186	PM ₁₀	1
62	Kannur	Satisfactory	80	PM ₁₀	1
63	Kanpur	Satisfactory	66	NO ₂ , PM _{2.5}	2
64	Karnal	Satisfactory	95	PM ₁₀	1
65	Katni	Poor	206	PM ₁₀	1
66	Khanna	Satisfactory	87	PM ₁₀	1
67	Kochi	Satisfactory	64	PM ₁₀	1
68	Kolar	Satisfactory	57	СО	1
69	Kolkata	Moderate	133	PM _{2.5} , PM ₁₀	7
70	Kollam	Moderate	102	PM ₁₀	1
71	Kota	Moderate	125	PM ₁₀	1
72	Kozhikode	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	131	PM ₁₀	1
74	Lucknow	Moderate	158	PM _{2.5} , PM ₁₀ , O ₃	4
75	Ludhiana	Satisfactory	90	PM ₁₀	1
76	Mandi Gobindgarh	Poor	219	PM _{2.5}	1
77	Mandideep	Satisfactory	70	NO ₂	1
78	Mandikhera	Moderate	113	PM ₁₀	1
79	Manesar	Poor	232	PM _{2.5}	1
80	Manglore	Satisfactory	69	PM ₁₀	1
81	Medikeri	Satisfactory	56	PM ₁₀	1
82	Meerut	Poor	205	PM ₁₀	2
83	Moradabad	Moderate	191	PM ₁₀	1
84	Mumbai	Moderate	162	PM _{2.5} , PM ₁₀	19

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Very Poor	322	PM _{2.5}	1
86	Muzaffarpur	Moderate	152	PM ₁₀	1
87	Mysuru	Satisfactory	75	O ₃	1
88	Naharlagun	Satisfactory	68	PM ₁₀	1
89	Narnaul	Moderate	196	PM ₁₀	1
90	Nashik	Moderate	106	PM ₁₀	1
91	Navi Mumbai	Poor	218	PM _{2.5} , PM ₁₀	3
92	Noida	Moderate	153	PM ₁₀ , PM _{2.5}	3
93	Pali	Moderate	126	PM _{2.5}	1
94	Panchkula	Satisfactory	85	PM _{2.5}	1
95	Panipat	Moderate	151	PM ₁₀	1
96	Patiala	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	198	PM _{2.5} , PM ₁₀	5
98	Pithampur	Moderate	137	PM _{2.5}	1
99	Puducherry	Satisfactory	80	O ₃	1
100	Pune	Moderate	115	PM _{2.5} , PM ₁₀	4
101	Raichur	Satisfactory	83	PM ₁₀	1
102	Rajamahendravaram	Satisfactory	100	PM ₁₀	1
103	Ramanagara	Satisfactory	86	O ₃	1
104	Ratlam	Moderate	159	PM ₁₀	1
105	Rohtak	Moderate	142	PM _{2.5}	1
106	Rupnagar	Satisfactory	71	PM ₁₀	1
107	Sagar	Moderate	112	PM _{2.5}	1
108	Satna	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	59	PM ₁₀	1
110	Siliguri	Moderate	140	PM _{2.5}	1
111	Singrauli	Very Poor	320	PM _{2.5}	1
112	Sirsa	Satisfactory	96	PM ₁₀	1
113	Srinagar	Satisfactory	62	PM ₁₀	1
114	Talcher	Satisfactory	57	со	1
115	Thane	Moderate	119	PM ₁₀	1
116	Thiruvananthapuram	Satisfactory	58	PM ₁₀	2
117	Thoothukudi	Satisfactory	96	PM ₁₀	1
118	Thrissur	Satisfactory	83	SO ₂	1
119	Tirupati	Moderate	104	PM ₁₀	1
120	Udaipur	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udupi	Satisfactory	79	O ₃	1
122	Ujjain	Poor	273	PM _{2.5}	1
123	Vapi	Moderate	106	PM ₁₀	1
124	Varanasi	Poor	276	O ₃	1
125	Vatva	Poor	202	PM _{2.5}	1
126	Vijayapura	Satisfactory	62	PM _{2.5}	1
127	Yadgir	Moderate	112	PM ₁₀	1
128	Yamunanagar	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kohima, Koppal, Maihar, Nagpur, Nandesari, Palwal, Shillong, Solapur, Sonipat, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.