

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	115	PM ₁₀	1
2	Ahmedabad	Poor	220	PM ₁₀	1
3	Aizawl	Satisfactory	93	PM ₁₀	1
4	Ajmer	Moderate	101	O ₃	1
5	Alwar	Satisfactory	81	PM ₁₀	1
6	Amaravati	Moderate	112	PM ₁₀	1
7	Ambala	Satisfactory	57	PM _{2.5}	1
8	Amritsar	Satisfactory	94	PM ₁₀	1
9	Ankleshwar	Moderate	119	PM ₁₀	1
10	Asansol	Moderate	139	PM ₁₀	1
11	Aurangabad	Satisfactory	99	PM ₁₀	1
12	Bagalkot	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	199	PM ₁₀	1
14	Bahadurgarh	Moderate	179	PM _{2.5}	1
15	Ballabgarh	Moderate	107	PM _{2.5}	1
16	Bengaluru	Moderate	104	PM _{2.5} , PM ₁₀ , NO ₂	7
17	Bhiwadi	Poor	279	PM _{2.5}	1
18	Bhiwani	Moderate	114	03	1
19	Bhopal	Moderate	170	O ₃	1
20	Bidar	Moderate	149	PM ₁₀	1
21	Bulandshahr	Moderate	174	PM ₁₀	1
22	Chamarajanagar	Satisfactory	72	PM ₁₀	1
23	Chandigarh	Satisfactory	93	PM ₁₀	1
24	Chandrapur	Poor	223	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	158	PM _{2.5}	1
26	Chennai	Satisfactory	83	PM ₁₀ , CO, PM _{2.5}	7
27	Chikkaballapur	Moderate	122	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	66	PM _{2.5}	1
29	Damoh	Satisfactory	61	PM ₁₀	1
30	Delhi	Moderate	159	PM ₁₀ , PM _{2.5} , O ₃	30
31	Dewas	Moderate	186	PM _{2.5}	1
32	Dharuhera	Moderate	180	PM ₁₀	1
33	Durgapur	Poor	282	PM ₁₀	1
34	Eloor	Satisfactory	66	PM ₁₀	1
35	Ernakulam	Good	46	PM _{2.5}	1
36	Faridabad	Moderate	148	PM ₁₀ , O ₃	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	92	PM ₁₀	1
38	Gadag	Satisfactory	85	PM ₁₀	1
39	Gandhinagar	Satisfactory	87	PM ₁₀	1
40	Gaya	Moderate	138	O ₃ , PM _{2.5}	2
41	Ghaziabad	Moderate	198	PM ₁₀ , O ₃	4
42	Greater Noida	Moderate	170	PM ₁₀ , O ₃	2
43	Gummidipoondi	Moderate	150	PM ₁₀	1
44	Gurugram	Moderate	107	PM ₁₀ , PM _{2.5}	3
45	Guwahati	Moderate	128	PM ₁₀ , PM _{2.5}	2
46	Gwalior	Moderate	105	PM ₁₀	1
47	Hajipur	Poor	210	PM ₁₀	1
48	Haldia	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	169	PM ₁₀	1
50	Hassan	Moderate	150	PM ₁₀	1
51	Hisar	Moderate	139	PM _{2.5}	1
52	Howrah	Moderate	114	PM ₁₀	3
53	Hubballi	Moderate	134	PM ₁₀	1
54	Hyderabad	Moderate	150	PM _{2.5} , PM ₁₀	6
55	Indore	Poor	243	PM _{2.5}	1
56	Jabalpur	Poor	210	PM _{2.5}	1
57	Jaipur	Satisfactory	93	PM ₁₀ , PM _{2.5}	3
58	Jalandhar	Moderate	114	PM ₁₀	1
59	Jind	Moderate	101	PM ₁₀	1
60	Jodhpur	Moderate	189	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Satisfactory	100	PM ₁₀	1
62	Kalaburgi	Moderate	113	PM ₁₀	1
63	Kalyan	Moderate	185	PM ₁₀	1
64	Kannur	Satisfactory	80	PM ₁₀	1
65	Kanpur	Satisfactory	90	PM _{2.5}	2
66	Karnal	Satisfactory	71	PM ₁₀	1
67	Katni	Moderate	170	PM ₁₀	1
68	Khanna	Satisfactory	64	PM _{2.5}	1
69	Kochi	Satisfactory	93	PM ₁₀	1
70	Kohima	Moderate	110	PM ₁₀	1
71	Kolar	Satisfactory	62	03	1
72	Kolkata	Moderate	113	PM ₁₀	7

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Moderate	107	PM ₁₀	1
74	Kota	Moderate	182	PM _{2.5}	1
75	Kozhikode	Satisfactory	80	PM ₁₀	1
76	Kurukshetra	Moderate	108	PM ₁₀	1
77	Lucknow	Moderate	161	PM _{2.5} , O ₃ , PM ₁₀	4
78	Ludhiana	Moderate	119	PM _{2.5}	1
79	Mandi Gobindgarh	Moderate	157	PM _{2.5}	1
80	Mandideep	Satisfactory	64	NO ₂	1
81	Mandikhera	Moderate	120	PM ₁₀	1
82	Manesar	Moderate	139	PM _{2.5}	1
83	Manglore	Moderate	132	PM ₁₀	1
84	Medikeri	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Poor	208	NO ₂ , PM _{2.5} , PM ₁₀	3
86	Moradabad	Moderate	151	PM _{2.5}	1
87	Mumbai	Moderate	139	PM _{2.5} , PM ₁₀	18
88	Muzaffarnagar	Moderate	178	PM ₁₀	1
89	Muzaffarpur	Moderate	160	PM ₁₀	1
90	Mysuru	Satisfactory	69	PM ₁₀	1
91	Narnaul	Poor	228	PM ₁₀	1
92	Nashik	Moderate	108	PM ₁₀	1
93	Navi Mumbai	Poor	204	PM _{2.5} , PM ₁₀	3
94	Noida	Moderate	132	PM ₁₀	2
95	Pali	Moderate	136	PM ₁₀	1
96	Palwal	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Satisfactory	91	СО	1
98	Panipat	Moderate	123	PM ₁₀	1
99	Patiala	Satisfactory	83	PM _{2.5}	1
100	Patna	Poor	215	PM _{2.5} , PM ₁₀	6
101	Pithampur	Moderate	179	PM _{2.5}	1
102	Puducherry	Satisfactory	75	PM ₁₀	1
103	Pune	Moderate	104	PM _{2.5} , PM ₁₀ , CO	6
104	Raichur	Moderate	113	PM ₁₀	1
105	Rajamahendravaram	Moderate	103	PM ₁₀	1
106	Ramanagara	Satisfactory	88	PM ₁₀	1
107	Ratlam	Moderate	119	PM ₁₀	1
108	Rohtak	Moderate	106	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Good	41	PM ₁₀	1
110	Sagar	Moderate	110	PM _{2.5}	1
111	Satna	Moderate	169	PM ₁₀	1
112	Shivamogga	Satisfactory	61	PM ₁₀	1
113	Siliguri	Moderate	199	PM _{2.5}	1
114	Singrauli	Very Poor	343	PM _{2.5}	1
115	Sirsa	Satisfactory	71	PM ₁₀	1
116	Solapur	Moderate	145	PM ₁₀	1
117	Sonipat	Moderate	146	PM ₁₀	1
118	Srinagar	Satisfactory	63	PM ₁₀	1
119	Talcher	Satisfactory	52	со	1
120	Thane	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Satisfactory	72	PM ₁₀	2
122	Thoothukudi	Satisfactory	85	PM ₁₀	1
123	Thrissur	Satisfactory	85	SO ₂	1
124	Tirupati	Moderate	113	PM ₁₀	1
125	Udaipur	Moderate	109	PM ₁₀	1
126	Udupi	Moderate	107	03	1
127	Ujjain	Poor	240	PM _{2.5}	1
128	Vapi	Moderate	114	PM ₁₀	1
129	Varanasi	Poor	262	O ₃	1
130	Vatva	Moderate	188	PM ₁₀	1
131	Vijayapura	Satisfactory	57	PM _{2.5}	1
132	Yadgir	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Moderate	151	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.