

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	119	PM ₁₀	1
2	Agra	Moderate	188	PM _{2.5}	1
3	Ahmedabad	Poor	213	03	1
4	Aizawl	Satisfactory	71	PM ₁₀	1
5	Ajmer	Satisfactory	93	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Satisfactory	73	PM ₁₀	1
8	Ambala	Satisfactory	58	PM _{2.5}	1
9	Amritsar	Satisfactory	91	PM _{2.5}	1
10	Ankleshwar	Satisfactory	97	PM ₁₀	1
11	Asansol	Moderate	173	PM ₁₀	1
12	Aurangabad	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM ₁₀	1
14	Baghpat	Moderate	169	PM ₁₀	1
15	Bahadurgarh	Poor	210	PM _{2.5}	1
16	Ballabgarh	Moderate	127	PM _{2.5}	1
17	Bengaluru	Moderate	114	PM _{2.5} , PM ₁₀	8
18	Bhiwadi	Very Poor	338	PM _{2.5}	1
19	Bhiwani	Satisfactory	92	PM ₁₀	1
20	Bhopal	Moderate	171	O ₃	1
21	Bidar	Moderate	158	PM ₁₀	1
22	Bulandshahr	Poor	235	PM ₁₀	1
23	Chamarajanagar	Satisfactory	79	PM ₁₀	1
24	Chandigarh	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Poor	219	PM _{2.5}	2
26	Charkhi Dadri	Moderate	142	PM ₁₀	1
27	Chennai	Satisfactory	64	PM ₁₀ , PM _{2.5} , CO	7
28	Chikkaballapur	Moderate	121	PM ₁₀	1
29	Chikkamagaluru	Satisfactory	76	PM _{2.5}	1
30	Damoh	Satisfactory	63	PM ₁₀	1
31	Delhi	Moderate	171	PM _{2.5} , PM ₁₀	31
32	Dewas	Moderate	144	PM _{2.5}	1
33	Dharuhera	Poor	227	PM ₁₀	1
34	Durgapur	Poor	231	PM ₁₀	1
35	Eloor	Satisfactory	52	PM ₁₀	1
36	Ernakulam	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	165	PM ₁₀ , NO ₂	4
38	Fatehabad	Satisfactory	84	PM ₁₀	1
39	Gadag	Satisfactory	86	PM ₁₀	1
40	Gandhinagar	Satisfactory	87	PM ₁₀	1
41	Gaya	Moderate	134	PM _{2.5} , O ₃	2
42	Ghaziabad	Moderate	194	PM ₁₀ , PM _{2.5}	4
43	Greater Noida	Poor	204	O ₃ , PM ₁₀	2
44	Gummidipoondi	Moderate	148	PM ₁₀	1
45	Gurugram	Moderate	144	PM ₁₀ , PM _{2.5} , CO	3
46	Guwahati	Moderate	133	PM _{2.5}	2
47	Gwalior	Moderate	128	PM ₁₀	1
48	Hajipur	Moderate	181	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	96	PM ₁₀	1
50	Hapur	Moderate	160	PM ₁₀	1
51	Hassan	Moderate	151	PM ₁₀	1
52	Hisar	Moderate	124	PM _{2.5}	1
53	Howrah	Moderate	120	PM ₁₀	3
54	Hubballi	Moderate	116	PM ₁₀	1
55	Hyderabad	Moderate	141	PM ₁₀ , PM _{2.5}	6
56	Indore	Poor	254	PM _{2.5}	1
57	Jabalpur	Moderate	160	PM ₁₀	1
58	Jaipur	Moderate	114	PM _{2.5} , PM ₁₀	3
59	Jalandhar	Moderate	125	PM ₁₀	1
60	Jind	Moderate	104	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Poor	259	PM ₁₀	1
62	Kaithal	Satisfactory	93	PM ₁₀	1
63	Kalaburgi	Moderate	116	PM ₁₀	1
64	Kalyan	Moderate	129	PM ₁₀	1
65	Kannur	Satisfactory	80	PM ₁₀	1
66	Kanpur	Satisfactory	78	NO ₂ , PM _{2.5}	2
67	Karnal	Satisfactory	78	PM ₁₀	1
68	Katni	Moderate	161	PM ₁₀	1
69	Khanna	Satisfactory	63	PM ₁₀	1
70	Kochi	Satisfactory	81	PM ₁₀	1
71	Kohima	Satisfactory	89	PM ₁₀	1
72	Kolar	Satisfactory	60	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Moderate	114	PM ₁₀	7
74	Kollam	Moderate	126	PM ₁₀	1
75	Kota	Moderate	195	PM _{2.5}	1
76	Kozhikode	Satisfactory	74	PM ₁₀	1
77	Kurukshetra	Moderate	107	PM ₁₀	1
78	Lucknow	Moderate	164	PM _{2.5} , O ₃ , PM ₁₀	4
79	Ludhiana	Satisfactory	86	PM ₁₀	1
80	Mandi Gobindgarh	Satisfactory	60	PM _{2.5}	1
81	Mandideep	Satisfactory	68	NO ₂	1
82	Mandikhera	Moderate	111	PM ₁₀	1
83	Manesar	Poor	236	PM _{2.5}	1
84	Manglore	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Satisfactory	97	PM ₁₀	1
86	Meerut	Moderate	195	NO ₂ , PM ₁₀	3
87	Moradabad	Moderate	191	PM _{2.5}	1
88	Mumbai	Moderate	102	PM _{2.5} , PM ₁₀	18
89	Muzaffarnagar	Moderate	157	PM ₁₀	1
90	Muzaffarpur	Poor	202	PM _{2.5} , PM ₁₀	2
91	Mysuru	Satisfactory	72	PM ₁₀	1
92	Narnaul	Moderate	199	PM ₁₀	1
93	Nashik	Satisfactory	84	PM ₁₀	1
94	Navi Mumbai	Moderate	139	PM _{2.5} , PM ₁₀	3
95	Noida	Moderate	142	PM ₁₀	2
96	Pali	Moderate	137	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	159	PM ₁₀	1
98	Panchkula	Moderate	101	PM _{2.5}	1
99	Panipat	Moderate	118	PM ₁₀	1
100	Patiala	Satisfactory	98	PM _{2.5}	1
101	Patna	Moderate	159	PM _{2.5} , PM ₁₀	4
102	Pithampur	Moderate	155	03	1
103	Puducherry	Satisfactory	76	PM ₁₀	1
104	Pune	Satisfactory	97	PM _{2.5} , PM ₁₀ , CO	6
105	Raichur	Satisfactory	90	PM ₁₀	1
106	Rajamahendravaram	Moderate	103	PM ₁₀	1
107	Ramanagara	Moderate	108	PM ₁₀	1
108	Ratlam	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Moderate	109	PM _{2.5}	1
110	Rupnagar	Good	41	PM ₁₀	1
111	Sagar	Satisfactory	97	PM _{2.5}	1
112	Satna	Satisfactory	89	PM ₁₀	1
113	Shivamogga	Satisfactory	62	PM ₁₀	1
114	Siliguri	Poor	258	PM _{2.5}	1
115	Singrauli	Very Poor	321	PM _{2.5}	1
116	Sirsa	Satisfactory	70	PM ₁₀	1
117	Solapur	Moderate	111	PM ₁₀	1
118	Sonipat	Moderate	134	PM ₁₀	1
119	Srinagar	Satisfactory	91	PM ₁₀	1
120	Talcher	Satisfactory	80	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Moderate	153	03	1
122	Thiruvananthapuram	Satisfactory	84	PM ₁₀	2
123	Thoothukudi	Satisfactory	89	PM ₁₀	1
124	Thrissur	Moderate	103	PM ₁₀	1
125	Tirupati	Moderate	128	PM _{2.5}	1
126	Udaipur	Moderate	121	PM ₁₀	1
127	Udupi	Moderate	127	O ₃	1
128	Ujjain	Poor	261	O ₃	1
129	Vapi	Satisfactory	74	со	1
130	Varanasi	Moderate	192	03	1
131	Vatva	Moderate	197	PM _{2.5}	1
132	Vijayapura	Good	50	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Poor	223	O ₃	1
134	Yamunanagar	Moderate	162	PM _{2.5}	1

Possible Health Impacts

Minimal Impact

Good

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Brajrajnagar, Coimbatore, Davanagere, Jorapokhar, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.