

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	PM ₁₀	1
2	Agra	Poor	274	PM _{2.5}	1
3	Ahmedabad	Moderate	155	0 ₃	1
4	Aizawl	Good	50	PM ₁₀	1
5	Ajmer	Moderate	105	PM ₁₀	1
6	Alwar	Satisfactory	97	PM ₁₀	1
7	Amaravati	Satisfactory	71	PM ₁₀	1
8	Ambala	Satisfactory	86	PM _{2.5}	1
9	Amritsar	Moderate	131	PM ₁₀	1
10	Ankleshwar	Satisfactory	94	PM ₁₀	1
11	Asansol	Moderate	124	PM ₁₀	1
12	Aurangabad	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	61	PM ₁₀	1
14	Baghpat	Poor	231	PM ₁₀	1
15	Bahadurgarh	Poor	205	PM _{2.5}	1
16	Bengaluru	Moderate	111	PM ₁₀ , PM _{2.5}	6
17	Bhiwadi	Poor	296	PM _{2.5}	1
18	Bhiwani	Moderate	147	O ₃	1
19	Bhopal	Moderate	132	0 ₃	1
20	Brajrajnagar	Satisfactory	63	со	1
21	Bulandshahr	Poor	220	PM ₁₀	1
22	Chamarajanagar	Satisfactory	71	PM ₁₀	1
23	Chandigarh	Moderate	109	PM ₁₀	1
24	Chandrapur	Moderate	132	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	146	PM ₁₀	1
26	Chennai	Satisfactory	66	CO, O ₃ , PM ₁₀	6
27	Chikkaballapur	Moderate	128	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	64	PM _{2.5}	1
29	Damoh	Satisfactory	75	PM _{2.5}	1
30	Delhi	Poor	205	PM _{2.5} , PM ₁₀ , O ₃	30
31	Dewas	Poor	208	PM _{2.5}	1
32	Dharuhera	Poor	287	PM ₁₀	1
33	Durgapur	Moderate	199	PM ₁₀	1
34	Eloor	Good	50	0 ₃	1
35	Ernakulam	Moderate	104	PM ₁₀	1
36	Faridabad	Poor	234	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	98	PM ₁₀	1
38	Gadag	Very Poor	370	PM _{2.5}	1
39	Gandhinagar	Satisfactory	93	PM ₁₀	1
40	Gaya	Moderate	174	О ₃ , РМ _{2.5}	2
41	Ghaziabad	Poor	244	PM ₁₀ , PM _{2.5}	4
42	Greater Noida	Poor	229	PM ₁₀	1
43	Gummidipoondi	Moderate	133	PM ₁₀	1
44	Gurugram	Moderate	177	РМ _{2.5} , СО	3
45	Guwahati	Satisfactory	82	PM ₁₀	2
46	Gwalior	Moderate	147	PM ₁₀	1
47	Hajipur	Poor	220	PM ₁₀	1
48	Haldia	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	187	PM ₁₀	1
50	Hassan	Moderate	127	PM ₁₀	1
51	Hisar	Moderate	178	PM _{2.5}	1
52	Howrah	Moderate	118	PM ₁₀	3
53	Hubballi	Moderate	115	PM ₁₀	1
54	Hyderabad	Moderate	154	PM _{2.5} , PM ₁₀	6
55	Indore	Poor	228	PM _{2.5}	1
56	Jabalpur	Moderate	174	PM _{2.5}	1
57	Jaipur	Moderate	148	PM _{2.5} , PM ₁₀	3
58	Jalandhar	Moderate	110	PM ₁₀	1
59	Jind	Moderate	108	PM ₁₀	1
60	Jodhpur	Moderate	179	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	101	PM ₁₀	1
62	Kalaburgi	Moderate	136	PM ₁₀	1
63	Kannur	Satisfactory	83	PM _{2.5}	1
64	Kanpur	Moderate	146	PM _{2.5}	2
65	Karnal	Satisfactory	92	PM _{2.5}	1
66	Katni	Moderate	191	PM ₁₀	1
67	Khanna	Satisfactory	75	PM ₁₀	1
68	Kochi	Satisfactory	84	PM ₁₀	1
69	Kohima	Satisfactory	100	PM ₁₀	1
70	Kolar	Satisfactory	64	со	1
71	Kolkata	Moderate	115	PM _{2.5} , PM ₁₀	5
72	Kollam	Moderate	155	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	146	PM _{2.5}	1
74	Kozhikode	Satisfactory	86	PM ₁₀	1
75	Kurukshetra	Moderate	113	PM ₁₀	1
76	Lucknow	Moderate	198	PM _{2.5} , CO, O ₃	4
77	Ludhiana	Satisfactory	94	PM ₁₀	1
78	Mandi Gobindgarh	Satisfactory	54	PM _{2.5}	1
79	Mandideep	Satisfactory	72	PM ₁₀	1
80	Mandikhera	Moderate	130	PM ₁₀	1
81	Manesar	Poor	274	PM _{2.5}	1
82	Manglore	Moderate	112	PM ₁₀	1
83	Medikeri	Satisfactory	94	PM ₁₀	1
84	Meerut	Poor	217	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Very Poor	312	PM _{2.5}	1
86	Mumbai	Satisfactory	90	PM ₁₀ , PM _{2.5} , O ₃	18
87	Muzaffarnagar	Moderate	188	PM ₁₀	1
88	Muzaffarpur	Moderate	200	PM _{2.5} , PM ₁₀	2
89	Mysuru	Satisfactory	85	PM ₁₀	1
90	Narnaul	Poor	274	PM ₁₀	1
91	Nashik	Satisfactory	67	PM ₁₀	1
92	Navi Mumbai	Moderate	119	PM _{2.5} , PM ₁₀	3
93	Noida	Moderate	184	PM ₁₀	2
94	Pali	Moderate	142	PM ₁₀	1
95	Palwal	Moderate	168	PM ₁₀	1
96	Panchkula	Moderate	153	PM _{2.5}	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Satisfactory	89	PM _{2.5}	1
98	Patiala	Satisfactory	97	PM ₁₀	1
99	Patna	Poor	243	PM _{2.5}	5
100	Pithampur	Moderate	151	PM _{2.5}	1
101	Puducherry	Satisfactory	76	PM ₁₀	1
102	Pune	Moderate	106	PM _{2.5} , PM ₁₀	5
103	Raichur	Moderate	189	PM _{2.5}	1
104	Ramanagara	Moderate	154	0 ₃	1
105	Ratlam	Moderate	118	PM ₁₀	1
106	Rohtak	Moderate	167	PM _{2.5}	1
107	Rupnagar	Satisfactory	57	PM ₁₀	1
108	Sagar	Moderate	107	PM _{2.5}	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	83	PM ₁₀	1
110	Shivamogga	Satisfactory	68	O ₃	1
111	Siliguri	Poor	264	PM _{2.5}	1
112	Singrauli	Very Poor	355	PM _{2.5}	1
113	Sirsa	Satisfactory	82	PM ₁₀	1
114	Solapur	Moderate	131	PM ₁₀	1
115	Sonipat	Moderate	164	PM ₁₀	1
116	Srinagar	Good	37	NO ₂	1
117	Talcher	Satisfactory	59	со	1
118	Thane	Satisfactory	89	NO ₂	1
119	Thiruvananthapuram	Satisfactory	99	PM ₁₀	2
120	Thoothukudi	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Moderate	115	PM ₁₀	1
122	Tirupati	Moderate	122	PM _{2.5}	1
123	Udaipur	Moderate	128	PM ₁₀	1
124	Ujjain	Poor	267	PM _{2.5}	1
125	Vapi	Satisfactory	72	со	1
126	Varanasi	Poor	206	PM ₁₀	1
127	Vatva	Poor	232	PM _{2.5}	1
128	Vijayapura	Satisfactory	68	PM _{2.5}	1
129	Yadgir	Moderate	156	0 ₃	1
130	Yamunanagar	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ballabgarh, Bathinda, Bidar, Coimbatore, Davanagere, Jorapokhar, Kalyan, Koppal, Maihar, Nagpur, Naharlagun, Nandesari, Rajamahendravaram, Shillong, Udupi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.