


(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	151	03	1
2	Agra	Poor	248	PM _{2.5}	1
3	Ahmedabad	Moderate	106	PM _{2.5}	1
4	Aizawl	Satisfactory	72	PM ₁₀	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Moderate	106	PM ₁₀	1
7	Amaravati	Satisfactory	72	PM ₁₀	1
8	Ambala	Moderate	114	PM ₁₀	1
9	Amritsar	Moderate	102	PM _{2.5}	1
10	Ankleshwar	Moderate	104	PM ₁₀	1
11	Asansol	Moderate	130	PM ₁₀	1
12	Aurangabad	Satisfactory	91	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Moderate	103	PM _{2.5}	1
14	Baghpat	Very Poor	330	PM ₁₀	1
15	Bahadurgarh	Poor	273	PM _{2.5}	1
16	Ballabgarh	Moderate	184	PM _{2.5}	1
17	Bengaluru	Moderate	114	PM ₁₀ , PM _{2.5}	9
18	Bhiwadi	Very Poor	320	PM _{2.5}	1
19	Bhiwani	Moderate	161	PM ₁₀	1
20	Bhopal	Moderate	146	PM ₁₀	1
21	Bidar	Moderate	119	PM ₁₀	1
22	Brajrajnagar	Satisfactory	67	со	1
23	Bulandshahr	Poor	252	PM ₁₀	1
24	Chamarajanagar	Satisfactory	94	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	106	PM ₁₀	1
26	Charkhi Dadri	Moderate	163	PM ₁₀	1
27	Chennai	Satisfactory	68	O ₃ , CO, PM ₁₀	6
28	Chikkaballapur	Moderate	137	PM _{2.5}	1
29	Chikkamagaluru	Moderate	115	PM _{2.5}	1
30	Damoh	Satisfactory	81	PM _{2.5}	1
31	Delhi	Poor	279	PM ₁₀ , PM _{2.5}	30
32	Dewas	Moderate	174	PM _{2.5}	1
33	Dharuhera	Very Poor	373	PM ₁₀	1
34	Durgapur	Moderate	156	PM ₁₀	1
35	Eloor	Good	50	03	1
36	Faridabad	Poor	266	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	129	PM ₁₀	1
38	Gadag	Satisfactory	87	PM ₁₀	1
39	Gandhinagar	Satisfactory	90	PM ₁₀	1
40	Gaya	Moderate	152	O ₃ , PM _{2.5}	2
41	Ghaziabad	Very Poor	307	PM ₁₀ , PM _{2.5}	4
42	Greater Noida	Poor	293	PM ₁₀	1
43	Gummidipoondi	Moderate	121	PM ₁₀	1
44	Gurugram	Poor	271	PM _{2.5}	3
45	Guwahati	Poor	212	PM _{2.5}	2
46	Gwalior	Moderate	170	PM ₁₀	1
47	Hajipur	Moderate	149	PM ₁₀	1
48	Haldia	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Moderate	135	PM ₁₀	1
50	Hisar	Poor	205	PM _{2.5}	1
51	Howrah	Moderate	112	PM ₁₀	3
52	Hubballi	Moderate	130	PM ₁₀	1
53	Hyderabad	Moderate	125	PM ₁₀ , PM _{2.5}	5
54	Indore	Moderate	145	PM ₁₀	1
55	Jabalpur	Poor	201	PM ₁₀	1
56	Jaipur	Moderate	151	PM _{2.5} , PM ₁₀	3
57	Jalandhar	Moderate	109	PM ₁₀	1
58	Jind	Moderate	170	PM _{2.5}	1
59	Jodhpur	Poor	219	PM _{2.5}	1
60	Kaithal	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	94	PM ₁₀	1
62	Kalyan	Moderate	151	PM ₁₀	1
63	Kannur	Satisfactory	80	PM ₁₀	1
64	Kanpur	Moderate	156	PM _{2.5}	2
65	Karnal	Poor	223	PM _{2.5}	1
66	Katni	Poor	233	PM ₁₀	1
67	Khanna	Satisfactory	87	PM _{2.5}	1
68	Kochi	Satisfactory	92	PM ₁₀	1
69	Kohima	Moderate	111	PM ₁₀	1
70	Kolkata	Moderate	104	PM _{2.5} , PM ₁₀ , O ₃	7
71	Kollam	Moderate	157	PM ₁₀	1
72	Kota	Moderate	117	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	78	PM ₁₀	1
74	Kurukshetra	Moderate	191	PM _{2.5}	1
75	Lucknow	Poor	214	PM _{2.5}	4
76	Ludhiana	Moderate	124	PM _{2.5}	1
77	Mandi Gobindgarh	Satisfactory	93	PM _{2.5}	1
78	Mandideep	Satisfactory	72	PM ₁₀	1
79	Mandikhera	Moderate	132	PM ₁₀	1
80	Manesar	Poor	228	PM _{2.5}	1
81	Manglore	Satisfactory	94	PM ₁₀	1
82	Medikeri	Satisfactory	92	PM ₁₀	1
83	Meerut	Poor	278	PM ₁₀ , PM _{2.5}	3
84	Moradabad	Very Poor	317	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Moderate	115	PM _{2.5} , O ₃ , PM ₁₀	20
86	Muzaffarnagar	Poor	267	PM ₁₀	1
87	Muzaffarpur	Moderate	173	PM _{2.5} , PM ₁₀	2
88	Mysuru	Moderate	167	03	1
89	Nandesari	Satisfactory	77	со	1
90	Narnaul	Poor	254	PM ₁₀	1
91	Nashik	Satisfactory	62	PM ₁₀	1
92	Navi Mumbai	Moderate	171	PM _{2.5} , PM ₁₀	3
93	Noida	Poor	267	PM ₁₀	3
94	Pali	Moderate	141	PM ₁₀	1
95	Palwal	Moderate	160	PM ₁₀	1
96	Panchkula	Moderate	138	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Moderate	163	PM _{2.5}	1
98	Patiala	Moderate	128	PM _{2.5}	1
99	Patna	Moderate	167	PM _{2.5} , O ₃	5
100	Pithampur	Moderate	112	PM _{2.5}	1
101	Puducherry	Satisfactory	68	PM ₁₀	1
102	Pune	Moderate	111	PM _{2.5}	5
103	Raichur	Moderate	133	PM _{2.5}	1
104	Ratlam	Moderate	123	PM ₁₀	1
105	Rohtak	Poor	288	PM _{2.5}	1
106	Rupnagar	Good	40	PM ₁₀	1
107	Sagar	Poor	249	PM _{2.5}	1
108	Satna	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Satisfactory	80	PM _{2.5}	1
110	Shivamogga	Satisfactory	80	03	1
111	Singrauli	Very Poor	348	PM _{2.5}	1
112	Sirsa	Satisfactory	94	PM ₁₀	1
113	Solapur	Moderate	134	PM ₁₀	1
114	Sonipat	Poor	258	PM ₁₀	1
115	Srinagar	Good	40	NO ₂	1
116	Talcher	Satisfactory	56	со	1
117	Thiruvananthapuram	Moderate	105	PM ₁₀	2
118	Thoothukudi	Satisfactory	86	PM ₁₀	1
119	Thrissur	Satisfactory	99	PM ₁₀	1
120	Tirupati	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	106	PM ₁₀	1
122	Udupi	Moderate	192	O ₃	1
123	Ujjain	Moderate	175	O ₃	1
124	Vapi	Satisfactory	93	PM ₁₀	1
125	Varanasi	Moderate	199	PM ₁₀	1
126	Vatva	Poor	254	PM _{2.5}	1
127	Visakhapatnam	Moderate	118	PM ₁₀	1
128	Yadgir	Moderate	160	O ₃	1
129	Yamunanagar	Poor	290	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Chandrapur, Coimbatore, Davanagere, Ernakulam, Hapur, Jorapokhar, Kolar, Koppal, Maihar, Nagpur, Naharlagun, Rajamahendravaram, Ramanagara, Siliguri, Thane Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.