

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	108	PM <sub>10</sub>	1
2	Ahmedabad	Satisfactory	96	PM <sub>2.5</sub>	1
3	Aizawl	Satisfactory	89	PM <sub>10</sub>	1
4	Ajmer	Poor	209	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	94	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	76	PM <sub>10</sub>	1
7	Ambala	Moderate	119	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	88	PM <sub>10</sub>	1
9	Ankleshwar	Moderate	113	PM <sub>10</sub>	1
10	Asansol	Moderate	108	PM <sub>10</sub>	1
11	Aurangabad	Satisfactory	98	PM <sub>10</sub>	1
12	Bagalkot	Good	47	PM <sub>2.5</sub>	1

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

#### Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	300	PM <sub>10</sub>	1
14	Bahadurgarh	Poor	214	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	208	PM <sub>2.5</sub>	1
16	Bathinda	Satisfactory	65	PM <sub>2.5</sub>	1
17	Bengaluru	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	9
18	Bhiwadi	Very Poor	321	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	155	PM <sub>10</sub>	1
20	Bhopal	Moderate	131	PM <sub>10</sub>	1
21	Bidar	Moderate	110	PM <sub>10</sub>	1
22	Brajrajnagar	Moderate	134	PM <sub>10</sub>	1
23	Bulandshahr	Poor	285	PM <sub>10</sub>	1
24	Chamarajanagar	Satisfactory	94	PM <sub>2.5</sub>	1

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Poor	229	PM <sub>10</sub>	1
26	Chandrapur	Satisfactory	91	PM <sub>10</sub>	1
27	Charkhi Dadri	Moderate	148	PM <sub>10</sub>	1
28	Chennai	Satisfactory	63	PM <sub>10</sub> , O <sub>3</sub>	5
29	Chikkaballapur	Moderate	120	PM <sub>10</sub>	1
30	Chikkamagaluru	Satisfactory	100	PM <sub>2.5</sub>	1
31	Damoh	Satisfactory	71	PM <sub>10</sub>	1
32	Delhi	Poor	250	PM <sub>10</sub>	27
33	Dewas	Moderate	199	PM <sub>2.5</sub>	1
34	Dharuhera	Poor	258	PM <sub>10</sub>	1
35	Durgapur	Moderate	156	PM <sub>10</sub>	1
36	Eloor	Good	50	0 <sub>3</sub>	1

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	270	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	4
38	Fatehabad	Moderate	131	PM <sub>10</sub>	1
39	Gadag	Satisfactory	83	SO <sub>2</sub>	1
40	Gandhinagar	Satisfactory	88	PM <sub>10</sub>	1
41	Gaya	Moderate	196	0 <sub>3</sub>	1
42	Ghaziabad	Poor	275	PM <sub>10</sub>	4
43	Greater Noida	Poor	274	PM <sub>10</sub>	2
44	Gummidipoondi	Moderate	110	PM <sub>10</sub>	1
45	Gurugram	Poor	258	PM <sub>2.5</sub>	3
46	Guwahati	Poor	246	PM <sub>2.5</sub>	2
47	Gwalior	Poor	215	PM <sub>10</sub>	1
48	Hajipur	Moderate	142	PM <sub>10</sub>	1

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	72	PM <sub>10</sub>	1
50	Hapur	Moderate	194	PM <sub>10</sub>	1
51	Hassan	Moderate	132	PM <sub>10</sub>	1
52	Hisar	Poor	212	PM <sub>2.5</sub>	1
53	Howrah	Satisfactory	94	PM <sub>10</sub>	3
54	Hubballi	Moderate	115	PM <sub>10</sub>	1
55	Hyderabad	Moderate	111	PM <sub>10</sub> , PM <sub>2.5</sub>	6
56	Indore	Moderate	141	PM <sub>10</sub>	1
57	Jabalpur	Moderate	161	PM <sub>10</sub>	1
58	Jaipur	Poor	245	PM <sub>2.5</sub> , PM <sub>10</sub>	3
59	Jalandhar	Satisfactory	95	PM <sub>2.5</sub>	1
60	Jind	Moderate	167	PM <sub>2.5</sub>	1

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Very Poor	307	PM <sub>2.5</sub>	1
62	Kalaburgi	Moderate	102	PM <sub>10</sub>	1
63	Kannur	Satisfactory	80	PM <sub>10</sub>	1
64	Kanpur	Moderate	161	PM <sub>2.5</sub>	2
65	Karnal	Moderate	166	PM <sub>2.5</sub>	1
66	Katni	Poor	294	PM <sub>10</sub>	1
67	Khanna	Satisfactory	63	PM <sub>10</sub>	1
68	Kochi	Satisfactory	78	PM <sub>2.5</sub>	1
69	Kohima	Moderate	114	PM <sub>10</sub>	1
70	Kolar	Satisfactory	60	со	1
71	Kolkata	Satisfactory	90	PM <sub>10</sub>	7
72	Kota	Moderate	152	PM <sub>2.5</sub>	1

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	85	PM <sub>10</sub>	1
74	Kurukshetra	Moderate	166	PM <sub>10</sub>	1
75	Lucknow	Poor	240	PM <sub>2.5</sub>	4
76	Ludhiana	Satisfactory	61	PM <sub>10</sub>	1
77	Mandideep	Satisfactory	56	PM <sub>10</sub>	1
78	Mandikhera	Poor	278	PM <sub>2.5</sub>	1
79	Manesar	Poor	228	PM <sub>2.5</sub>	1
80	Manglore	Satisfactory	91	PM <sub>10</sub>	1
81	Medikeri	Satisfactory	76	PM <sub>10</sub>	1
82	Meerut	Poor	262	PM <sub>10</sub>	2
83	Moradabad	Poor	289	PM <sub>2.5</sub>	1
84	Mumbai	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	20

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	234	PM <sub>10</sub>	1
86	Muzaffarpur	Moderate	176	PM <sub>2.5</sub> , PM <sub>10</sub>	2
87	Mysuru	Moderate	112	O <sub>3</sub>	1
88	Nagpur	Satisfactory	89	PM <sub>2.5</sub>	1
89	Naharlagun	Moderate	102	PM <sub>10</sub>	1
90	Nandesari	Satisfactory	54	со	1
91	Narnaul	Poor	235	PM <sub>10</sub>	1
92	Nashik	Satisfactory	75	PM <sub>2.5</sub>	1
93	Navi Mumbai	Moderate	127	PM <sub>10</sub> , PM <sub>2.5</sub>	3
94	Noida	Poor	270	PM <sub>10</sub>	2
95	Pali	Very Poor	306	PM <sub>2.5</sub>	1
96	Palwal	Moderate	200	PM <sub>10</sub>	1

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Moderate	161	PM <sub>2.5</sub>	1
98	Panipat	Moderate	199	PM <sub>2.5</sub>	1
99	Patiala	Moderate	145	PM <sub>2.5</sub>	1
100	Patna	Moderate	168	PM <sub>2.5</sub> , PM <sub>10</sub>	5
101	Pithampur	Moderate	117	PM <sub>2.5</sub>	1
102	Puducherry	Satisfactory	67	PM <sub>10</sub>	1
103	Pune	Satisfactory	99	PM <sub>2.5</sub>	5
104	Raichur	Moderate	113	PM <sub>2.5</sub>	1
105	Rajamahendravaram	Satisfactory	100	PM <sub>10</sub>	1
106	Ratlam	Moderate	116	PM <sub>10</sub>	1
107	Rohtak	Moderate	198	PM <sub>2.5</sub>	1
108	Sagar	Poor	272	PM <sub>2.5</sub>	1

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	90	PM <sub>10</sub>	1
110	Shillong	Satisfactory	61	PM <sub>2.5</sub>	1
111	Shivamogga	Satisfactory	69	O <sub>3</sub>	1
112	Siliguri	Very Poor	312	PM <sub>2.5</sub>	1
113	Singrauli	Very Poor	372	PM <sub>2.5</sub>	1
114	Sirsa	Satisfactory	88	PM <sub>10</sub>	1
115	Sonipat	Poor	252	PM <sub>10</sub>	1
116	Srinagar	Good	36	NO <sub>2</sub>	1
117	Thane	Moderate	110	PM <sub>10</sub>	1
118	Thiruvananthapuram	Satisfactory	79	PM <sub>10</sub>	2
119	Thoothukudi	Satisfactory	83	PM <sub>10</sub>	1
120	Thrissur	Satisfactory	99	SO <sub>2</sub>	1

## Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore,

Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Satisfactory	99	PM <sub>10</sub>	1
122	Udaipur	Moderate	104	PM <sub>2.5</sub>	1
123	Udupi	Moderate	155	O <sub>3</sub>	1
124	Ujjain	Moderate	150	PM <sub>2.5</sub>	1
125	Vapi	Satisfactory	81	PM <sub>10</sub>	1
126	Varanasi	Poor	234	O <sub>3</sub>	1
127	Vatva	Moderate	175	PM <sub>2.5</sub>	1
128	Visakhapatnam	Moderate	129	PM <sub>10</sub>	1
129	Yadgir	Moderate	105	PM <sub>10</sub>	1
130	Yamunanagar	Poor	211	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agra, Coimbatore, Davanagere, Ernakulam, Jorapokhar, Kaithal, Kalyan, Kollam, Koppal, Maihar, Mandi Gobindgarh, Ramanagara, Rupnagar, Solapur, Talcher, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.