

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	56	PM ₁₀	1
2	Ahmedabad	Moderate	179	PM _{2.5}	1
3	Aizawl	Satisfactory	69	PM ₁₀	1
4	Ajmer	Satisfactory	95	03	1
5	Alwar	Satisfactory	82	PM ₁₀	1
6	Amaravati	Satisfactory	72	PM ₁₀	1
7	Ambala	Satisfactory	74	PM ₁₀	1
8	Amritsar	Satisfactory	73	PM ₁₀	1
9	Ankleshwar	Moderate	120	PM ₁₀	1
10	Asansol	Moderate	123	PM ₁₀	1
11	Aurangabad	Satisfactory	86	PM ₁₀	1
12	Bagalkot	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	374	PM ₁₀	1
14	Bahadurgarh	Moderate	131	PM _{2.5}	1
15	Ballabgarh	Moderate	136	PM ₁₀	1
16	Bathinda	Good	44	PM ₁₀	1
17	Bengaluru	Moderate	102	PM _{2.5} , PM ₁₀	9
18	Bhiwadi	Poor	288	PM _{2.5}	1
19	Bhiwani	Moderate	125	O ₃	1
20	Bhopal	Poor	268	PM ₁₀	1
21	Bidar	Moderate	141	PM ₁₀	1
22	Brajrajnagar	Satisfactory	73	PM ₁₀	1
23	Bulandshahr	Moderate	179	PM ₁₀	1
24	Chamarajanagar	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	derate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	72	PM ₁₀	1
26	Chandrapur	Moderate	126	PM ₁₀	1
27	Charkhi Dadri	Moderate	116	PM ₁₀	1
28	Chennai	Satisfactory	67	PM ₁₀ , O ₃ , PM _{2.5}	6
29	Chikkaballapur	Moderate	115	PM ₁₀	1
30	Chikkamagaluru	Satisfactory	95	PM _{2.5}	1
31	Davanagere	Satisfactory	90	PM ₁₀	1
32	Delhi	Moderate	170	O ₃ , PM ₁₀ , PM _{2.5}	30
33	Dewas	Poor	202	PM ₁₀	1
34	Dharuhera	Poor	209	PM ₁₀	1
35	Durgapur	Moderate	174	PM ₁₀	1
36	Eloor	Good	46	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	derate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	144	PM ₁₀ , NO ₂	4
38	Fatehabad	Satisfactory	74	PM ₁₀	1
39	Gadag	Satisfactory	65	PM _{2.5}	1
40	Gandhinagar	Satisfactory	96	PM ₁₀	1
41	Gaya	Moderate	118	PM _{2.5}	2
42	Ghaziabad	Poor	202	PM ₁₀	3
43	Greater Noida	Moderate	170	PM ₁₀	2
44	Gurugram	Moderate	148	PM _{2.5} , PM ₁₀	3
45	Guwahati	Moderate	125	PM ₁₀	2
46	Gwalior	Moderate	137	PM ₁₀	1
47	Hajipur	Poor	279	PM ₁₀	1
48	Haldia	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Actory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	137	PM ₁₀	1
50	Hassan	Moderate	116	PM ₁₀	1
51	Hisar	Satisfactory	97	PM ₁₀	1
52	Howrah	Satisfactory	95	PM ₁₀	3
53	Hubballi	Moderate	104	PM ₁₀	1
54	Hyderabad	Moderate	132	PM _{2.5} , PM ₁₀	6
55	Indore	Poor	234	PM ₁₀	1
56	Jabalpur	Moderate	134	PM ₁₀	1
57	Jaipur	Moderate	120	PM _{2.5} , PM ₁₀	3
58	Jalandhar	Satisfactory	80	PM ₁₀	1
59	Jind	Satisfactory	89	PM ₁₀	1
60	Jodhpur	Moderate	152	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jorapokhar	Moderate	102	PM ₁₀	1
62	Kaithal	Satisfactory	88	PM ₁₀	1
63	Kalaburgi	Moderate	111	PM ₁₀	1
64	Kalyan	Moderate	135	PM ₁₀	1
65	Kannur	Satisfactory	79	PM ₁₀	1
66	Kanpur	Satisfactory	87	PM _{2.5}	2
67	Karnal	Satisfactory	64	PM ₁₀	1
68	Katni	Moderate	192	PM ₁₀	1
69	Khanna	Satisfactory	75	PM ₁₀	1
70	Kolar	Satisfactory	61	со	1
71	Kolkata	Satisfactory	84	PM ₁₀	7
72	Kollam	Poor	205	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	57	PM ₁₀	1
74	Kota	Moderate	182	PM _{2.5}	1
75	Kozhikode	Satisfactory	83	PM ₁₀	1
76	Kurukshetra	Satisfactory	92	PM ₁₀	1
77	Lucknow	Moderate	171	PM _{2.5} , PM ₁₀ , O ₃	4
78	Ludhiana	Satisfactory	88	PM ₁₀	1
79	Mandi Gobindgarh	Moderate	118	PM _{2.5}	1
80	Mandideep	Moderate	104	PM ₁₀	1
81	Mandikhera	Satisfactory	96	PM _{2.5}	1
82	Manesar	Moderate	131	PM _{2.5}	1
83	Manglore	Satisfactory	85	PM ₁₀	1
84	Medikeri	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Moderate	149	PM ₁₀	3
86	Moradabad	Moderate	171	PM _{2.5}	1
87	Mumbai	Satisfactory	99	PM _{2.5} , PM ₁₀	19
88	Muzaffarnagar	Moderate	142	PM ₁₀	1
89	Muzaffarpur	Moderate	160	PM _{2.5} , PM ₁₀	2
90	Nagpur	Satisfactory	88	PM _{2.5}	1
91	Naharlagun	Satisfactory	88	PM ₁₀	1
92	Nandesari	Good	33	PM _{2.5}	1
93	Narnaul	Moderate	192	PM ₁₀	1
94	Navi Mumbai	Moderate	110	PM ₁₀	3
95	Noida	Moderate	144	PM ₁₀	3
96	Pali	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	110	PM ₁₀	1
98	Panchkula	Good	43	PM _{2.5}	1
99	Panipat	Moderate	152	PM ₁₀	1
100	Patiala	Satisfactory	78	PM ₁₀	1
101	Patna	Poor	206	PM _{2.5} , PM ₁₀	5
102	Pithampur	Moderate	130	PM ₁₀	1
103	Puducherry	Satisfactory	67	PM ₁₀	1
104	Pune	Satisfactory	93	PM ₁₀ , PM _{2.5} , NO ₂	5
105	Raichur	Moderate	110	PM ₁₀	1
106	Rajamahendravaram	Satisfactory	79	PM ₁₀	1
107	Ramanagara	Moderate	106	PM ₁₀	1
108	Ratlam	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Satisfactory	96	PM _{2.5}	1
110	Rupnagar	Good	41	PM ₁₀	1
111	Sagar	Poor	248	PM _{2.5}	1
112	Siliguri	Moderate	104	PM _{2.5}	1
113	Singrauli	Very Poor	338	PM _{2.5}	1
114	Sirsa	Satisfactory	55	PM ₁₀	1
115	Solapur	Moderate	171	PM ₁₀	1
116	Sonipat	Moderate	150	PM ₁₀	1
117	Srinagar	Satisfactory	55	PM ₁₀	1
118	Thane	Moderate	103	PM ₁₀	1
119	Thiruvananthapuram	Satisfactory	76	PM ₁₀	2
120	Thoothukudi	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	69	PM ₁₀	1
122	Tirupati	Moderate	115	PM ₁₀	1
123	Udaipur	Moderate	104	PM ₁₀	1
124	Udupi	Poor	206	03	1
125	Ujjain	Moderate	181	PM ₁₀	1
126	Vapi	Satisfactory	73	PM ₁₀	1
127	Varanasi	Poor	219	PM ₁₀	1
128	Vatva	Moderate	159	PM _{2.5}	1
129	Vijayapura	Satisfactory	63	PM ₁₀	1
130	Visakhapatnam	Moderate	105	PM ₁₀	1
131	Yadgir	Satisfactory	99	O ₃	1
132	Yamunanagar	Moderate	191	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Coimbatore, Damoh, Ernakulam, Gummidipoondi, Kochi, Kohima, Maihar, Mysuru, Nashik, Satna, Shillong, Shivamogga, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.