

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	95	PM <sub>10</sub>	1
2	Agra	Poor	209	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	189	PM <sub>10</sub>	1
4	Aizawl	Satisfactory	72	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	91	03	1
6	Alwar	Satisfactory	79	PM <sub>10</sub>	1
7	Amaravati	Good	33	PM <sub>10</sub>	1
8	Ambala	Satisfactory	91	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	89	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	130	03	1
11	Asansol	Moderate	109	PM <sub>10</sub>	1
12	Aurangabad	Satisfactory	87	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar, Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	83	PM <sub>2.5</sub>	1
14	Baghpat	Very Poor	323	PM <sub>10</sub>	1
15	Bahadurgarh	Moderate	142	PM <sub>10</sub>	1
16	Ballabgarh	Moderate	114	со	1
17	Bengaluru	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub>	9
18	Bhiwadi	Poor	285	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	154	O <sub>3</sub>	1
20	Bhopal	Moderate	188	O <sub>3</sub>	1
21	Brajrajnagar	Satisfactory	92	PM <sub>10</sub>	1
22	Bulandshahr	Poor	240	PM <sub>10</sub>	1
23	Chamarajanagar	Satisfactory	71	PM <sub>10</sub>	1
24	Chandigarh	Satisfactory	80	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar,
  Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru,
  Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur,
  Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	68	PM <sub>10</sub>	2
26	Charkhi Dadri	Moderate	125	PM <sub>10</sub>	1
27	Chennai	Satisfactory	67	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	6
28	Chikkaballapur	Satisfactory	74	PM <sub>10</sub>	1
29	Damoh	Good	50	PM <sub>2.5</sub>	1
30	Davanagere	Satisfactory	91	PM <sub>10</sub>	1
31	Delhi	Moderate	186	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	32
32	Dewas	Moderate	169	PM <sub>2.5</sub>	1
33	Dharuhera	Poor	211	PM <sub>10</sub>	1
34	Durgapur	Moderate	196	PM <sub>2.5</sub>	1
35	Eloor	Good	47	со	1
36	Ernakulam	Good	37	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar, Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	146	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	4
38	Fatehabad	Moderate	150	PM <sub>10</sub>	1
39	Gadag	Satisfactory	54	PM <sub>2.5</sub>	1
40	Gandhinagar	Satisfactory	90	PM <sub>10</sub>	1
41	Gaya	Moderate	168	PM <sub>2.5</sub> , O <sub>3</sub>	2
42	Ghaziabad	Poor	232	PM <sub>10</sub>	4
43	Greater Noida	Moderate	183	PM <sub>10</sub>	1
44	Gummidipoondi	Satisfactory	88	PM <sub>2.5</sub>	1
45	Gurugram	Moderate	162	PM <sub>2.5</sub>	3
46	Guwahati	Moderate	127	PM <sub>10</sub>	2
47	Gwalior	Moderate	152	PM <sub>10</sub>	1
48	Hajipur	Poor	230	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar, Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Moderate	119	PM <sub>10</sub>	1
50	Hisar	Moderate	134	PM <sub>10</sub>	1
51	Howrah	Satisfactory	94	PM <sub>10</sub>	3
52	Hubballi	Moderate	117	PM <sub>10</sub>	1
53	Hyderabad	Satisfactory	76	PM <sub>10</sub> , PM <sub>2.5</sub>	4
54	Indore	Moderate	153	PM <sub>2.5</sub>	1
55	Jabalpur	Satisfactory	79	O <sub>3</sub>	1
56	Jaipur	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	3
57	Jalandhar	Satisfactory	100	PM <sub>10</sub>	1
58	Jodhpur	Poor	205	PM <sub>2.5</sub>	1
59	Jorapokhar	Moderate	103	PM <sub>10</sub>	1
60	Kaithal	Moderate	139	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar, Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	86	PM <sub>10</sub>	1
62	Kalyan	Moderate	134	PM <sub>10</sub>	1
63	Kannur	Satisfactory	96	PM <sub>10</sub>	1
64	Kanpur	Satisfactory	72	PM <sub>2.5</sub> , CO	2
65	Karnal	Satisfactory	73	PM <sub>10</sub>	1
66	Katni	Moderate	166	03	1
67	Khanna	Satisfactory	88	PM <sub>10</sub>	1
68	Kochi	Satisfactory	67	PM <sub>10</sub>	1
69	Kohima	Moderate	119	PM <sub>10</sub>	1
70	Kolkata	Satisfactory	86	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	7
71	Kollam	Satisfactory	88	PM <sub>10</sub>	1
72	Koppal	Satisfactory	79	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar, Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	162	PM <sub>2.5</sub>	1
74	Kozhikode	Satisfactory	81	PM <sub>10</sub>	1
75	Kurukshetra	Moderate	111	PM <sub>10</sub>	1
76	Lucknow	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	4
77	Ludhiana	Satisfactory	92	PM <sub>10</sub>	1
78	Mandi Gobindgarh	Moderate	122	PM <sub>2.5</sub>	1
79	Mandideep	Good	47	PM <sub>10</sub>	1
80	Mandikhera	Satisfactory	70	PM <sub>10</sub>	1
81	Manesar	Poor	248	PM <sub>2.5</sub>	1
82	Manglore	Satisfactory	86	PM <sub>10</sub>	1
83	Medikeri	Satisfactory	62	PM <sub>10</sub>	1
84	Meerut	Poor	207	NO <sub>2</sub> , PM <sub>10</sub>	3

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar, Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	228	PM <sub>2.5</sub>	1
86	Mumbai	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	20
87	Muzaffarnagar	Moderate	159	PM <sub>10</sub>	1
88	Muzaffarpur	Moderate	193	PM <sub>2.5</sub> , PM <sub>10</sub>	2
89	Nagpur	Satisfactory	74	PM <sub>10</sub>	1
90	Nandesari	Good	34	со	1
91	Narnaul	Poor	265	PM <sub>10</sub>	1
92	Navi Mumbai	Moderate	111	PM <sub>10</sub>	3
93	Noida	Moderate	163	PM <sub>10</sub>	3
94	Pali	Moderate	164	PM <sub>10</sub>	1
95	Palwal	Moderate	102	PM <sub>10</sub>	1
96	Panchkula	Satisfactory	78	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar, Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Moderate	179	PM <sub>10</sub>	1
98	Patiala	Satisfactory	78	PM <sub>10</sub>	1
99	Patna	Poor	245	PM <sub>2.5</sub> , PM <sub>10</sub>	5
100	Pithampur	Moderate	147	PM <sub>2.5</sub>	1
101	Puducherry	Satisfactory	57	PM <sub>10</sub>	1
102	Pune	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	5
103	Rajamahendravaram	Satisfactory	58	PM <sub>10</sub>	1
104	Ramanagara	Satisfactory	82	PM <sub>10</sub>	1
105	Ratlam	Moderate	118	PM <sub>10</sub>	1
106	Rohtak	Moderate	114	PM <sub>2.5</sub>	1
107	Rupnagar	Good	44	PM <sub>10</sub>	1
108	Shivamogga	Satisfactory	70	03	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar,
  Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru,
  Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur,
  Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Poor	262	PM <sub>10</sub>	1
110	Sirsa	Satisfactory	73	PM <sub>10</sub>	1
111	Sonipat	Moderate	198	PM <sub>10</sub>	1
112	Srinagar	Satisfactory	83	PM <sub>10</sub>	1
113	Talcher	Moderate	145	PM <sub>2.5</sub>	1
114	Thiruvananthapuram	Satisfactory	56	PM <sub>10</sub>	2
115	Thoothukudi	Moderate	103	PM <sub>10</sub>	1
116	Thrissur	Satisfactory	80	PM <sub>10</sub>	1
117	Tirupati	Satisfactory	75	PM <sub>10</sub>	1
118	Udaipur	Moderate	159	03	1
119	Ujjain	Poor	252	PM <sub>2.5</sub>	1
120	Vapi	Satisfactory	88	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar, Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru, Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Poor	258	O <sub>3</sub>	1
122	Vatva	Poor	278	PM <sub>2.5</sub>	1
123	Vijayapura	Satisfactory	68	PM <sub>10</sub>	1
124	Visakhapatnam	Satisfactory	68	PM <sub>10</sub>	1
125	Yadgir	Satisfactory	57	O <sub>3</sub>	1
126	Yamunanagar	Moderate	140	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bidar,
  Chikkamagaluru, Coimbatore, Haldia, Hapur, Jind, Kolar, Maihar, Mysuru,
  Naharlagun, Nashik, Raichur, Sagar, Satna, Shillong, Siliguri, Solapur,
  Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.