

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	PM _{2.5}	1
2	Agra	Satisfactory	100	PM _{2.5}	1
3	Ahmedabad	Satisfactory	99	PM ₁₀ , CO, O ₃	4
4	Aizawl	Good	21	PM ₁₀	1
5	Ajmer	Satisfactory	89	PM ₁₀	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Good	50	O ₃	1
8	Ambala	Satisfactory	99	PM ₁₀	1
9	Amritsar	Moderate	146	PM ₁₀	1
10	Ankleshwar	Satisfactory	88	O ₃	1
11	Asansol	Satisfactory	69	PM ₁₀	1
12	Bagalkot	Good	25	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	272	PM ₁₀	1
14	Bahadurgarh	Moderate	140	PM ₁₀	1
15	Ballabgarh	Moderate	105	PM ₁₀	1
16	Bengaluru	Good	46	CO, O ₃ , PM ₁₀	9
17	Bhiwadi	Poor	203	PM _{2.5}	1
18	Bhiwani	Poor	231	NO ₂	1
19	Bhopal	Satisfactory	82	03	1
20	Bidar	Good	26	PM ₁₀	1
21	Bulandshahr	Poor	212	03	1
22	Chamarajanagar	Satisfactory	54	со	1
23	Chandigarh	Satisfactory	58	PM ₁₀	1
24	Chandrapur	Good	44	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	111	PM ₁₀	1
26	Chennai	Satisfactory	74	CO, PM ₁₀	5
27	Chikkaballapur	Good	29	со	1
28	Chikkamagaluru	Good	27	PM ₁₀	1
29	Damoh	Good	39	PM _{2.5}	1
30	Davanagere	Good	29	PM ₁₀	1
31	Delhi	Moderate	180	PM _{2.5} , O ₃ , PM ₁₀	30
32	Dewas	Good	46	O ₃	1
33	Dharuhera	Moderate	177	PM ₁₀	1
34	Durgapur	Moderate	126	PM _{2.5}	1
35	Eloor	Satisfactory	74	со	1
36	Ernakulam	Good	39	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	156	O ₃ , PM ₁₀	2
38	Fatehabad	Moderate	132	PM ₁₀	1
39	Gaya	Good	39	PM ₁₀	1
40	Ghaziabad	Moderate	187	PM ₁₀ , O ₃	4
41	Greater Noida	Moderate	153	PM ₁₀	2
42	Gurugram	Moderate	122	PM ₁₀ , PM _{2.5}	3
43	Guwahati	Good	42	SO ₂	2
44	Gwalior	Moderate	113	PM ₁₀	1
45	Hajipur	Moderate	128	PM ₁₀	1
46	Haldia	Good	41	PM ₁₀	1
47	Hapur	Satisfactory	75	O ₃	1
48	Hassan	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	129	PM ₁₀	1
50	Howrah	Satisfactory	96	O ₃ , PM ₁₀	3
51	Hubballi	Good	36	PM ₁₀	1
52	Hyderabad	Good	40	NO ₂ , PM ₁₀ , PM _{2.5}	6
53	Indore	Satisfactory	79	03	1
54	Jabalpur	Satisfactory	69	03	1
55	Jaipur	Moderate	128	PM ₁₀	3
56	Jalandhar	Satisfactory	100	PM ₁₀	1
57	Jind	Moderate	138	PM ₁₀	1
58	Jodhpur	Satisfactory	99	PM _{2.5}	1
59	Kaithal	Moderate	129	PM ₁₀	1
60	Kalaburgi	Good	35	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Satisfactory	79	PM _{2.5}	2
62	Karnal	Moderate	116	PM ₁₀	1
63	Katni	Satisfactory	85	PM ₁₀	1
64	Khanna	Satisfactory	95	PM ₁₀	1
65	Kochi	Good	48	со	1
66	Kolkata	Good	50	PM ₁₀ , O ₃	5
67	Kollam	Satisfactory	59	PM ₁₀	1
68	Koppal	Moderate	103	O ₃	1
69	Kota	Satisfactory	74	PM ₁₀	1
70	Kozhikode	Satisfactory	58	СО	1
71	Kurukshetra	Moderate	119	PM ₁₀	1
72	Lucknow	Moderate	114	PM _{2.5} , PM ₁₀ , O ₃	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	111	PM ₁₀	1
74	Mandi Gobindgarh	Satisfactory	57	PM ₁₀	1
75	Mandideep	Good	36	PM ₁₀	1
76	Mandikhera	Satisfactory	70	PM _{2.5}	1
77	Manesar	Moderate	155	PM ₁₀	1
78	Medikeri	Good	34	03	1
79	Meerut	Moderate	190	PM ₁₀	2
80	Mumbai	Good	42	CO, SO ₂ , PM ₁₀	14
81	Muzaffarnagar	Moderate	183	PM ₁₀	1
82	Muzaffarpur	Moderate	104	PM _{2.5} , PM ₁₀	2
83	Mysuru	Good	29	O ₃	1
84	Nagpur	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Moderate	186	PM ₁₀	1
86	Nashik	Good	26	PM _{2.5}	1
87	Navi Mumbai	Satisfactory	74	CO, NO ₂	2
88	Noida	Moderate	160	PM ₁₀	3
89	Pali	Satisfactory	93	PM _{2.5}	1
90	Palwal	Moderate	117	PM ₁₀	1
91	Panchkula	Satisfactory	52	со	1
92	Panipat	Moderate	170	PM ₁₀	1
93	Patiala	Moderate	133	PM ₁₀	1
94	Patna	Satisfactory	100	PM ₁₀ , O ₃	5
95	Pithampur	Satisfactory	59	03	1
96	Prayagraj	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Satisfactory	52	O ₃	1
98	Pune	Satisfactory	62	CO, PM ₁₀ , PM _{2.5}	5
99	Raichur	Good	33	PM ₁₀	1
100	Rajamahendravaram	Good	43	PM ₁₀	1
101	Ramanagara	Good	32	PM ₁₀	1
102	Ratlam	Good	43	PM ₁₀	1
103	Rohtak	Moderate	109	PM _{2.5}	1
104	Rupnagar	Satisfactory	98	PM ₁₀	1
105	Sagar	Good	44	PM _{2.5}	1
106	Satna	Satisfactory	72	PM ₁₀	1
107	Shivamogga	Good	41	PM _{2.5}	1
108	Siliguri	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Satisfactory	77	PM ₁₀	1
110	Sirsa	Moderate	125	PM ₁₀	1
111	Sonipat	Poor	265	PM ₁₀	1
112	Srinagar	Satisfactory	96	PM ₁₀	1
113	Talcher	Satisfactory	99	со	1
114	Thane	Moderate	171	PM ₁₀	1
115	Thiruvananthapuram	Good	50	со	2
116	Thoothukudi	Good	44	PM ₁₀	1
117	Thrissur	Satisfactory	55	03	1
118	Tirupati	Good	36	со	1
119	Udaipur	Satisfactory	54	PM ₁₀	1
120	Ujjain	Satisfactory	82	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Good	43	PM ₁₀	1
122	Varanasi	Moderate	150	PM ₁₀	1
123	Vatva	Satisfactory	86	PM ₁₀	1
124	Vijayapura	Good	50	PM ₁₀	1
125	Visakhapatnam	Satisfactory	53	PM ₁₀	1
126	Yadgir	Good	31	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Brajrajnagar, Coimbatore, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Shillong, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.