

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	35	PM _{2.5}	1
2	Agra	Moderate	112	PM _{2.5} , PM ₁₀	2
3	Ahmedabad	Satisfactory	88	CO, O ₃ , PM ₁₀	4
4	Aizawl	Good	19	PM ₁₀	1
5	Ajmer	Satisfactory	69	PM ₁₀	1
6	Alwar	Satisfactory	84	03	1
7	Amaravati	Good	48	03	1
8	Ambala	Moderate	149	PM ₁₀	1
9	Amritsar	Moderate	150	PM ₁₀	1
10	Ankleshwar	Satisfactory	71	03	1
11	Asansol	Satisfactory	78	PM ₁₀	1
12	Bagalkot	Good	25	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	322	PM ₁₀	1
14	Bahadurgarh	Moderate	167	PM ₁₀	1
15	Ballabgarh	Moderate	140	PM ₁₀	1
16	Bathinda	Satisfactory	96	PM ₁₀	1
17	Bengaluru	Satisfactory	51	PM ₁₀ , PM _{2.5} , O ₃	10
18	Bhiwadi	Poor	230	PM _{2.5}	1
19	Bhiwani	Moderate	135	PM ₁₀	1
20	Bhopal	Satisfactory	78	PM ₁₀	1
21	Bidar	Satisfactory	53	PM ₁₀	1
22	Brajrajnagar	Satisfactory	62	со	1
23	Bulandshahr	Poor	210	PM ₁₀	1
24	Chamarajanagar	Good	43	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	160	PM ₁₀	1
26	Chandrapur	Good	36	PM ₁₀	2
27	Charkhi Dadri	Moderate	148	PM ₁₀	1
28	Chennai	Good	50	PM ₁₀ , CO	5
29	Chikkaballapur	Good	48	PM ₁₀	1
30	Chikkamagaluru	Good	38	PM ₁₀	1
31	Damoh	Good	29	PM _{2.5}	1
32	Davanagere	Good	39	PM ₁₀	1
33	Delhi	Poor	205	PM ₁₀ , PM _{2.5}	31
34	Dewas	Satisfactory	61	PM ₁₀	1
35	Dharuhera	Poor	210	PM ₁₀	1
36	Durgapur	Moderate	123	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	75	со	1
38	Faridabad	Poor	242	PM _{2.5} , PM ₁₀	3
39	Fatehabad	Poor	257	PM ₁₀	1
40	Gaya	Good	50	03	2
41	Ghaziabad	Poor	228	PM ₁₀ , PM _{2.5}	4
42	Greater Noida	Poor	245	PM ₁₀	2
43	Gummidipoondi	Satisfactory	84	PM ₁₀	1
44	Gurugram	Moderate	155	PM ₁₀ , PM _{2.5}	3
45	Guwahati	Good	42	SO ₂	2
46	Gwalior	Moderate	120	PM ₁₀	1
47	Hajipur	Moderate	116	PM ₁₀	1
48	Haldia	Good	28	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Satisfactory	84	PM ₁₀	1
50	Hassan	Satisfactory	67	PM ₁₀	1
51	Hisar	Poor	243	PM ₁₀	1
52	Howrah	Good	44	O ₃ , CO	3
53	Hubballi	Good	38	PM ₁₀	1
54	Hyderabad	Good	46	NO ₂ , PM ₁₀ , PM _{2.5}	6
55	Indore	Satisfactory	69	PM ₁₀	1
56	Jabalpur	Satisfactory	72	03	1
57	Jaipur	Moderate	118	PM ₁₀	2
58	Jalandhar	Moderate	127	PM _{2.5}	1
59	Jind	Moderate	195	PM ₁₀	1
60	Jodhpur	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Good	40	PM ₁₀	1
62	Kalyan	Satisfactory	51	PM ₁₀	1
63	Kannur	Satisfactory	69	PM ₁₀	1
64	Kanpur	Satisfactory	72	NO ₂ , PM _{2.5}	2
65	Karnal	Moderate	154	PM ₁₀	1
66	Katni	Moderate	103	PM ₁₀	1
67	Khanna	Moderate	145	PM ₁₀	1
68	Kochi	Satisfactory	51	СО	1
69	Kolkata	Good	45	PM ₁₀ , O ₃	4
70	Kollam	Satisfactory	64	PM ₁₀	1
71	Koppal	Moderate	102	O ₃	1
72	Kota	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	167	PM ₁₀	1
74	Lucknow	Moderate	108	PM ₁₀ , PM _{2.5}	5
75	Ludhiana	Moderate	147	PM ₁₀	1
76	Mandi Gobindgarh	Poor	215	PM _{2.5}	1
77	Mandideep	Good	36	PM ₁₀	1
78	Mandikhera	Satisfactory	84	PM _{2.5}	1
79	Manesar	Moderate	194	PM _{2.5}	1
80	Medikeri	Good	37	PM ₁₀	1
81	Meerut	Poor	268	PM ₁₀	2
82	Mumbai	Good	49	O ₃ , SO ₂ , CO	17
83	Muzaffarnagar	Moderate	196	PM ₁₀	1
84	Muzaffarpur	Moderate	123	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	43	PM ₁₀	1
86	Nagpur	Good	46	PM ₁₀	1
87	Nandesari	Satisfactory	54	PM _{2.5}	1
88	Narnaul	Moderate	186	PM ₁₀	1
89	Nashik	Good	28	PM ₁₀	1
90	Navi Mumbai	Moderate	122	PM ₁₀ , CO	3
91	Noida	Poor	223	PM ₁₀	3
92	Pali	Moderate	104	PM _{2.5}	1
93	Palwal	Moderate	132	PM ₁₀	1
94	Panchkula	Satisfactory	100	PM _{2.5}	1
95	Panipat	Moderate	199	PM ₁₀	1
96	Patiala	Moderate	167	PM ₁₀	1

Possible Health Impacts

Material

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	96	PM ₁₀ , O ₃	5
98	Pithampur	Satisfactory	53	PM ₁₀	1
99	Prayagraj	Satisfactory	92	O ₃ , PM ₁₀	2
100	Puducherry	Good	50	03	1
101	Pune	Satisfactory	66	CO, PM _{2.5}	6
102	Raichur	Satisfactory	56	PM ₁₀	1
103	Rajamahendravaram	Satisfactory	58	PM ₁₀	1
104	Ramanagara	Satisfactory	55	PM ₁₀	1
105	Ratlam	Satisfactory	63	PM ₁₀	1
106	Rohtak	Moderate	162	PM _{2.5}	1
107	Rupnagar	Moderate	170	PM ₁₀	1
108	Sagar	Good	32	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	78	PM ₁₀	1
110	Siliguri	Satisfactory	58	PM ₁₀	1
111	Singrauli	Satisfactory	57	PM ₁₀	1
112	Sirsa	Moderate	198	PM _{2.5}	1
113	Solapur	Good	30	03	1
114	Sonipat	Very Poor	331	PM ₁₀	1
115	Srinagar	Moderate	109	PM ₁₀	1
116	Talcher	Moderate	101	со	1
117	Thane	Moderate	111	NO ₂	1
118	Thiruvananthapuram	Good	44	со	2
119	Thoothukudi	Satisfactory	52	PM ₁₀	1
120	Thrissur	Satisfactory	55	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	41	PM ₁₀	1
122	Udaipur	Satisfactory	73	PM ₁₀	1
123	Udupi	Satisfactory	78	СО	1
124	Ujjain	Satisfactory	84	PM ₁₀	1
125	Vapi	Good	40	PM ₁₀	1
126	Varanasi	Moderate	171	PM ₁₀	1
127	Vatva	Moderate	105	PM ₁₀	1
128	Vijayapura	Satisfactory	59	PM ₁₀	1
129	Visakhapatnam	Satisfactory	56	PM _{2.5}	1
130	Yadgir	Good	45	PM ₁₀	1
131	Yamunanagar	Moderate	190	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gadag, Gandhinagar, Jorapokhar, Kaithal, Kohima, Kolar, Kozhikode, Maihar, Manglore, Moradabad, Naharlagun, Shillong, Shivamogga as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.