

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	48	PM <sub>2.5</sub>	1
2	Agra	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	2
3	Ahmedabad	Moderate	112	O <sub>3</sub> , CO, PM <sub>10</sub>	4
4	Aizawl	Good	21	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	66	PM <sub>10</sub>	1
6	Alwar	Satisfactory	70	PM <sub>10</sub>	1
7	Amaravati	Good	40	03	1
8	Ambala	Moderate	157	PM <sub>10</sub>	1
9	Amritsar	Moderate	141	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	197	03	1
11	Asansol	Satisfactory	59	03	1
12	Aurangabad	Satisfactory	74	PM <sub>10</sub>	1

### Possible Health Impacts

#### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	25	СО	1
14	Bahadurgarh	Very Poor	302	PM <sub>10</sub>	1
15	Bathinda	Moderate	140	PM <sub>10</sub>	1
16	Bengaluru	Good	46	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	10
17	Bhiwadi	Poor	233	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	170	PM <sub>10</sub>	1
19	Bhopal	Satisfactory	77	O <sub>3</sub>	1
20	Bulandshahr	Very Poor	309	PM <sub>10</sub>	1
21	Chamarajanagar	Good	41	PM <sub>10</sub>	1
22	Chandigarh	Moderate	155	PM <sub>10</sub>	1
23	Chandrapur	Good	30	O <sub>3</sub> , NO <sub>2</sub>	2
24	Charkhi Dadri	Poor	236	PM <sub>10</sub>	1

### Possible Health Impacts

## od Minimal Impact

Coou	William Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	52	PM <sub>10</sub> , CO	5
26	Chikkaballapur	Good	35	PM <sub>10</sub>	1
27	Chikkamagaluru	Good	34	PM <sub>10</sub>	1
28	Damoh	Good	20	PM <sub>2.5</sub>	1
29	Davanagere	Good	23	SO <sub>2</sub>	1
30	Delhi	Very Poor	305	PM <sub>10</sub>	31
31	Dharuhera	Poor	228	PM <sub>10</sub>	1
32	Durgapur	Moderate	103	PM <sub>10</sub>	1
33	Eloor	Satisfactory	75	со	1
34	Ernakulam	Good	42	со	1
35	Faridabad	Poor	280	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
36	Fatehabad	Severe	461	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	12	NO <sub>2</sub>	1
38	Gandhinagar	Satisfactory	58	PM <sub>10</sub>	1
39	Gaya	Satisfactory	64	CO, O <sub>3</sub>	2
40	Ghaziabad	Poor	300	PM <sub>10</sub> , PM <sub>2.5</sub>	3
41	Greater Noida	Very Poor	338	PM <sub>10</sub>	2
42	Gummidipoondi	Satisfactory	92	PM <sub>10</sub>	1
43	Gurugram	Moderate	182	PM <sub>10</sub> , PM <sub>2.5</sub>	2
44	Guwahati	Good	44	SO <sub>2</sub> , PM <sub>10</sub>	2
45	Gwalior	Moderate	132	PM <sub>10</sub>	1
46	Hajipur	Moderate	156	PM <sub>10</sub>	1
47	Haldia	Good	34	PM <sub>10</sub>	1
48	Hapur	Moderate	120	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	71	PM <sub>10</sub>	1
50	Hisar	Very Poor	322	PM <sub>2.5</sub>	1
51	Howrah	Good	43	PM <sub>10</sub>	3
52	Hubballi	Good	22	PM <sub>10</sub>	1
53	Hyderabad	Good	37	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	6
54	Indore	Satisfactory	82	03	1
55	Jabalpur	Satisfactory	59	O <sub>3</sub>	1
56	Jaipur	Satisfactory	95	PM <sub>10</sub>	3
57	Jalandhar	Moderate	128	PM <sub>10</sub>	1
58	Jind	Severe	424	PM <sub>10</sub>	1
59	Jodhpur	Moderate	117	PM <sub>10</sub>	1
60	Kalaburgi	Good	32	03	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Good	33	СО	1
62	Kannur	Satisfactory	82	PM <sub>10</sub>	1
63	Kanpur	Satisfactory	86	NO <sub>2</sub> , PM <sub>2.5</sub>	2
64	Karnal	Poor	283	PM <sub>10</sub>	1
65	Katni	Satisfactory	73	PM <sub>10</sub>	1
66	Khanna	Moderate	174	PM <sub>10</sub>	1
67	Kochi	Satisfactory	52	СО	1
68	Kolkata	Satisfactory	54	PM <sub>2.5</sub> , O <sub>3</sub>	4
69	Kollam	Satisfactory	78	PM <sub>10</sub>	1
70	Koppal	Moderate	104	O <sub>3</sub>	1
71	Kota	Satisfactory	66	PM <sub>10</sub>	1
72	Kozhikode	Good	42	СО	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	292	PM <sub>10</sub>	1
74	Lucknow	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub>	5
75	Ludhiana	Moderate	143	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Moderate	140	PM <sub>10</sub>	1
77	Mandideep	Good	25	PM <sub>10</sub>	1
78	Mandikhera	Satisfactory	94	PM <sub>10</sub>	1
79	Manesar	Moderate	198	PM <sub>2.5</sub>	1
80	Meerut	Very Poor	376	PM <sub>10</sub>	2
81	Moradabad	Poor	289	PM <sub>10</sub>	1
82	Mumbai	Good	39	SO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	13
83	Muzaffarnagar	Very Poor	355	PM <sub>10</sub>	1
84	Muzaffarpur	Satisfactory	75	CO, PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	49	O <sub>3</sub>	1
86	Nagpur	Good	44	PM <sub>10</sub>	1
87	Nashik	Good	23	PM <sub>10</sub>	1
88	Navi Mumbai	Moderate	120	PM <sub>10</sub> , CO, NO <sub>2</sub>	3
89	Noida	Very Poor	347	PM <sub>10</sub>	3
90	Pali	Satisfactory	94	PM <sub>10</sub>	1
91	Panipat	Very Poor	347	PM <sub>10</sub>	1
92	Patiala	Moderate	186	PM <sub>10</sub>	1
93	Patna	Satisfactory	89	PM <sub>10</sub> , PM <sub>2.5</sub>	4
94	Pithampur	Satisfactory	52	PM <sub>10</sub>	1
95	Prayagraj	Satisfactory	96	PM <sub>10</sub>	2
96	Puducherry	Good	40	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	70	PM <sub>2.5</sub> , CO	7
98	Raichur	Good	26	PM <sub>10</sub>	1
99	Rajamahendravaram	Satisfactory	63	PM <sub>10</sub>	1
100	Ramanagara	Good	43	PM <sub>10</sub>	1
101	Ratlam	Satisfactory	61	PM <sub>10</sub>	1
102	Rohtak	Very Poor	353	PM <sub>2.5</sub>	1
103	Rupnagar	Moderate	135	PM <sub>10</sub>	1
104	Sagar	Good	29	СО	1
105	Satna	Satisfactory	72	PM <sub>10</sub>	1
106	Siliguri	Good	50	PM <sub>10</sub>	1
107	Singrauli	Satisfactory	70	PM <sub>10</sub>	1
108	Sirsa	Very Poor	342	PM <sub>10</sub>	1


### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Good	37	O <sub>3</sub>	1
110	Sonipat	Severe	447	PM <sub>10</sub>	1
111	Srinagar	Moderate	127	PM <sub>2.5</sub>	1
112	Talcher	Moderate	107	со	1
113	Thane	Moderate	115	NO <sub>2</sub>	1
114	Thiruvananthapuram	Good	46	со	2
115	Thoothukudi	Satisfactory	59	PM <sub>10</sub>	1
116	Thrissur	Satisfactory	55	O <sub>3</sub>	1
117	Tirupati	Good	32	со	1
118	Udaipur	Satisfactory	57	PM <sub>10</sub>	1
119	Ujjain	Satisfactory	93	PM <sub>10</sub>	1
120	Vapi	Satisfactory	77	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations,
- to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Moderate	136	PM <sub>10</sub>	1
122	Vatva	Moderate	107	PM <sub>10</sub>	1
123	Vijayapura	Good	45	со	1
124	Visakhapatnam	Satisfactory	99	PM <sub>10</sub>	1
125	Yadgir	Good	30	PM <sub>10</sub>	1
126	Yamunanagar	Moderate	198	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Dewas, Jorapokhar, Kaithal, Kohima, Kolar, Maihar, Manglore, Medikeri, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Shillong, Shivamogga, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.