

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	21	SO ₂	1
2	Agra	Satisfactory	62	PM _{2.5}	1
3	Ahmedabad	Satisfactory	70	CO, NO ₂ , PM ₁₀	4
4	Aizawl	Good	15	PM ₁₀	1
5	Ajmer	Satisfactory	57	PM ₁₀	1
6	Alwar	Moderate	110	PM ₁₀	1
7	Amaravati	Good	22	0 ₃	1
8	Ambala	Satisfactory	85	PM ₁₀	1
9	Amritsar	Good	34	со	1
10	Ankleshwar	Satisfactory	66	0 ₃	1
11	Asansol	Satisfactory	68	PM ₁₀	1
12	Aurangabad	Satisfactory	62	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	25	СО	1
14	Baghpat	Moderate	123	PM ₁₀	1
15	Bahadurgarh	Moderate	183	0 ₃	1
16	Bathinda	Moderate	180	PM _{2.5}	1
17	Bengaluru	Good	42	PM ₁₀ , O ₃	8
18	Bhiwadi	Poor	265	PM _{2.5}	1
19	Bhopal	Satisfactory	69	PM ₁₀	1
20	Bulandshahr	Moderate	107	PM ₁₀	1
21	Chamarajanagar	Good	42	PM ₁₀	1
22	Chandigarh	Satisfactory	64	PM ₁₀	1
23	Chandrapur	Satisfactory	84	РМ _{2.5} , СО	2
24	Charkhi Dadri	Moderate	186	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	75	CO, PM ₁₀ , O ₃	6
26	Chikkaballapur	Good	46	PM ₁₀	1
27	Chikkamagaluru	Good	31	PM ₁₀	1
28	Damoh	Good	18	NO ₂	1
29	Delhi	Moderate	145	O ₃ , PM _{2.5} , PM ₁₀	29
30	Dewas	Satisfactory	55	PM ₁₀	1
31	Dharuhera	Poor	224	PM ₁₀	1
32	Durgapur	Moderate	106	PM ₁₀	1
33	Eloor	Satisfactory	75	со	1
34	Ernakulam	Satisfactory	54	со	1
35	Faridabad	Moderate	140	О ₃ , РМ _{2.5}	2
36	Gadag	Good	11	NO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	64	CO, SO ₂	2
38	Ghaziabad	Moderate	118	PM ₁₀ , O ₃	3
39	Greater Noida	Moderate	110	PM ₁₀	2
40	Gummidipoondi	Satisfactory	92	PM ₁₀	1
41	Gurugram	Moderate	126	PM ₁₀ , PM _{2.5}	3
42	Guwahati	Good	46	SO ₂ , PM ₁₀	2
43	Gwalior	Satisfactory	78	PM ₁₀	1
44	Hajipur	Moderate	104	PM ₁₀	1
45	Haldia	Good	36	PM ₁₀	1
46	Hapur	Good	34	PM ₁₀	1
47	Hassan	Satisfactory	65	PM ₁₀	1
48	Hisar	Poor	208	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Good	48	РМ ₁₀ , СО	3
50	Hubballi	Good	40	SO ₂	1
51	Hyderabad	Good	31	NO ₂ , PM _{2.5} , PM ₁₀	5
52	Indore	Satisfactory	54	PM ₁₀	1
53	Jabalpur	Good	50	NO ₂	1
54	Jaipur	Satisfactory	91	PM ₁₀	3
55	Jalandhar	Satisfactory	77	PM _{2.5}	1
56	Jodhpur	Satisfactory	100	PM ₁₀	1
57	Kaithal	Moderate	125	PM ₁₀	1
58	Kalaburgi	Good	36	0 ₃	1
59	Kalyan	Good	37	со	1
60	Kannur	Satisfactory	63	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Satisfactory	52	PM _{2.5}	2
62	Karnal	Satisfactory	87	PM _{2.5}	1
63	Katni	Satisfactory	64	PM ₁₀	1
64	Kochi	Good	47	СО	1
65	Kohima	Good	37	PM ₁₀	1
66	Kolkata	Good	46	PM _{2.5} , PM ₁₀ , O ₃	5
67	Kollam	Satisfactory	99	со	1
68	Koppal	Moderate	106	0 ₃	1
69	Kota	Satisfactory	62	PM ₁₀	1
70	Kurukshetra	Satisfactory	87	PM ₁₀	1
71	Lucknow	Satisfactory	80	PM ₁₀ , PM _{2.5}	5
72	Ludhiana	Satisfactory	81	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Satisfactory	62	PM _{2.5}	1
74	Mandideep	Good	34	PM ₁₀	1
75	Mandikhera	Moderate	156	PM ₁₀	1
76	Meerut	Satisfactory	70	NO ₂ , PM ₁₀	3
77	Moradabad	Satisfactory	61	PM _{2.5}	1
78	Mumbai	Good	45	CO, PM ₁₀ , SO ₂	16
79	Muzaffarnagar	Satisfactory	74	со	1
80	Muzaffarpur	Satisfactory	88	со	1
81	Nagpur	Good	31	NO ₂	1
82	Narnaul	Poor	274	PM ₁₀	1
83	Navi Mumbai	Satisfactory	93	PM ₁₀ , CO, NO ₂	3
84	Noida	Moderate	132	PM ₁₀	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Satisfactory	67	PM ₁₀	1
86	Palwal	Moderate	122	PM ₁₀	1
87	Panchkula	Good	47	PM _{2.5}	1
88	Panipat	Moderate	136	PM _{2.5}	1
89	Patiala	Satisfactory	90	PM ₁₀	1
90	Patna	Satisfactory	87	PM ₁₀ , PM _{2.5}	5
91	Pithampur	Good	44	0 ₃	1
92	Prayagraj	Very Poor	387	PM ₁₀	1
93	Puducherry	Good	42	PM ₁₀	1
94	Pune	Satisfactory	74	PM _{2.5} , CO, PM ₁₀	4
95	Raichur	Good	38	PM ₁₀	1
96	Rajamahendravaram	Good	35	СО	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ramanagara	Good	33	PM ₁₀	1
98	Ratlam	Satisfactory	54	PM ₁₀	1
99	Rohtak	Moderate	126	PM _{2.5}	1
100	Rupnagar	Satisfactory	71	PM ₁₀	1
101	Sagar	Good	24	NO ₂	1
102	Satna	Satisfactory	67	PM ₁₀	1
103	Siliguri	Satisfactory	67	PM ₁₀	1
104	Singrauli	Satisfactory	89	PM ₁₀	1
105	Sirsa	Poor	233	PM _{2.5}	1
106	Sonipat	Moderate	169	PM ₁₀	1
107	Srinagar	Moderate	172	PM _{2.5}	1
108	Talcher	Moderate	105	СО	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Moderate	134	NO ₂	1
110	Thiruvananthapuram	Satisfactory	73	со	2
111	Thoothukudi	Satisfactory	55	PM ₁₀	1
112	Thrissur	Good	49	SO ₂	1
113	Tirupati	Good	34	СО	1
114	Udaipur	Satisfactory	54	СО	1
115	Ujjain	Satisfactory	94	PM ₁₀	1
116	Vapi	Good	32	PM ₁₀	1
117	Varanasi	Moderate	156	O ₃	1
118	Vatva	Satisfactory	90	PM ₁₀	1
119	Vijayapura	Satisfactory	52	со	1
120	Visakhapatnam	Satisfactory	89	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani,
Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind,
Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri,
Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur,
Udupi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Good	26	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ballabgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore, Davanagere, Fatehabad, Gandhinagar, Jind, Jorapokhar, Khanna, Kolar, Kozhikode, Maihar, Manesar, Manglore, Medikeri, Mysuru, Naharlagun, Nandesari, Nashik, Shillong, Shivamogga, Solapur, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM

> * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.