

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	22	SO ₂	1
2	Agra	Satisfactory	62	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Moderate	105	O ₃ , CO	4
4	Aizawl	Good	10	SO ₂	1
5	Ajmer	Moderate	117	PM ₁₀	1
6	Alwar	Satisfactory	61	PM ₁₀	1
7	Amaravati	Good	29	03	1
8	Ambala	Satisfactory	60	PM ₁₀	1
9	Amritsar	Satisfactory	83	PM ₁₀	1
10	Asansol	Good	40	PM ₁₀	1
11	Bagalkot	Good	25	со	1
12	Baghpat	Satisfactory	98	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	91	03	1
14	Ballabgarh	Satisfactory	92	со	1
15	Bathinda	Moderate	141	PM ₁₀	1
16	Bengaluru	Good	48	CO, PM _{2.5} , O ₃	9
17	Bhiwani	Moderate	173	03	1
18	Bhopal	Satisfactory	67	03	1
19	Bidar	Good	30	SO ₂	1
20	Bulandshahr	Satisfactory	82	03	1
21	Chamarajanagar	Good	42	PM ₁₀	1
22	Chandigarh	Good	49	03	1
23	Chandrapur	Satisfactory	86	PM _{2.5} , O ₃	2
24	Charkhi Dadri	Satisfactory	99	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Good	46	PM ₁₀ , O ₃ , CO	6
26	Chikkamagaluru	Good	24	O ₃	1
27	Davanagere	Good	23	SO ₂	1
28	Delhi	Satisfactory	83	NO ₂ , PM ₁₀ , O ₃	29
29	Dewas	Satisfactory	61	PM ₁₀	1
30	Durgapur	Satisfactory	75	PM ₁₀	1
31	Eloor	Satisfactory	75	со	1
32	Ernakulam	Good	36	со	1
33	Faridabad	Moderate	109	O ₃ , PM ₁₀	3
34	Gadag	Good	12	NO ₂	1
35	Gaya	Good	41	со	2
36	Ghaziabad	Satisfactory	94	CO, PM ₁₀ , O ₃	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Satisfactory	76	PM ₁₀	2
38	Gummidipoondi	Satisfactory	54	PM ₁₀	1
39	Gurugram	Satisfactory	82	PM ₁₀ , PM _{2.5}	3
40	Guwahati	Good	44	SO ₂ , PM ₁₀	2
41	Gwalior	Satisfactory	81	03	1
42	Haldia	Good	44	PM ₁₀	1
43	Hapur	Good	23	SO ₂	1
44	Hassan	Good	27	PM ₁₀	1
45	Howrah	Good	35	со	3
46	Hubballi	Good	21	O ₃	1
47	Hyderabad	Good	32	NO ₂ , O ₃ , CO	4
48	Indore	Satisfactory	65	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Satisfactory	77	PM ₁₀	1
50	Jaipur	Moderate	133	PM ₁₀	2
51	Jalandhar	Satisfactory	83	PM ₁₀	1
52	Jind	Satisfactory	72	NO ₂	1
53	Jodhpur	Moderate	116	PM ₁₀	1
54	Kaithal	Moderate	117	PM ₁₀	1
55	Kalyan	Good	36	со	1
56	Kanpur	Good	44	NO ₂ , PM _{2.5}	2
57	Karnal	Satisfactory	63	03	1
58	Katni	Satisfactory	80	PM ₁₀	1
59	Khanna	Good	45	со	1
60	Kohima	Good	29	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Good	36	PM ₁₀ , O ₃	6
62	Kollam	Satisfactory	99	со	1
63	Kota	Satisfactory	72	PM ₁₀	1
64	Kozhikode	Good	38	со	1
65	Kurukshetra	Satisfactory	66	PM ₁₀	1
66	Lucknow	Good	48	CO, PM ₁₀ , PM _{2.5}	5
67	Ludhiana	Satisfactory	71	PM _{2.5}	1
68	Mandi Gobindgarh	Good	47	PM _{2.5}	1
69	Mandideep	Good	30	PM ₁₀	1
70	Medikeri	Good	34	O ₃	1
71	Meerut	Good	41	CO, PM ₁₀ , PM _{2.5}	3
72	Mumbai	Good	41	CO, SO ₂ , PM ₁₀	17

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Satisfactory	77	со	1
74	Muzaffarpur	Satisfactory	56	со	2
75	Mysuru	Good	25	PM ₁₀	1
76	Nandesari	Good	14	NO ₂	1
77	Narnaul	Moderate	157	PM ₁₀	1
78	Navi Mumbai	Satisfactory	81	PM ₁₀ , CO, NO ₂	3
79	Noida	Satisfactory	79	PM ₁₀	3
80	Pali	Satisfactory	85	PM ₁₀	1
81	Palwal	Satisfactory	72	PM ₁₀	1
82	Panchkula	Good	37	NO ₂	1
83	Panipat	Good	42	PM _{2.5}	1
84	Patiala	Satisfactory	55	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patna	Good	44	O ₃ , PM ₁₀	4
86	Pithampur	Good	47	O ₃	1
87	Prayagraj	Good	29	PM ₁₀	2
88	Puducherry	Good	37	O ₃	1
89	Pune	Satisfactory	71	PM ₁₀ , PM _{2.5} , CO	6
90	Rajamahendravaram	Good	31	PM ₁₀	1
91	Ramanagara	Good	24	O ₃	1
92	Ratlam	Satisfactory	58	PM ₁₀	1
93	Rohtak	Moderate	111	O ₃	1
94	Rupnagar	Satisfactory	56	PM ₁₀	1
95	Satna	Satisfactory	68	PM ₁₀	1
96	Siliguri	Good	42	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sirsa	Satisfactory	87	PM ₁₀	1
98	Sonipat	Moderate	109	PM ₁₀	1
99	Srinagar	Good	46	PM ₁₀	1
100	Talcher	Moderate	110	со	1
101	Thane	Good	47	PM ₁₀	1
102	Thiruvananthapuram	Satisfactory	63	со	2
103	Thoothukudi	Good	41	PM ₁₀	1
104	Thrissur	Satisfactory	57	SO ₂	1
105	Tirupati	Good	35	со	1
106	Udaipur	Satisfactory	64	PM ₁₀	1
107	Ujjain	Satisfactory	98	PM ₁₀	1
108	Vapi	Good	45	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Varanasi	Satisfactory	61	NO ₂	1
110	Vatva	Satisfactory	82	PM ₁₀	1
111	Vijayapura	Good	48	со	1
112	Visakhapatnam	Satisfactory	83	PM ₁₀	1
113	Yadgir	Good	18	O ₃	1
114	Yamunanagar	Satisfactory	60	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Notes: Bhiwadi, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Dharuhera, Fatehabad, Gandhinagar, Hajipur, Hisar, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Moradabad, Nagpur, Naharlagun, Nashik, Raichur, Sagar, Shillong, Shivamogga, Singrauli, Solapur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.