

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	25	PM _{2.5}	1
2	Agra	Satisfactory	59	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Moderate	120	CO, PM _{2.5} , PM ₁₀	4
4	Aizawl	Good	11	SO ₂	1
5	Ajmer	Satisfactory	85	PM ₁₀	1
6	Alwar	Good	47	PM _{2.5}	1
7	Amaravati	Good	26	O ₃	1
8	Ambala	Moderate	118	PM ₁₀	1
9	Amritsar	Satisfactory	88	PM ₁₀	1
10	Asansol	Good	46	PM _{2.5}	1
11	Aurangabad	Satisfactory	56	PM ₁₀	1
12	Bagalkot	Good	25	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	136	PM ₁₀	1
14	Bahadurgarh	Satisfactory	95	PM ₁₀	1
15	Ballabgarh	Satisfactory	80	PM ₁₀	1
16	Bathinda	Satisfactory	58	PM ₁₀	1
17	Bengaluru	Satisfactory	57	CO, PM ₁₀ , PM _{2.5}	9
18	Bhiwadi	Moderate	107	PM ₁₀	1
19	Bhiwani	Moderate	150	O ₃	1
20	Bhopal	Satisfactory	70	PM ₁₀	1
21	Brajrajnagar	Moderate	155	со	1
22	Bulandshahr	Satisfactory	70	O ₃	1
23	Chamarajanagar	Good	40	PM ₁₀	1
24	Chandigarh	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	128	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Moderate	123	PM _{2.5}	1
27	Chennai	Satisfactory	65	PM ₁₀	8
28	Chikkaballapur	Good	46	PM ₁₀	1
29	Chikkamagaluru	Good	39	PM ₁₀	1
30	Damoh	Good	20	PM _{2.5}	1
31	Davanagere	Good	40	PM ₁₀	1
32	Delhi	Moderate	115	O ₃ , PM ₁₀ , PM _{2.5}	32
33	Dewas	Satisfactory	77	PM ₁₀	1
34	Dharuhera	Moderate	121	PM ₁₀	1
35	Durgapur	Good	49	NO ₂	1
36	Eloor	Satisfactory	75	со	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	38	со	1
38	Faridabad	Satisfactory	80	PM ₁₀ , CO	3
39	Gaya	Good	50	со	2
40	Ghaziabad	Satisfactory	97	PM ₁₀ , O ₃	4
41	Greater Noida	Satisfactory	72	PM ₁₀ , O ₃	2
42	Gummidipoondi	Satisfactory	100	PM ₁₀	1
43	Gurugram	Satisfactory	81	PM ₁₀ , PM _{2.5}	3
44	Guwahati	Good	45	SO ₂	2
45	Gwalior	Satisfactory	75	O ₃	1
46	Haldia	Satisfactory	51	PM ₁₀	1
47	Hapur	Good	28	PM ₁₀	1
48	Hassan	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Satisfactory	65	O ₃	1
50	Howrah	Satisfactory	51	CO, PM _{2.5}	3
51	Hyderabad	Good	19	CO, NO ₂ , PM _{2.5}	4
52	Indore	Satisfactory	84	PM ₁₀	1
53	Jabalpur	Satisfactory	75	PM ₁₀	1
54	Jaipur	Satisfactory	97	PM ₁₀	3
55	Jalandhar	Satisfactory	81	PM ₁₀	1
56	Jind	Satisfactory	81	PM ₁₀	1
57	Jodhpur	Moderate	145	PM _{2.5}	1
58	Kaithal	Satisfactory	76	PM ₁₀	1
59	Kalaburgi	Good	24	O ₃	1
60	Kalyan	Moderate	152	со	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	155	PM ₁₀	1
62	Kanpur	Good	38	NO ₂ , PM _{2.5}	2
63	Karnal	Satisfactory	94	PM ₁₀	1
64	Katni	Satisfactory	62	PM ₁₀	1
65	Khanna	Satisfactory	68	PM ₁₀	1
66	Kochi	Good	48	со	1
67	Kohima	Good	38	PM ₁₀	1
68	Kolkata	Good	45	PM ₁₀ , PM _{2.5} , CO	6
69	Kollam	Satisfactory	99	со	1
70	Koppal	Moderate	101	03	1
71	Kota	Satisfactory	79	PM ₁₀	1
72	Lucknow	Satisfactory	72	PM ₁₀ , CO, O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	113	PM _{2.5}	1
74	Mandideep	Good	30	PM ₁₀	1
75	Mandikhera	Satisfactory	53	03	1
76	Manesar	Satisfactory	82	PM ₁₀	1
77	Medikeri	Good	33	SO ₂	1
78	Meerut	Satisfactory	58	NO ₂ , PM ₁₀	3
79	Moradabad	Good	50	PM _{2.5}	1
80	Mumbai	Good	41	CO, PM _{2.5} , SO ₂	18
81	Muzaffarnagar	Satisfactory	86	PM ₁₀	1
82	Muzaffarpur	Satisfactory	58	со	1
83	Nagpur	Satisfactory	88	NO ₂	1
84	Naharlagun	Good	31	SO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	109	PM _{2.5}	1
86	Narnaul	Moderate	118	PM ₁₀	1
87	Nashik	Good	45	PM _{2.5}	1
88	Navi Mumbai	Good	33	PM ₁₀ , CO	3
89	Noida	Moderate	107	PM ₁₀	3
90	Pali	Moderate	124	PM _{2.5}	1
91	Palwal	Satisfactory	68	PM ₁₀	1
92	Panchkula	Satisfactory	77	PM _{2.5}	1
93	Panipat	Satisfactory	87	PM _{2.5}	1
94	Patiala	Satisfactory	78	PM ₁₀	1
95	Patna	Satisfactory	93	PM ₁₀ , CO	4
96	Pithampur	Good	46	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Prayagraj	Good	44	PM ₁₀	2
98	Puducherry	Satisfactory	54	PM ₁₀	1
99	Pune	Satisfactory	69	PM _{2.5} , CO, O ₃	5
100	Raichur	Good	24	PM ₁₀	1
101	Rajamahendravaram	Good	38	PM ₁₀	1
102	Ramanagara	Good	46	PM ₁₀	1
103	Ratlam	Satisfactory	70	PM ₁₀	1
104	Rohtak	Satisfactory	100	PM _{2.5}	1
105	Rupnagar	Satisfactory	70	PM ₁₀	1
106	Sagar	Good	25	PM _{2.5}	1
107	Satna	Satisfactory	74	PM ₁₀	1
108	Shivamogga	Good	37	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Good	39	PM _{2.5}	1
110	Singrauli	Satisfactory	52	со	1
111	Sirsa	Satisfactory	78	PM ₁₀	1
112	Solapur	Good	49	03	1
113	Sonipat	Moderate	153	PM ₁₀	1
114	Srinagar	Satisfactory	80	PM ₁₀	1
115	Talcher	Moderate	103	со	1
116	Thane	Satisfactory	62	NO ₂	1
117	Thiruvananthapuram	Satisfactory	64	CO, PM ₁₀	2
118	Thoothukudi	Satisfactory	59	PM ₁₀	1
119	Thrissur	Satisfactory	66	SO ₂	1
120	Tirupati	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Satisfactory	80	PM ₁₀	1
122	Ujjain	Moderate	109	PM ₁₀	1
123	Vapi	Good	39	PM ₁₀	1
124	Varanasi	Satisfactory	73	NO ₂	1
125	Vatva	Moderate	119	PM ₁₀	1
126	Vijayapura	Good	48	PM ₁₀	1
127	Visakhapatnam	Moderate	109	PM ₁₀	1
128	Yadgir	Good	13	O ₃	1
129	Yamunanagar	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Coimbatore, Fatehabad, Gadag, Gandhinagar, Hajipur, Hubballi, Jorapokhar, Kolar, Kozhikode, Kurukshetra, Ludhiana, Maihar, Manglore, Mysuru, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.