

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	89	PM <sub>10</sub>	1
2	Agra	Moderate	154	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	109	PM <sub>2.5</sub> , PM <sub>10</sub>	6
4	Aizawl	Good	30	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	74	PM <sub>10</sub>	1
6	Alwar	Satisfactory	71	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	93	PM <sub>10</sub>	1
8	Ambala	Moderate	134	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	97	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	191	PM <sub>2.5</sub>	1
11	Asansol	Moderate	131	PM <sub>2.5</sub>	1
12	Bagalkot	Satisfactory	57	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	156	PM <sub>10</sub>	1
14	Bahadurgarh	Poor	213	PM <sub>10</sub>	1
15	Ballabgarh	Poor	256	PM <sub>2.5</sub>	1
16	Bengaluru	Good	39	CO, PM <sub>10</sub> , NO <sub>2</sub>	8
17	Bhiwadi	Poor	208	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	120	PM <sub>10</sub>	1
19	Bhopal	Moderate	126	PM <sub>10</sub>	1
20	Bidar	Satisfactory	97	PM <sub>10</sub>	1
21	Bilaspur	Satisfactory	93	PM <sub>10</sub>	1
22	Brajrajnagar	Satisfactory	86	03	1
23	Bulandshahr	Moderate	164	PM <sub>2.5</sub>	1
24	Chamarajanagar	Good	38	PM <sub>10</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	114	O <sub>3</sub> , PM <sub>10</sub>	2
26	Chandrapur	Moderate	111	PM <sub>10</sub>	2
27	Charkhi Dadri	Moderate	161	PM <sub>10</sub>	1
28	Chennai	Satisfactory	63	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	7
29	Chikkaballapur	Good	30	NO <sub>2</sub>	1
30	Chikkamagaluru	Satisfactory	62	NO <sub>2</sub>	1
31	Damoh	Satisfactory	68	PM <sub>2.5</sub>	1
32	Davanagere	Good	27	СО	1
33	Delhi	Moderate	179	PM <sub>10</sub> , PM <sub>2.5</sub>	37
34	Dewas	Satisfactory	70	PM <sub>10</sub>	1
35	Dharuhera	Moderate	122	PM <sub>2.5</sub>	1
36	Durgapur	Moderate	171	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	224	PM <sub>10</sub> , O <sub>3</sub>	4
38	Fatehabad	Moderate	128	PM <sub>10</sub>	1
39	Firozabad	Moderate	112	PM <sub>10</sub>	1
40	Gandhinagar	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	3
41	Gaya	Moderate	102	PM <sub>2.5</sub>	2
42	Ghaziabad	Moderate	190	PM <sub>2.5</sub> , PM <sub>10</sub>	4
43	Gorakhpur	Moderate	145	PM <sub>2.5</sub>	1
44	Greater Noida	Poor	227	PM <sub>10</sub> , PM <sub>2.5</sub>	2
45	Gummidipoondi	Satisfactory	69	PM <sub>10</sub>	1
46	Gurugram	Moderate	184	PM <sub>10</sub> , PM <sub>2.5</sub>	4
47	Guwahati	Satisfactory	100	SO <sub>2</sub> , PM <sub>10</sub>	2
48	Gwalior	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub>	2

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Moderate	162	PM <sub>2.5</sub>	1
50	Haldia	Moderate	145	PM <sub>2.5</sub>	1
51	Hapur	Moderate	152	PM <sub>2.5</sub>	1
52	Hassan	Good	43	PM <sub>10</sub>	1
53	Hisar	Moderate	141	PM <sub>10</sub>	1
54	Howrah	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Hubballi	Good	32	O <sub>3</sub>	1
56	Hyderabad	Moderate	123	PM <sub>2.5</sub> , PM <sub>10</sub>	5
57	Indore	Satisfactory	94	PM <sub>10</sub>	1
58	Jabalpur	Moderate	132	PM <sub>10</sub>	1
59	Jaipur	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	3
60	Jalandhar	Moderate	130	PM <sub>2.5</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Moderate	117	PM <sub>10</sub>	1
62	Jodhpur	Moderate	132	PM <sub>2.5</sub>	1
63	Kalaburgi	Moderate	118	PM <sub>10</sub>	1
64	Kalyan	Satisfactory	69	PM <sub>10</sub>	1
65	Kannur	Good	44	PM <sub>10</sub>	1
66	Kanpur	Moderate	178	PM <sub>2.5</sub>	4
67	Karnal	Moderate	194	PM <sub>2.5</sub>	1
68	Katni	Moderate	197	PM <sub>10</sub>	1
69	Khanna	Moderate	123	PM <sub>10</sub>	1
70	Kochi	Good	44	со	1
71	Kohima	Satisfactory	55	PM <sub>10</sub>	1
72	Kolar	Good	43	со	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	7
74	Kollam	Satisfactory	91	СО	1
75	Koppal	Satisfactory	81	03	1
76	Kota	Satisfactory	92	PM <sub>2.5</sub>	1
77	Kozhikode	Good	44	со	1
78	Kurukshetra	Moderate	164	PM <sub>2.5</sub>	1
79	Lucknow	Moderate	162	PM <sub>10</sub> , PM <sub>2.5</sub>	6
80	Ludhiana	Poor	205	PM <sub>2.5</sub>	1
81	Maihar	Satisfactory	65	PM <sub>10</sub>	1
82	Mandi Gobindgarh	Satisfactory	64	PM <sub>10</sub>	1
83	Mandideep	Moderate	162	PM <sub>2.5</sub>	1
84	Mandikhera	Moderate	116	PM <sub>10</sub>	1

# Possible Health Impacts

# od Minimal Impact

Good	Willima impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manglore	Satisfactory	53	со	1
86	Medikeri	Good	24	03	1
87	Meerut	Moderate	158	PM <sub>10</sub>	2
88	Moradabad	Moderate	182	PM <sub>2.5</sub>	1
89	Mumbai	Satisfactory	69	CO, PM <sub>10</sub>	17
90	Muzaffarnagar	Moderate	176	PM <sub>2.5</sub>	1
91	Muzaffarpur	Moderate	150	PM <sub>2.5</sub> , PM <sub>10</sub>	2
92	Mysuru	Good	33	PM <sub>10</sub>	1
93	Naharlagun	Satisfactory	57	PM <sub>10</sub>	1
94	Nandesari	Satisfactory	65	PM <sub>2.5</sub>	1
95	Narnaul	Satisfactory	71	PM <sub>2.5</sub>	1
96	Nashik	Satisfactory	67	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Satisfactory	76	со	1
98	Noida	Moderate	170	PM <sub>10</sub> , PM <sub>2.5</sub>	4
99	Pali	Moderate	111	PM <sub>10</sub>	1
100	Palwal	Moderate	151	PM <sub>10</sub>	1
101	Panchkula	Satisfactory	86	PM <sub>2.5</sub>	1
102	Panipat	Moderate	194	PM <sub>10</sub>	1
103	Patiala	Moderate	111	PM <sub>10</sub>	1
104	Patna	Moderate	165	PM <sub>2.5</sub> , PM <sub>10</sub>	5
105	Pithampur	Satisfactory	84	03	1
106	Prayagraj	Moderate	179	PM <sub>2.5</sub>	3
107	Puducherry	Satisfactory	52	03	1
108	Pune	Satisfactory	52	PM <sub>2.5</sub> , CO	3

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Raichur	Moderate	109	PM <sub>10</sub>	1
110	Rajamahendravaram	Moderate	102	PM <sub>10</sub>	1
111	Ramanagara	Good	36	O <sub>3</sub>	1
112	Ratlam	Satisfactory	100	PM <sub>2.5</sub>	1
113	Rohtak	Moderate	132	PM <sub>2.5</sub>	1
114	Rupnagar	Satisfactory	100	PM <sub>10</sub>	1
115	Sagar	Good	50	PM <sub>2.5</sub>	1
116	Satna	Satisfactory	69	PM <sub>10</sub>	1
117	Shillong	Good	20	SO <sub>2</sub>	1
118	Shivamogga	Good	37	PM <sub>10</sub>	1
119	Siliguri	Satisfactory	99	PM <sub>2.5</sub>	1
120	Singrauli	Poor	214	PM <sub>10</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sirsa	Moderate	138	PM <sub>10</sub>	1
122	Sonipat	Poor	221	PM <sub>10</sub>	1
123	Srinagar	Good	18	SO <sub>2</sub>	1
124	Talcher	Satisfactory	91	PM <sub>10</sub>	1
125	Thiruvananthapuram	Good	38	O <sub>3</sub> , CO	2
126	Thoothukudi	Good	26	O <sub>3</sub>	1
127	Thrissur	Good	34	NO <sub>2</sub>	1
128	Tirupati	Satisfactory	69	PM <sub>10</sub>	1
129	Udaipur	Satisfactory	85	PM <sub>10</sub>	1
130	Ujjain	Moderate	116	PM <sub>10</sub>	1
131	Vapi	Satisfactory	82	PM <sub>10</sub>	1
132	Varanasi	Moderate	118	PM <sub>10</sub>	4

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vatva	Poor	252	PM <sub>2.5</sub>	1
134	Vijayapura	Satisfactory	57	O <sub>3</sub>	1
135	Visakhapatnam	Moderate	177	PM <sub>2.5</sub>	1
136	Vrindavan	Moderate	142	PM <sub>10</sub>	1
137	Yadgir	Satisfactory	65	PM <sub>10</sub>	1
138	Yamunanagar	Poor	213	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Manesar, Motihari, Nagpur, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.