

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	51	O ₃	1
2	Agra	Moderate	149	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	84	PM ₁₀ , O ₃	6
4	Aizawl	Good	29	SO ₂	1
5	Ajmer	Satisfactory	86	PM ₁₀	1
6	Alwar	Satisfactory	89	PM ₁₀	1
7	Amaravati	Moderate	104	PM ₁₀	1
8	Ambala	Moderate	155	PM ₁₀	1
9	Amritsar	Moderate	131	PM ₁₀	1
10	Ankleshwar	Moderate	173	PM _{2.5}	1
11	Asansol	Moderate	108	PM _{2.5}	1
12	Bagalkot	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	225	PM _{2.5}	1
14	Bahadurgarh	Moderate	143	PM _{2.5}	1
15	Ballabgarh	Poor	269	PM _{2.5}	1
16	Bengaluru	Satisfactory	53	NO ₂ , CO	9
17	Bhiwadi	Poor	287	PM _{2.5}	1
18	Bhiwani	Moderate	170	PM _{2.5}	1
19	Bhopal	Moderate	142	PM ₁₀	1
20	Bidar	Satisfactory	98	PM ₁₀	1
21	Bilaspur	Satisfactory	82	PM ₁₀	1
22	Brajrajnagar	Satisfactory	90	0 ₃	1
23	Bulandshahr	Moderate	177	PM _{2.5}	1
24	Chamarajanagar	Good	42	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	142	О ₃ , РМ ₁₀	2
26	Chandrapur	Moderate	122	PM ₁₀	2
27	Charkhi Dadri	Moderate	150	PM ₁₀	1
28	Chennai	Satisfactory	67	CO, PM ₁₀ , PM _{2.5}	6
29	Chikkaballapur	Satisfactory	51	PM ₁₀	1
30	Chikkamagaluru	Good	31	NO ₂	1
31	Damoh	Satisfactory	72	PM _{2.5}	1
32	Davanagere	Good	31	со	1
33	Delhi	Moderate	171	PM ₁₀ , PM _{2.5}	36
34	Dewas	Moderate	122	PM _{2.5}	1
35	Dharuhera	Moderate	158	0 ₃	1
36	Durgapur	Moderate	131	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	51	СО	1
38	Faridabad	Poor	220	PM _{2.5} , PM ₁₀ , O ₃	4
39	Fatehabad	Moderate	149	PM ₁₀	1
40	Firozabad	Moderate	117	PM ₁₀	1
41	Gandhinagar	Satisfactory	76	PM ₁₀	3
42	Gaya	Satisfactory	94	PM _{2.5}	2
43	Ghaziabad	Poor	223	PM ₁₀ , PM _{2.5}	4
44	Gorakhpur	Moderate	150	PM _{2.5}	1
45	Greater Noida	Moderate	194	PM ₁₀	2
46	Gummidipoondi	Satisfactory	67	PM ₁₀	1
47	Gurugram	Moderate	187	PM _{2.5} , PM ₁₀	4
48	Guwahati	Satisfactory	96	SO ₂ , PM ₁₀	2

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Moderate	143	PM ₁₀	1
50	Hajipur	Moderate	143	PM _{2.5}	1
51	Haldia	Moderate	133	PM _{2.5}	1
52	Hapur	Poor	208	PM _{2.5}	1
53	Hassan	Good	30	NO ₂	1
54	Hisar	Moderate	161	PM _{2.5}	1
55	Howrah	Moderate	118	PM _{2.5}	3
56	Hubballi	Good	48	PM ₁₀	1
57	Hyderabad	Moderate	145	PM _{2.5} , PM ₁₀	5
58	Indore	Moderate	136	PM ₁₀	1
59	Jabalpur	Moderate	143	PM ₁₀	1
60	Jaipur	Moderate	134	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Moderate	121	PM _{2.5}	1
62	Jind	Moderate	181	PM _{2.5}	1
63	Jodhpur	Moderate	171	PM _{2.5}	1
64	Kaithal	Moderate	157	PM ₁₀	1
65	Kalaburgi	Moderate	125	PM ₁₀	1
66	Kannur	Good	46	PM ₁₀	1
67	Kanpur	Moderate	162	PM _{2.5} , PM ₁₀	4
68	Karnal	Poor	205	PM _{2.5}	1
69	Katni	Moderate	174	PM ₁₀	1
70	Khanna	Moderate	135	PM ₁₀	1
71	Kochi	Satisfactory	52	со	1
72	Kohima	Good	47	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Moderate	177	PM _{2.5}	7
74	Kollam	Satisfactory	89	СО	1
75	Koppal	Satisfactory	90	0 ₃	1
76	Kota	Satisfactory	78	PM ₁₀	1
77	Kozhikode	Satisfactory	57	со	1
78	Kurukshetra	Moderate	171	PM ₁₀	1
79	Lucknow	Moderate	137	PM ₁₀ , PM _{2.5}	6
80	Ludhiana	Moderate	156	PM _{2.5}	1
81	Mandi Gobindgarh	Poor	211	PM _{2.5}	1
82	Mandideep	Moderate	159	PM ₁₀	1
83	Mandikhera	Moderate	127	PM _{2.5}	1
84	Manesar	Moderate	185	PM _{2.5}	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manglore	Satisfactory	54	СО	1
86	Medikeri	Good	23	O ₃	1
87	Meerut	Moderate	195	PM _{2.5} , 0 ₃	3
88	Moradabad	Moderate	192	PM _{2.5}	1
89	Mumbai	Satisfactory	84	O ₃ , PM _{2.5} , PM ₁₀	18
90	Muzaffarnagar	Moderate	193	PM _{2.5}	1
91	Muzaffarpur	Moderate	136	PM _{2.5} , PM ₁₀	2
92	Mysuru	Satisfactory	62	0 ₃	1
93	Naharlagun	Satisfactory	58	PM ₁₀	1
94	Narnaul	Satisfactory	87	PM _{2.5}	1
95	Nashik	Satisfactory	55	PM _{2.5}	1
96	Navi Mumbai	Satisfactory	75	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Moderate	192	PM ₁₀	4
98	Pali	Satisfactory	89	PM ₁₀	1
99	Panchkula	Moderate	119	PM _{2.5}	1
100	Panipat	Poor	280	PM _{2.5}	1
101	Patiala	Moderate	142	PM ₁₀	1
102	Patna	Moderate	127	PM ₁₀ , PM _{2.5}	5
103	Pithampur	Satisfactory	97	PM _{2.5}	1
104	Prayagraj	Moderate	186	PM _{2.5}	2
105	Puducherry	Good	41	со	1
106	Pune	Satisfactory	77	PM _{2.5} , CO	5
107	Raichur	Moderate	140	PM ₁₀	1
108	Rajamahendravaram	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	37	0 ₃	1
110	Ratlam	Moderate	142	PM ₁₀	1
111	Rohtak	Poor	206	PM _{2.5}	1
112	Rupnagar	Moderate	122	PM ₁₀	1
113	Sagar	Good	46	PM _{2.5}	1
114	Satna	Satisfactory	68	PM ₁₀	1
115	Shivamogga	Good	38	PM ₁₀	1
116	Siliguri	Satisfactory	79	PM _{2.5}	1
117	Singrauli	Poor	230	PM ₁₀	1
118	Sirsa	Moderate	134	PM ₁₀	1
119	Sonipat	Poor	208	PM ₁₀	1
120	Srinagar	Good	49	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Talcher	Moderate	128	PM _{2.5}	1
122	Thane	Poor	245	O ₃	1
123	Thiruvananthapuram	Good	40	РМ ₁₀ , СО	2
124	Thoothukudi	Good	41	PM ₁₀	1
125	Thrissur	Good	35	PM ₁₀	1
126	Tirupati	Satisfactory	60	PM _{2.5}	1
127	Udaipur	Satisfactory	85	PM ₁₀	1
128	Ujjain	Moderate	164	PM ₁₀	1
129	Vapi	Satisfactory	97	PM ₁₀	1
130	Varanasi	Moderate	115	PM ₁₀	4
131	Vatva	Moderate	167	PM _{2.5}	1
132	Vijayapura	Satisfactory	60	PM _{2.5}	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Poor	253	PM _{2.5}	1
134	Vrindavan	Moderate	165	PM ₁₀	1
135	Yadgir	Satisfactory	75	PM ₁₀	1
136	Yamunanagar	Poor	223	PM _{2.5}	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Ernakulam, Gadag, Jorapokhar, Kalyan, Kolar, Maihar, Motihari, Nagpur, Nandesari, Palwal, Shillong, Solapur, Udupi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations,

and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.