

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	65	PM ₁₀	1
2	Agra	Poor	214	O ₃ , PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	145	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	27	SO ₂	1
5	Ajmer	Moderate	102	PM _{2.5}	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Satisfactory	75	PM _{2.5}	1
8	Ambala	Moderate	149	PM ₁₀	1
9	Amritsar	Moderate	116	PM ₁₀	1
10	Ankleshwar	Poor	242	PM _{2.5}	1
11	Asansol	Satisfactory	77	PM ₁₀	1
12	Bagalkot	Satisfactory	72	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	176	PM _{2.5}	1
14	Bahadurgarh	Poor	211	0 ₃	1
15	Ballabgarh	Poor	260	PM _{2.5}	1
16	Bengaluru	Moderate	128	NO ₂ , O ₃ , CO	8
17	Bhiwadi	Poor	276	PM _{2.5}	1
18	Bhiwani	Moderate	152	PM _{2.5}	1
19	Bhopal	Moderate	170	0 ₃	1
20	Bidar	Moderate	114	PM ₁₀	1
21	Bilaspur	Satisfactory	96	PM ₁₀	1
22	Brajrajnagar	Satisfactory	65	0 ₃	1
23	Bulandshahr	Poor	202	PM _{2.5}	1
24	Chamarajanagar	Good	44	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	195	О ₃ , РМ ₁₀	2
26	Chandrapur	Moderate	119	PM ₁₀	2
27	Charkhi Dadri	Moderate	157	PM ₁₀	1
28	Chennai	Satisfactory	60	РМ ₁₀ , СО	5
29	Chikkaballapur	Satisfactory	61	PM ₁₀	1
30	Chikkamagaluru	Moderate	118	NO ₂	1
31	Davanagere	Satisfactory	70	PM _{2.5}	1
32	Delhi	Moderate	198	PM _{2.5} , PM ₁₀ , O ₃	36
33	Dewas	Satisfactory	90	PM ₁₀	1
34	Durgapur	Moderate	107	PM ₁₀	1
35	Faridabad	Poor	211	PM _{2.5} , O ₃ , PM ₁₀	3
36	Fatehabad	Poor	220	0 ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Moderate	129	PM ₁₀	1
38	Gandhinagar	Moderate	117	PM _{2.5} , PM ₁₀	2
39	Gaya	Satisfactory	100	PM _{2.5}	2
40	Ghaziabad	Poor	235	PM _{2.5} , 0 ₃	4
41	Gorakhpur	Moderate	127	PM _{2.5}	1
42	Greater Noida	Poor	241	PM _{2.5} , PM ₁₀	2
43	Gummidipoondi	Satisfactory	65	PM ₁₀	1
44	Gurugram	Moderate	195	PM _{2.5}	3
45	Guwahati	Satisfactory	100	SO ₂ , PM ₁₀	2
46	Gwalior	Moderate	163	PM ₁₀	1
47	Hajipur	Satisfactory	90	PM _{2.5}	1
48	Haldia	Good	45	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Poor	226	PM _{2.5}	1
50	Hassan	Good	35	PM ₁₀	1
51	Hisar	Poor	211	PM _{2.5}	1
52	Howrah	Satisfactory	61	CO, PM ₁₀	3
53	Hubballi	Moderate	114	PM _{2.5}	1
54	Hyderabad	Moderate	129	PM ₁₀	1
55	Indore	Moderate	140	PM ₁₀	1
56	Jabalpur	Moderate	153	PM ₁₀	1
57	Jaipur	Moderate	125	PM ₁₀	2
58	Jalandhar	Satisfactory	91	0 ₃	1
59	Jind	Poor	222	PM _{2.5}	1
60	Jodhpur	Poor	222	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not

Some stations have data available at 3PM

available.

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	136	PM _{2.5}	1
62	Kalyan	Moderate	132	PM ₁₀	1
63	Kannur	Good	50	PM ₁₀	1
64	Kanpur	Moderate	196	PM _{2.5}	4
65	Katni	Moderate	186	PM ₁₀	1
66	Khanna	Moderate	139	PM _{2.5}	1
67	Kochi	Good	47	СО	1
68	Kolar	Satisfactory	85	со	1
69	Kolkata	Satisfactory	68	PM _{2.5} , PM ₁₀ , O ₃	7
70	Kollam	Satisfactory	90	СО	1
71	Koppal	Moderate	116	0 ₃	1
72	Kota	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Good	49	PM ₁₀	1
74	Kurukshetra	Moderate	180	PM _{2.5}	1
75	Lucknow	Poor	222	PM _{2.5} , PM ₁₀	6
76	Ludhiana	Moderate	116	PM ₁₀	1
77	Mandi Gobindgarh	Satisfactory	99	PM ₁₀	1
78	Mandideep	Moderate	174	PM ₁₀	1
79	Mandikhera	Satisfactory	88	PM _{2.5}	1
80	Manesar	Poor	216	PM _{2.5}	1
81	Manglore	Satisfactory	59	со	1
82	Medikeri	Good	38	0 ₃	1
83	Meerut	Poor	239	PM _{2.5} , O ₃ , PM ₁₀	3
84	Moradabad	Poor	260	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Moderate	141	PM _{2.5}	18
86	Muzaffarnagar	Poor	235	PM _{2.5}	1
87	Muzaffarpur	Moderate	108	PM _{2.5} , PM ₁₀	2
88	Mysuru	Good	33	PM ₁₀	1
89	Naharlagun	Good	49	PM ₁₀	1
90	Narnaul	Moderate	105	PM _{2.5}	1
91	Nashik	Satisfactory	89	PM _{2.5}	1
92	Navi Mumbai	Moderate	130	PM _{2.5} , PM ₁₀	2
93	Noida	Moderate	192	PM ₁₀ , PM _{2.5}	4
94	Pali	Moderate	111	PM ₁₀	1
95	Palwal	Moderate	117	PM ₁₀	1
96	Panchkula	Moderate	102	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Moderate	190	PM _{2.5}	1
98	Patiala	Moderate	113	PM ₁₀	1
99	Patna	Moderate	121	O ₃ , PM _{2.5} , PM ₁₀	5
100	Pithampur	Moderate	133	PM _{2.5}	1
101	Prayagraj	Poor	217	PM _{2.5}	3
102	Puducherry	Satisfactory	58	0 ₃	1
103	Pune	Satisfactory	55	со	3
104	Raichur	Moderate	123	PM ₁₀	1
105	Rajamahendravaram	Moderate	115	PM ₁₀	1
106	Ramanagara	Good	48	0 ₃	1
107	Ratlam	Moderate	124	PM ₁₀	1
108	Rohtak	Poor	222	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Satisfactory	94	PM ₁₀	1
110	Sagar	Satisfactory	52	PM _{2.5}	1
111	Satna	Satisfactory	66	PM ₁₀	1
112	Shivamogga	Good	45	PM ₁₀	1
113	Siliguri	Good	48	PM _{2.5}	1
114	Singrauli	Poor	201	PM ₁₀	1
115	Sirsa	Moderate	137	PM ₁₀	1
116	Sonipat	Moderate	164	PM ₁₀	1
117	Srinagar	Satisfactory	51	PM ₁₀	1
118	Talcher	Satisfactory	60	PM _{2.5}	1
119	Thane	Moderate	183	PM ₁₀	1
120	Thiruvananthapuram	Good	36	РМ ₁₀ , СО	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Good	39	PM ₁₀	1
122	Tirupati	Satisfactory	88	PM _{2.5}	1
123	Udaipur	Moderate	106	PM ₁₀	1
124	Udupi	Moderate	104	СО	1
125	Ujjain	Moderate	159	0 ₃	1
126	Vapi	Moderate	175	PM _{2.5}	1
127	Varanasi	Satisfactory	84	PM ₁₀ , PM _{2.5}	4
128	Vijayapura	Satisfactory	63	PM _{2.5}	1
129	Visakhapatnam	Moderate	184	PM _{2.5}	1
130	Vrindavan	Moderate	181	PM _{2.5}	1
131	Yadgir	Satisfactory	89	PM ₁₀	1
132	Yamunanagar	Poor	236	PM _{2.5}	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Karnal, Kohima, Maihar, Motihari, Nagpur, Nandesari, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.