

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	28	PM ₁₀	1
2	Agra	Poor	274	PM _{2.5}	5
3	Ahmedabad	Moderate	171	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	35	PM ₁₀	1
5	Ajmer	Satisfactory	96	PM _{2.5}	1
6	Alwar	Satisfactory	84	PM ₁₀	1
7	Amaravati	Satisfactory	62	PM _{2.5}	1
8	Ambala	Moderate	146	PM ₁₀	1
9	Amritsar	Moderate	130	PM ₁₀	1
10	Ankleshwar	Poor	233	PM _{2.5}	1
11	Asansol	Satisfactory	71	0 ₃	1
12	Bagalkot	Satisfactory	62	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	307	PM _{2.5}	1
14	Ballabgarh	Poor	290	PM _{2.5}	1
15	Bathinda	Satisfactory	91	PM _{2.5}	1
16	Bengaluru	Moderate	117	NO ₂ , CO, PM _{2.5}	7
17	Bhiwadi	Very Poor	303	PM _{2.5}	1
18	Bhiwani	Poor	233	PM _{2.5}	1
19	Bhopal	Moderate	158	PM ₁₀	1
20	Bidar	Satisfactory	94	PM ₁₀	1
21	Bilaspur	Satisfactory	52	со	1
22	Brajrajnagar	Satisfactory	65	0 ₃	1
23	Bulandshahr	Poor	299	PM _{2.5}	1
24	Chamarajanagar	Good	43	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	164	О ₃ , РМ ₁₀	2
26	Chandrapur	Satisfactory	98	PM _{2.5} , PM ₁₀	2
27	Charkhi Dadri	Poor	266	PM _{2.5}	1
28	Chennai	Satisfactory	71	PM _{2.5} , PM ₁₀	5
29	Chikkaballapur	Satisfactory	72	PM _{2.5}	1
30	Chikkamagaluru	Satisfactory	62	PM _{2.5}	1
31	Davanagere	Satisfactory	77	PM ₁₀	1
32	Delhi	Poor	284	PM ₁₀ , PM _{2.5}	36
33	Dewas	Moderate	112	PM _{2.5}	1
34	Durgapur	Moderate	105	PM ₁₀	1
35	Faridabad	Poor	264	PM _{2.5} , PM ₁₀	2
36	Fatehabad	Moderate	171	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Moderate	161	PM _{2.5}	1
38	Gandhinagar	Moderate	157	PM _{2.5} , PM ₁₀	2
39	Gaya	Satisfactory	68	PM _{2.5}	2
40	Ghaziabad	Very Poor	349	PM _{2.5} , PM ₁₀	4
41	Gorakhpur	Satisfactory	82	PM _{2.5}	1
42	Greater Noida	Very Poor	330	PM _{2.5} , PM ₁₀	2
43	Gummidipoondi	Satisfactory	85	PM _{2.5}	1
44	Gurugram	Very Poor	308	PM ₁₀ , PM _{2.5}	3
45	Guwahati	Satisfactory	82	SO ₂ , PM ₁₀	2
46	Gwalior	Moderate	135	PM ₁₀	1
47	Hajipur	Satisfactory	80	PM _{2.5}	1
48	Haldia	Good	39	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Poor	291	PM _{2.5}	1
50	Hassan	Satisfactory	67	PM _{2.5}	1
51	Hisar	Poor	273	PM _{2.5}	1
52	Howrah	Good	44	CO, PM ₁₀	3
53	Hubballi	Satisfactory	96	PM ₁₀	1
54	Hyderabad	Moderate	145	PM _{2.5}	1
55	Indore	Moderate	170	PM ₁₀	1
56	Jabalpur	Moderate	118	PM ₁₀	1
57	Jaipur	Moderate	130	PM _{2.5} , 0 ₃	2
58	Jalandhar	Moderate	164	0 ₃	1
59	Jind	Poor	268	PM _{2.5}	1
60	Jodhpur	Moderate	171	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	143	PM ₁₀	1
62	Kalaburgi	Moderate	117	PM ₁₀	1
63	Kalyan	Moderate	137	PM ₁₀	1
64	Kannur	Satisfactory	70	PM ₁₀	1
65	Kanpur	Moderate	171	PM _{2.5} , PM ₁₀	4
66	Karnal	Very Poor	326	PM _{2.5}	1
67	Katni	Moderate	123	PM ₁₀	1
68	Khanna	Moderate	170	PM _{2.5}	1
69	Kochi	Good	46	со	1
70	Kolar	Satisfactory	64	со	1
71	Kolkata	Good	46	PM _{2.5} , O ₃ , PM ₁₀	7
72	Kollam	Satisfactory	90	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	74	O ₃	1
74	Kota	Moderate	122	PM _{2.5}	1
75	Kozhikode	Satisfactory	57	PM ₁₀	1
76	Kurukshetra	Poor	229	PM _{2.5}	1
77	Lucknow	Poor	212	PM ₁₀ , PM _{2.5}	5
78	Mandi Gobindgarh	Moderate	170	PM ₁₀	1
79	Mandideep	Moderate	165	PM ₁₀	1
80	Mandikhera	Moderate	104	PM _{2.5}	1
81	Manesar	Very Poor	317	PM _{2.5}	1
82	Manglore	Satisfactory	69	PM ₁₀	1
83	Medikeri	Good	46	PM ₁₀	1
84	Meerut	Poor	280	PM _{2.5} , PM ₁₀	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	257	PM _{2.5}	1
86	Mumbai	Moderate	107	PM _{2.5} , PM ₁₀ , O ₃	18
87	Muzaffarnagar	Poor	240	PM ₁₀	1
88	Muzaffarpur	Moderate	122	PM _{2.5} , PM ₁₀	2
89	Mysuru	Good	41	PM ₁₀	1
90	Nashik	Satisfactory	81	O ₃	1
91	Navi Mumbai	Satisfactory	92	PM ₁₀ , PM _{2.5}	2
92	Noida	Very Poor	312	PM ₁₀ , PM _{2.5}	2
93	Pali	Satisfactory	100	PM ₁₀	1
94	Palwal	Moderate	107	PM ₁₀	1
95	Panchkula	Moderate	111	PM _{2.5}	1
96	Panipat	Poor	292	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	112	PM ₁₀	1
98	Patna	Moderate	106	PM _{2.5} , PM ₁₀	5
99	Pithampur	Moderate	119	PM _{2.5}	1
100	Prayagraj	Moderate	193	PM _{2.5}	3
101	Puducherry	Good	46	0 ₃	1
102	Pune	Satisfactory	82	NO ₂ , PM _{2.5} , CO	4
103	Raichur	Moderate	126	PM ₁₀	1
104	Rajamahendravaram	Good	49	PM ₁₀	1
105	Ramanagara	Satisfactory	58	0 ₃	1
106	Ratlam	Moderate	141	PM ₁₀	1
107	Rohtak	Poor	261	PM _{2.5}	1
108	Rupnagar	Moderate	115	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	60	PM ₁₀	1
110	Shivamogga	Good	38	PM ₁₀	1
111	Siliguri	Satisfactory	51	PM _{2.5}	1
112	Singrauli	Moderate	130	PM ₁₀	1
113	Sirsa	Moderate	168	PM ₁₀	1
114	Sonipat	Poor	210	PM ₁₀	1
115	Srinagar	Satisfactory	58	PM _{2.5}	1
116	Talcher	Satisfactory	51	PM ₁₀	1
117	Thane	Moderate	185	0 ₃	1
118	Thiruvananthapuram	Good	32	PM ₁₀	2
119	Thoothukudi	Satisfactory	60	СО	1
120	Tirupati	Satisfactory	76	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	104	PM ₁₀	1
122	Udupi	Moderate	110	СО	1
123	Ujjain	Moderate	135	PM ₁₀	1
124	Vapi	Moderate	139	PM ₁₀	1
125	Varanasi	Satisfactory	76	PM ₁₀	4
126	Vijayapura	Satisfactory	62	PM _{2.5}	1
127	Visakhapatnam	Good	26	СО	1
128	Vrindavan	Poor	292	PM _{2.5}	1
129	Yadgir	Satisfactory	88	PM ₁₀	1
130	Yamunanagar	Poor	265	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bahadurgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kohima, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Sagar, Shillong, Solapur, Thrissur, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.