

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	26	SO ₂	1
2	Agra	Moderate	178	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	148	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	26	SO ₂	1
5	Ajmer	Satisfactory	91	PM _{2.5}	1
6	Alwar	Satisfactory	97	PM _{2.5}	1
7	Amaravati	Good	44	PM _{2.5}	1
8	Ambala	Moderate	141	PM ₁₀	1
9	Amritsar	Moderate	137	PM ₁₀	1
10	Ankleshwar	Poor	252	PM _{2.5}	1
11	Asansol	Good	40	O ₃	1
12	Bagalkot	Satisfactory	54	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	325	PM _{2.5}	1
14	Bahadurgarh	Poor	269	PM _{2.5}	1
15	Ballabgarh	Poor	243	PM _{2.5}	1
16	Bathinda	Moderate	129	PM _{2.5}	1
17	Bengaluru	Satisfactory	62	CO, PM ₁₀ , O ₃	7
18	Bhiwadi	Very Poor	351	PM _{2.5}	1
19	Bhiwani	Poor	251	PM _{2.5}	1
20	Bhopal	Satisfactory	82	PM ₁₀	1
21	Bidar	Good	46	со	1
22	Bilaspur	Satisfactory	60	со	1
23	Brajrajnagar	Good	45	03	1
24	Bulandshahr	Poor	202	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Good	38	PM ₁₀	1
26	Chandigarh	Satisfactory	70	NO ₂ , PM ₁₀	2
27	Chandrapur	Good	44	03	2
28	Charkhi Dadri	Moderate	193	PM _{2.5}	1
29	Chennai	Good	48	PM ₁₀ , CO	5
30	Chikkaballapur	Satisfactory	58	PM _{2.5}	1
31	Chikkamagaluru	Satisfactory	56	PM _{2.5}	1
32	Davanagere	Satisfactory	73	PM ₁₀	1
33	Delhi	Poor	298	PM _{2.5}	31
34	Dewas	Satisfactory	62	PM ₁₀	1
35	Durgapur	Good	48	PM ₁₀	1
36	Faridabad	Very Poor	312	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	130	PM ₁₀	1
38	Firozabad	Moderate	116	PM _{2.5}	1
39	Gandhinagar	Moderate	143	PM _{2.5} , PM ₁₀	2
40	Gaya	Satisfactory	54	со	2
41	Ghaziabad	Very Poor	310	PM _{2.5}	3
42	Gorakhpur	Satisfactory	66	PM _{2.5}	1
43	Greater Noida	Poor	244	PM _{2.5}	2
44	Gummidipoondi	Satisfactory	80	PM ₁₀	1
45	Gurugram	Very Poor	332	PM _{2.5}	4
46	Guwahati	Satisfactory	75	SO ₂ , PM ₁₀	2
47	Gwalior	Moderate	104	PM ₁₀	1
48	Hajipur	Satisfactory	59	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	33	СО	1
50	Hapur	Poor	209	PM _{2.5}	1
51	Hassan	Satisfactory	59	PM _{2.5}	1
52	Hisar	Poor	285	PM _{2.5}	1
53	Howrah	Good	48	со	3
54	Hubballi	Satisfactory	97	PM ₁₀	1
55	Hyderabad	Good	47	PM _{2.5} , NO ₂ , PM ₁₀	4
56	Indore	Satisfactory	85	PM _{2.5}	1
57	Jabalpur	Good	44	PM ₁₀	1
58	Jaipur	Moderate	172	PM _{2.5}	3
59	Jalandhar	Moderate	149	PM _{2.5}	1
60	Jind	Poor	269	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	176	PM ₁₀	1
62	Kaithal	Poor	274	PM _{2.5}	1
63	Kalaburgi	Satisfactory	79	O ₃	1
64	Kalyan	Moderate	155	PM _{2.5}	1
65	Kannur	Good	50	PM ₁₀	1
66	Kanpur	Moderate	104	PM _{2.5}	4
67	Karnal	Poor	260	PM _{2.5}	1
68	Katni	Satisfactory	55	PM ₁₀	1
69	Khanna	Moderate	153	PM _{2.5}	1
70	Kolkata	Good	33	PM ₁₀ , O ₃ , CO	6
71	Kollam	Satisfactory	90	со	1
72	Koppal	Good	42	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	120	PM _{2.5}	1
74	Kurukshetra	Poor	230	PM _{2.5}	1
75	Lucknow	Moderate	114	PM _{2.5} , PM ₁₀	6
76	Mandi Gobindgarh	Moderate	119	PM ₁₀	1
77	Mandideep	Satisfactory	96	PM ₁₀	1
78	Mandikhera	Moderate	153	PM _{2.5}	1
79	Manesar	Very Poor	321	PM _{2.5}	1
80	Manglore	Satisfactory	60	со	1
81	Medikeri	Good	26	PM _{2.5}	1
82	Meerut	Moderate	152	PM _{2.5}	2
83	Moradabad	Moderate	176	PM _{2.5}	1
84	Mumbai	Moderate	153	PM _{2.5} , PM ₁₀ , O ₃	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	127	PM _{2.5}	1
86	Muzaffarpur	Satisfactory	54	CO, PM ₁₀	2
87	Mysuru	Good	48	PM ₁₀	1
88	Nashik	Satisfactory	72	PM ₁₀	1
89	Navi Mumbai	Moderate	171	PM _{2.5} , PM ₁₀	3
90	Noida	Poor	288	PM _{2.5} , PM ₁₀	4
91	Pali	Moderate	106	PM ₁₀	1
92	Palwal	Moderate	103	PM ₁₀	1
93	Panipat	Very Poor	354	PM _{2.5}	1
94	Patiala	Moderate	116	PM ₁₀	1
95	Patna	Satisfactory	65	PM ₁₀	5
96	Pithampur	Satisfactory	99	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Prayagraj	Satisfactory	92	PM ₁₀ , PM _{2.5}	2
98	Puducherry	Satisfactory	57	03	1
99	Pune	Satisfactory	69	PM _{2.5} , CO, PM ₁₀	5
100	Raichur	Satisfactory	77	PM ₁₀	1
101	Rajamahendravaram	Satisfactory	63	PM _{2.5}	1
102	Ramanagara	Satisfactory	53	03	1
103	Ratlam	Moderate	125	PM _{2.5}	1
104	Rohtak	Very Poor	308	PM _{2.5}	1
105	Rupnagar	Moderate	115	PM ₁₀	1
106	Satna	Satisfactory	51	PM ₁₀	1
107	Shivamogga	Good	39	PM ₁₀	1
108	Siliguri	Good	32	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Satisfactory	93	PM ₁₀	1
110	Sirsa	Moderate	146	PM ₁₀	1
111	Sonipat	Poor	267	PM ₁₀	1
112	Srinagar	Good	44	PM ₁₀	1
113	Talcher	Satisfactory	51	со	1
114	Thane	Poor	211	PM ₁₀	1
115	Thiruvananthapuram	Good	44	PM ₁₀	2
116	Thoothukudi	Satisfactory	51	PM ₁₀	1
117	Tirupati	Good	47	со	1
118	Udaipur	Moderate	110	PM ₁₀	1
119	Ujjain	Satisfactory	95	PM ₁₀	1
120	Vapi	Moderate	152	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Good	47	PM ₁₀	4
122	Vatva	Poor	207	PM ₁₀	1
123	Vijayapura	Good	50	PM _{2.5}	1
124	Visakhapatnam	Satisfactory	83	PM ₁₀	1
125	Vrindavan	Poor	203	PM _{2.5}	1
126	Yadgir	Good	44	PM ₁₀	1
127	Yamunanagar	Moderate	184	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Kohima, Kolar, Kozhikode, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Panchkula, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.