

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	26	SO ₂	1
2	Agra	Good	28	PM ₁₀ , SO ₂	4
3	Ahmedabad	Moderate	126	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	26	SO ₂	1
5	Ajmer	Satisfactory	69	PM _{2.5}	1
6	Alwar	Good	50	PM ₁₀	1
7	Amaravati	Satisfactory	58	0 ₃	1
8	Ambala	Good	43	PM ₁₀	1
9	Amritsar	Moderate	120	PM ₁₀	1
10	Ankleshwar	Poor	208	PM _{2.5}	1
11	Bagalkot	Satisfactory	54	PM _{2.5}	1
12	Baghpat	Good	26	0 ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Good	38	O ₃	1
14	Ballabgarh	Good	32	PM ₁₀	1
15	Bathinda	Good	42	PM _{2.5}	1
16	Bengaluru	Satisfactory	72	CO, PM ₁₀ , O ₃	7
17	Bhiwadi	Satisfactory	58	PM _{2.5}	1
18	Bhiwani	Good	50	O ₃	1
19	Bhopal	Satisfactory	56	NO ₂	1
20	Bilaspur	Good	46	PM ₁₀	1
21	Brajrajnagar	Good	44	со	1
22	Bulandshahr	Good	38	0 ₃	1
23	Chamarajanagar	Good	47	PM _{2.5}	1
24	Chandigarh	Good	46	NO ₂ , CO	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	44	О ₃ , РМ ₁₀	2
26	Charkhi Dadri	Good	24	PM _{2.5}	1
27	Chennai	Satisfactory	74	CO, PM ₁₀ , PM _{2.5}	5
28	Chikkaballapur	Satisfactory	64	PM ₁₀	1
29	Chikkamagaluru	Good	37	PM _{2.5}	1
30	Delhi	Good	46	CO, PM ₁₀	30
31	Dewas	Good	45	PM ₁₀	1
32	Faridabad	Satisfactory	55	O ₃ , CO	2
33	Fatehabad	Satisfactory	66	PM ₁₀	1
34	Firozabad	Good	26	СО	1
35	Gandhinagar	Moderate	102	PM _{2.5} , PM ₁₀	2
36	Gaya	Good	49	СО	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Good	45	со	2
38	Gorakhpur	Good	21	PM ₁₀	1
39	Greater Noida	Good	38	СО	2
40	Gummidipoondi	Satisfactory	78	PM ₁₀	1
41	Gurugram	Good	36	PM _{2.5}	2
42	Guwahati	Satisfactory	80	SO ₂ , PM ₁₀	2
43	Gwalior	Good	29	со	1
44	Haldia	Good	28	со	1
45	Hassan	Satisfactory	60	PM ₁₀	1
46	Hisar	Satisfactory	79	PM _{2.5}	1
47	Howrah	Good	43	СО	3
48	Hubballi	Satisfactory	85	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	90	PM _{2.5} , PM ₁₀	2
50	Indore	Satisfactory	58	NO ₂	1
51	Jabalpur	Good	44	O ₃	1
52	Jaipur	Good	42	СО	2
53	Jalandhar	Satisfactory	71	PM _{2.5}	1
54	Jind	Good	47	PM _{2.5}	1
55	Jodhpur	Moderate	139	PM _{2.5}	1
56	Kaithal	Good	43	PM ₁₀	1
57	Kalyan	Moderate	132	PM ₁₀	1
58	Kannur	Satisfactory	76	PM ₁₀	1
59	Kanpur	Good	35	PM ₁₀ , CO, PM _{2.5}	4
60	Karnal	Good	33	NO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Good	42	O ₃	1
62	Khanna	Satisfactory	52	PM ₁₀	1
63	Kolar	Satisfactory	72	СО	1
64	Kolkata	Good	29	О ₃ , РМ ₁₀ , СО	6
65	Kollam	Satisfactory	91	со	1
66	Koppal	Satisfactory	55	O ₃	1
67	Kota	Satisfactory	56	PM ₁₀	1
68	Kurukshetra	Good	27	PM ₁₀	1
69	Lucknow	Good	48	PM ₁₀ , NO ₂ , CO	5
70	Mandideep	Satisfactory	53	SO ₂	1
71	Manesar	Good	29	PM ₁₀	1
72	Manglore	Satisfactory	69	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Good	50	CO, O ₃	2
74	Moradabad	Satisfactory	83	СО	1
75	Mumbai	Moderate	102	PM _{2.5} , PM ₁₀	19
76	Muzaffarnagar	Satisfactory	58	СО	1
77	Muzaffarpur	Good	32	со	1
78	Mysuru	Satisfactory	62	PM ₁₀	1
79	Nashik	Satisfactory	71	O ₃	1
80	Navi Mumbai	Moderate	114	PM ₁₀ , PM _{2.5}	3
81	Noida	Good	45	CO, O ₃	3
82	Pali	Satisfactory	98	PM ₁₀	1
83	Panchkula	Good	45	0 ₃	1
84	Panipat	Good	44	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patiala	Good	34	PM ₁₀	1
86	Patna	Good	41	CO, PM ₁₀ , O ₃	5
87	Pithampur	Satisfactory	58	O ₃	1
88	Prayagraj	Satisfactory	57	PM ₁₀ , O ₃	2
89	Puducherry	Satisfactory	54	O ₃	1
90	Pune	Satisfactory	70	CO, PM _{2.5} , PM ₁₀	4
91	Raichur	Moderate	114	PM ₁₀	1
92	Rajamahendravaram	Good	49	PM ₁₀	1
93	Ramanagara	Satisfactory	52	O ₃	1
94	Ratlam	Satisfactory	60	PM _{2.5}	1
95	Rohtak	Satisfactory	74	NO ₂	1
96	Rupnagar	Satisfactory	63	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Good	49	PM ₁₀	1
98	Shivamogga	Good	39	PM ₁₀	1
99	Siliguri	Good	28	СО	1
100	Singrauli	Satisfactory	60	СО	1
101	Sirsa	Moderate	127	PM ₁₀	1
102	Sonipat	Good	34	PM ₁₀	1
103	Srinagar	Good	46	0 ₃	1
104	Talcher	Good	37	со	1
105	Thane	Moderate	163	PM ₁₀	1
106	Thiruvananthapuram	Good	48	PM ₁₀	2
107	Thoothukudi	Satisfactory	60	PM ₁₀	1
108	Tirupati	Satisfactory	78	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Udaipur	Satisfactory	92	PM _{2.5}	1
110	Ujjain	Satisfactory	61	O ₃	1
111	Vapi	Moderate	113	PM ₁₀	1
112	Varanasi	Good	27	CO, PM ₁₀	4
113	Vatva	Moderate	159	PM _{2.5}	1
114	Vijayapura	Good	50	PM ₁₀	1
115	Visakhapatnam	Satisfactory	67	PM ₁₀	1
116	Vrindavan	Good	13	со	1
117	Yadgir	Satisfactory	86	PM ₁₀	1
118	Yamunanagar	Satisfactory	67	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Asansol, Aurangabad,

Bettiah, Bidar, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kochi, Kohima, Kozhikode, Ludhiana, Maihar, Mandi Gobindgarh, Mandikhera, Medikeri, Motihari, Nagpur, Naharlagun, Nandesari, Narnaul, Palwal, Sagar, Shillong, Solapur, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.