

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	53	PM ₁₀ , O ₃ , PM _{2.5}	5
2	Ahmedabad	Moderate	109	PM _{2.5} , PM ₁₀	6
3	Ajmer	Satisfactory	51	PM _{2.5}	1
4	Alwar	Satisfactory	54	PM ₁₀	1
5	Amaravati	Satisfactory	93	PM ₁₀	1
6	Ambala	Satisfactory	71	PM ₁₀	1
7	Amritsar	Satisfactory	65	PM ₁₀	1
8	Ankleshwar	Moderate	199	PM _{2.5}	1
9	Bagalkot	Good	40	PM _{2.5}	1
10	Baghpat	Satisfactory	63	PM ₁₀	1
11	Bahadurgarh	Satisfactory	68	O ₃	1
12	Ballabgarh	Satisfactory	82	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	76	CO, O ₃ , PM ₁₀	7
14	Bhiwadi	Moderate	110	PM ₁₀	1
15	Bhiwani	Satisfactory	67	NO ₂	1
16	Bhopal	Satisfactory	61	03	1
17	Bilaspur	Satisfactory	74	со	1
18	Bulandshahr	Satisfactory	69	03	1
19	Chamarajanagar	Good	45	PM ₁₀	1
20	Chandigarh	Satisfactory	96	O ₃ , PM ₁₀	2
21	Chandrapur	Satisfactory	82	O ₃ , PM ₁₀	2
22	Charkhi Dadri	Good	46	PM _{2.5}	1
23	Chennai	Satisfactory	78	PM _{2.5} , CO, PM ₁₀	6
24	Chikkaballapur	Satisfactory	98	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	47	NO ₂	1
26	Davanagere	Satisfactory	57	PM ₁₀	1
27	Delhi	Satisfactory	69	PM _{2.5} , PM ₁₀ , CO	36
28	Dewas	Satisfactory	68	PM ₁₀	1
29	Durgapur	Satisfactory	68	PM ₁₀	1
30	Faridabad	Satisfactory	92	O ₃ , PM ₁₀ , PM _{2.5}	4
31	Fatehabad	Satisfactory	80	03	1
32	Firozabad	Good	35	PM _{2.5}	1
33	Gandhinagar	Moderate	142	PM _{2.5} , PM ₁₀	2
34	Gaya	Satisfactory	54	со	2
35	Ghaziabad	Satisfactory	77	PM _{2.5} , PM ₁₀	3
36	Gorakhpur	Good	17	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Satisfactory	78	PM ₁₀ , O ₃	2
38	Gummidipoondi	Moderate	121	PM ₁₀	1
39	Gurugram	Satisfactory	81	O ₃ , PM ₁₀ , PM _{2.5}	4
40	Guwahati	Satisfactory	64	SO ₂	2
41	Gwalior	Good	46	03	1
42	Hajipur	Good	49	со	1
43	Haldia	Good	27	03	1
44	Hapur	Good	50	PM _{2.5}	1
45	Hassan	Satisfactory	69	PM ₁₀	1
46	Hisar	Satisfactory	65	NO ₂	1
47	Howrah	Good	44	со	3
48	Hubballi	Satisfactory	79	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	92	PM ₁₀ , PM _{2.5}	5
50	Indore	Moderate	106	PM ₁₀	1
51	Jabalpur	Good	42	PM ₁₀	1
52	Jaipur	Satisfactory	67	PM _{2.5} , O ₃ , PM ₁₀	3
53	Jalandhar	Satisfactory	80	PM ₁₀	1
54	Jind	Satisfactory	64	PM _{2.5}	1
55	Jodhpur	Moderate	125	PM _{2.5}	1
56	Kaithal	Satisfactory	79	PM ₁₀	1
57	Kalyan	Moderate	120	PM ₁₀	1
58	Kanpur	Good	28	PM ₁₀ , PM _{2.5} , CO	4
59	Karnal	Satisfactory	56	PM _{2.5}	1
60	Katni	Satisfactory	52	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Satisfactory	58	PM ₁₀	1
62	Kochi	Satisfactory	58	NO ₂	1
63	Kohima	Satisfactory	57	PM ₁₀	1
64	Kolar	Satisfactory	76	PM ₁₀	1
65	Kolkata	Good	32	PM _{2.5} , PM ₁₀ , CO	6
66	Kollam	Satisfactory	91	со	1
67	Koppal	Good	39	03	1
68	Kota	Good	41	PM ₁₀	1
69	Kozhikode	Satisfactory	55	PM ₁₀	1
70	Kurukshetra	Moderate	150	O ₃	1
71	Lucknow	Good	38	PM ₁₀ , CO	5
72	Ludhiana	Satisfactory	61	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	130	PM _{2.5}	1
74	Mandideep	Good	34	PM ₁₀	1
75	Manesar	Satisfactory	63	PM _{2.5}	1
76	Manglore	Moderate	102	PM ₁₀	1
77	Medikeri	Satisfactory	55	PM ₁₀	1
78	Meerut	Satisfactory	98	O ₃ , PM ₁₀	3
79	Moradabad	Satisfactory	69	со	1
80	Mumbai	Satisfactory	94	PM _{2.5} , PM ₁₀ , CO	17
81	Muzaffarnagar	Satisfactory	73	со	1
82	Muzaffarpur	Good	50	CO, O ₃	2
83	Mysuru	Satisfactory	65	PM ₁₀	1
84	Narnaul	Good	41	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	61	PM ₁₀	1
86	Navi Mumbai	Satisfactory	94	PM ₁₀ , PM _{2.5}	3
87	Noida	Satisfactory	79	CO, O ₃ , PM ₁₀	3
88	Pali	Satisfactory	82	PM ₁₀	1
89	Palwal	Satisfactory	60	PM ₁₀	1
90	Panchkula	Good	50	03	1
91	Panipat	Satisfactory	77	PM ₁₀	1
92	Patiala	Satisfactory	76	PM ₁₀	1
93	Patna	Good	39	CO, O ₃ , PM ₁₀	5
94	Pithampur	Satisfactory	80	03	1
95	Prayagraj	Good	30	PM ₁₀ , CO	3
96	Puducherry	Satisfactory	69	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	60	PM _{2.5} , CO	4
98	Raichur	Moderate	133	PM ₁₀	1
99	Rajamahendravaram	Satisfactory	81	PM ₁₀	1
100	Ramanagara	Satisfactory	52	PM ₁₀	1
101	Ratlam	Satisfactory	88	PM ₁₀	1
102	Rohtak	Satisfactory	78	NO ₂	1
103	Rupnagar	Satisfactory	70	PM ₁₀	1
104	Satna	Good	44	PM ₁₀	1
105	Shivamogga	Good	42	PM ₁₀	1
106	Singrauli	Satisfactory	57	со	1
107	Sonipat	Satisfactory	73	PM ₁₀	1
108	Srinagar	Good	28	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Good	36	O ₃	1
110	Thane	Moderate	150	PM ₁₀	1
111	Thiruvananthapuram	Satisfactory	54	PM ₁₀ , CO	2
112	Thoothukudi	Satisfactory	75	PM ₁₀	1
113	Tirupati	Satisfactory	75	PM ₁₀	1
114	Udaipur	Moderate	130	PM _{2.5}	1
115	Udupi	Moderate	108	СО	1
116	Ujjain	Moderate	101	PM ₁₀	1
117	Vapi	Satisfactory	87	PM ₁₀	1
118	Varanasi	Good	28	PM ₁₀ , CO	4
119	Vatva	Moderate	146	NO ₂	1
120	Vijayapura	Good	50	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Moderate	103	PM ₁₀	1
122	Vrindavan	Good	43	PM ₁₀	1
123	Yadgir	Satisfactory	90	PM ₁₀	1
124	Yamunanagar	Satisfactory	66	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Notes: Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Dharuhera, Eloor, Ernakulam, Gadag, Jorapokhar, Kalaburgi, Kannur, Maihar, Mandikhera, Motihari, Nagpur, Naharlagun, Nandesari, Sagar, Shillong, Siliguri, Sirsa, Solapur, Thrissur as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.