



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	26	SO <sub>2</sub>	1
2	Agra	Moderate	119	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	114	PM <sub>10</sub> , PM <sub>2.5</sub>	5
4	Ajmer	Moderate	104	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	73	PM <sub>2.5</sub>	1
6	Amaravati	Satisfactory	95	PM <sub>10</sub>	1
7	Amritsar	Moderate	114	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	163	PM <sub>2.5</sub>	1
9	Bagalkot	Good	50	PM <sub>2.5</sub>	1
10	Baghpat	Poor	239	PM <sub>2.5</sub>	1
11	Bahadurgarh	Poor	215	PM <sub>2.5</sub>	1
12	Ballabgarh	Very Poor	339	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	90	PM <sub>10</sub>	1
14	Bengaluru	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	8
15	Bhiwadi	Poor	234	PM <sub>2.5</sub>	1
16	Bhiwani	Moderate	176	PM <sub>2.5</sub>	1
17	Bhopal	Satisfactory	100	PM <sub>10</sub>	1
18	Bilaspur	Satisfactory	65	PM <sub>10</sub>	1
19	Bulandshahr	Poor	250	PM <sub>2.5</sub>	1
20	Chamarajanagar	Good	49	PM <sub>10</sub>	1
21	Chandigarh	Moderate	142	O <sub>3</sub> , PM <sub>10</sub>	2
22	Chandrapur	Moderate	121	PM <sub>2.5</sub> , PM <sub>10</sub>	2
23	Charkhi Dadri	Moderate	190	PM <sub>2.5</sub>	1
24	Chennai	Satisfactory	78	PM <sub>2.5</sub> , PM <sub>10</sub>	5

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	89	PM <sub>10</sub>	1
26	Chikkamagaluru	Good	37	PM <sub>10</sub>	1
27	Davanagere	Satisfactory	59	PM <sub>10</sub>	1
28	Delhi	Poor	221	PM <sub>10</sub> , PM <sub>2.5</sub>	37
29	Dewas	Satisfactory	98	PM <sub>2.5</sub>	1
30	Dharuhera	Moderate	153	PM <sub>2.5</sub>	1
31	Durgapur	Satisfactory	88	PM <sub>10</sub>	1
32	Faridabad	Poor	224	PM <sub>2.5</sub> , O <sub>3</sub>	4
33	Fatehabad	Moderate	130	PM <sub>10</sub>	1
34	Firozabad	Satisfactory	86	PM <sub>2.5</sub>	1
35	Gandhinagar	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	3
36	Gaya	Satisfactory	53	CO	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Poor	278	PM <sub>2.5</sub>	4
38	Gorakhpur	Good	31	PM <sub>2.5</sub>	1
39	Greater Noida	Poor	260	PM <sub>2.5</sub>	2
40	Gummidipoondi	Moderate	128	PM <sub>10</sub>	1
41	Gurugram	Poor	235	PM <sub>2.5</sub>	3
42	Guwahati	Satisfactory	62	SO <sub>2</sub>	2
43	Gwalior	Satisfactory	75	O <sub>3</sub>	1
44	Hajipur	Good	38	CO	1
45	Haldia	Good	29	CO	1
46	Hapur	Poor	253	PM <sub>2.5</sub>	1
47	Hassan	Satisfactory	62	PM <sub>10</sub>	1
48	Hisar	Poor	202	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Good	50	CO	3
50	Hubballi	Satisfactory	81	PM <sub>10</sub>	1
51	Hyderabad	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub>	5
52	Indore	Moderate	128	PM <sub>10</sub>	1
53	Jabalpur	Satisfactory	100	PM <sub>10</sub>	1
54	Jaipur	Moderate	132	PM <sub>2.5</sub>	2
55	Jalandhar	Moderate	168	PM <sub>2.5</sub>	1
56	Jind	Poor	268	PM <sub>2.5</sub>	1
57	Jodhpur	Poor	201	PM <sub>2.5</sub>	1
58	Kalaburgi	Moderate	108	PM <sub>10</sub>	1
59	Kalyan	Moderate	114	PM <sub>10</sub>	1
60	Kanpur	Satisfactory	68	PM <sub>2.5</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Poor	205	PM <sub>2.5</sub>	1
62	Katni	Moderate	111	PM <sub>10</sub>	1
63	Khanna	Moderate	183	PM <sub>2.5</sub>	1
64	Kochi	Satisfactory	53	NO <sub>2</sub>	1
65	Kohima	Good	37	SO <sub>2</sub>	1
66	Kolkata	Good	36	O <sub>3</sub> , PM <sub>10</sub> , CO	7
67	Kollam	Satisfactory	89	CO	1
68	Koppal	Good	42	CO	1
69	Kota	Satisfactory	73	PM <sub>2.5</sub>	1
70	Kurukshetra	Moderate	194	PM <sub>2.5</sub>	1
71	Lucknow	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	6
72	Ludhiana	Moderate	167	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	144	PM <sub>10</sub>	1
74	Mandideep	Satisfactory	78	PM <sub>10</sub>	1
75	Mandikhera	Satisfactory	89	PM <sub>2.5</sub>	1
76	Manesar	Poor	226	PM <sub>2.5</sub>	1
77	Manglore	Satisfactory	98	PM <sub>10</sub>	1
78	Medikeri	Good	49	PM <sub>10</sub>	1
79	Meerut	Poor	245	PM <sub>2.5</sub> , O <sub>3</sub>	3
80	Moradabad	Moderate	158	PM <sub>2.5</sub>	1
81	Mumbai	Satisfactory	87	PM <sub>2.5</sub> , PM <sub>10</sub>	17
82	Muzaffarnagar	Moderate	193	PM <sub>2.5</sub>	1
83	Muzaffarpur	Satisfactory	52	CO, PM <sub>2.5</sub>	2
84	Mysuru	Satisfactory	73	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	115	PM <sub>2.5</sub>	1
86	Nashik	Satisfactory	77	O <sub>3</sub>	1
87	Navi Mumbai	Satisfactory	87	PM <sub>10</sub> , PM <sub>2.5</sub>	3
88	Noida	Poor	240	PM <sub>2.5</sub>	4
89	Pali	Moderate	101	PM <sub>10</sub>	1
90	Palwal	Satisfactory	60	PM <sub>10</sub>	1
91	Panchkula	Moderate	104	PM <sub>2.5</sub>	1
92	Panipat	Moderate	167	PM <sub>10</sub>	1
93	Patiala	Moderate	121	PM <sub>10</sub>	1
94	Patna	Satisfactory	51	CO, NO <sub>2</sub> , PM <sub>10</sub>	4
95	Pithampur	Satisfactory	96	PM <sub>2.5</sub>	1
96	Prayagraj	Good	46	PM <sub>10</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	66	PM <sub>2.5</sub> , CO	4
98	Rajamahendravaram	Satisfactory	94	PM <sub>10</sub>	1
99	Ramanagara	Satisfactory	79	PM <sub>10</sub>	1
100	Ratlam	Satisfactory	83	PM <sub>10</sub>	1
101	Rohtak	Poor	243	PM <sub>2.5</sub>	1
102	Satna	Satisfactory	55	PM <sub>10</sub>	1
103	Shivamogga	Good	41	PM <sub>10</sub>	1
104	Singrauli	Satisfactory	79	O <sub>3</sub>	1
105	Sirsa	Moderate	109	PM <sub>10</sub>	1
106	Sonipat	Moderate	153	PM <sub>10</sub>	1
107	Srinagar	Good	46	PM <sub>10</sub>	1
108	Thiruvananthapuram	Satisfactory	73	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thoothukudi	Satisfactory	75	PM <sub>10</sub>	1
110	Tirupati	Satisfactory	94	PM <sub>10</sub>	1
111	Udaipur	Moderate	111	PM <sub>2.5</sub>	1
112	Udupi	Satisfactory	100	CO	1
113	Ujjain	Moderate	121	PM <sub>10</sub>	1
114	Vapi	Satisfactory	96	PM <sub>10</sub>	1
115	Varanasi	Good	34	O <sub>3</sub> , PM <sub>10</sub>	4
116	Vatva	Moderate	115	NO <sub>2</sub>	1
117	Vijayapura	Satisfactory	52	PM <sub>2.5</sub>	1
118	Visakhapatnam	Moderate	140	PM <sub>10</sub>	1
119	Vrindavan	Moderate	111	PM <sub>10</sub>	1
120	Yadgir	Satisfactory	87	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Oct 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Moderate	156	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Ambala, Asansol, Aurangabad, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kaithal, Kannur, Kolar, Kozhikode, Maihar, Motihari, Nagpur, Naharlagun, Narnaul, Puducherry, Raichur, Rupnagar, Sagar, Shillong, Siliguri, Solapur, Talcher, Thane, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.