

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	239	PM _{2.5}	1
2	Agra	Poor	248	PM _{2.5}	4
3	Ahmedabad	Moderate	146	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	63	PM ₁₀	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Moderate	137	PM _{2.5}	1
7	Amaravati	Satisfactory	82	PM _{2.5}	1
8	Ambala	Poor	273	PM _{2.5}	1
9	Amritsar	Moderate	149	PM ₁₀	1
10	Asansol	Poor	201	PM _{2.5}	1
11	Aurangabad	Satisfactory	82	PM ₁₀	1
12	Bagalkot	Satisfactory	71	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	345	PM _{2.5}	1
14	Bahadurgarh	Very Poor	372	PM _{2.5}	1
15	Ballabgarh	Poor	262	PM _{2.5}	1
16	Bathinda	Moderate	142	PM ₁₀	1
17	Bengaluru	Satisfactory	82	PM _{2.5} , PM ₁₀	10
18	Bettiah	Poor	293	PM ₁₀	1
19	Bhagalpur	Poor	300	PM _{2.5}	2
20	Bhilai	Satisfactory	73	PM ₁₀	1
21	Bhiwadi	Very Poor	386	PM _{2.5}	1
22	Bhiwani	Poor	242	PM _{2.5}	1
23	Bhopal	Moderate	136	PM _{2.5}	1
24	Bilaspur	Moderate	103	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Satisfactory	97	03	1
26	Bulandshahr	Very Poor	330	PM ₁₀	1
27	Chamarajanagar	Good	34	PM ₁₀	1
28	Chandigarh	Moderate	130	PM _{2.5} , PM ₁₀	2
29	Chandrapur	Moderate	148	PM _{2.5}	2
30	Charkhi Dadri	Very Poor	392	PM _{2.5}	1
31	Chennai	Good	36	O ₃ , PM _{2.5} , CO	8
32	Chikkaballapur	Satisfactory	66	PM _{2.5}	1
33	Coimbatore	Satisfactory	72	NO ₂	1
34	Damoh	Moderate	114	PM ₁₀	1
35	Darbhanga	Very Poor	332	PM _{2.5}	1
36	Delhi	Severe	402	PM _{2.5} , PM ₁₀	36

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dewas	Satisfactory	66	PM ₁₀	1
38	Dharuhera	Very Poor	332	PM _{2.5}	1
39	Durgapur	Very Poor	334	PM _{2.5}	1
40	Eloor	Satisfactory	77	PM ₁₀	1
41	Ernakulam	Satisfactory	72	PM _{2.5}	1
42	Faridabad	Severe	416	PM ₁₀ , PM _{2.5}	4
43	Fatehabad	Poor	250	PM _{2.5}	1
44	Firozabad	Poor	245	PM _{2.5}	1
45	Gandhinagar	Satisfactory	89	PM _{2.5} , PM ₁₀	3
46	Gaya	Poor	240	PM _{2.5}	3
47	Ghaziabad	Very Poor	368	PM _{2.5}	4
48	Gorakhpur	Very Poor	322	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Very Poor	352	PM _{2.5} , PM ₁₀	2
50	Gurugram	Very Poor	362	PM _{2.5}	4
51	Guwahati	Poor	206	PM _{2.5}	1
52	Gwalior	Moderate	168	PM _{2.5}	2
53	Hajipur	Very Poor	319	PM _{2.5}	1
54	Haldia	Moderate	164	PM _{2.5}	1
55	Hapur	Very Poor	327	PM _{2.5}	1
56	Hassan	Satisfactory	53	PM _{2.5}	1
57	Hisar	Very Poor	381	PM _{2.5}	1
58	Howrah	Poor	267	PM _{2.5}	3
59	Hyderabad	Moderate	127	PM _{2.5} , PM ₁₀	5
60	Indore	Moderate	105	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jabalpur	Moderate	161	PM ₁₀	1
62	Jaipur	Moderate	168	PM _{2.5}	3
63	Jalandhar	Moderate	142	PM _{2.5}	1
64	Jind	Very Poor	335	PM _{2.5}	1
65	Jodhpur	Moderate	191	PM _{2.5}	1
66	Jorapokhar	Satisfactory	63	PM ₁₀	1
67	Kaithal	Poor	264	PM _{2.5}	1
68	Kalaburgi	Moderate	163	PM _{2.5}	1
69	Kalyan	Moderate	164	PM _{2.5}	1
70	Kannur	Satisfactory	95	PM _{2.5}	1
71	Kanpur	Very Poor	308	PM _{2.5}	4
72	Katihar	Severe	422	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katni	Poor	262	PM ₁₀	1
74	Khanna	Moderate	162	PM _{2.5}	1
75	Kohima	Moderate	116	PM _{2.5}	1
76	Kolkata	Poor	212	PM _{2.5} , PM ₁₀	6
77	Kollam	Moderate	112	PM ₁₀	1
78	Koppal	Satisfactory	52	03	1
79	Kota	Moderate	151	PM _{2.5}	1
80	Kozhikode	Satisfactory	54	PM ₁₀	1
81	Kurukshetra	Poor	294	PM _{2.5}	1
82	Lucknow	Very Poor	317	PM _{2.5} , PM ₁₀	6
83	Ludhiana	Poor	203	PM _{2.5}	1
84	Maihar	Moderate	111	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandideep	Poor	242	PM ₁₀	1
86	Mandikhera	Moderate	123	PM _{2.5}	1
87	Manesar	Very Poor	354	PM _{2.5}	1
88	Medikeri	Good	49	PM ₁₀	1
89	Meerut	Very Poor	380	PM _{2.5}	1
90	Moradabad	Poor	224	PM _{2.5}	2
91	Motihari	Very Poor	383	PM _{2.5}	1
92	Mumbai	Moderate	152	PM _{2.5} , PM ₁₀	21
93	Muzaffarnagar	Very Poor	309	PM _{2.5}	1
94	Muzaffarpur	Very Poor	326	PM _{2.5} , PM ₁₀	3
95	Mysuru	Good	49	PM ₁₀	1
96	Nagpur	Satisfactory	76	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Naharlagun	Moderate	131	O ₃	1
98	Nandesari	Satisfactory	62	СО	1
99	Narnaul	Poor	283	PM _{2.5}	1
100	Nashik	Moderate	106	PM _{2.5}	1
101	Navi Mumbai	Moderate	183	PM _{2.5} , PM ₁₀	3
102	Noida	Very Poor	381	PM ₁₀ , PM _{2.5}	4
103	Pali	Moderate	138	PM _{2.5}	1
104	Palwal	Poor	222	PM ₁₀	1
105	Panchkula	Moderate	145	PM _{2.5}	1
106	Panipat	Moderate	170	PM _{2.5}	1
107	Patiala	Poor	211	PM _{2.5}	1
108	Patna	Very Poor	328	PM _{2.5} , PM ₁₀	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pithampur	Moderate	155	PM _{2.5}	1
110	Prayagraj	Very Poor	312	PM _{2.5}	2
111	Puducherry	Good	45	03	1
112	Pune	Moderate	112	PM _{2.5}	2
113	Purnia	Very Poor	332	PM _{2.5}	1
114	Raichur	Moderate	139	PM ₁₀	1
115	Rajamahendravaram	Satisfactory	99	PM _{2.5}	1
116	Rajgir	Very Poor	342	PM _{2.5}	1
117	Ramanagara	Satisfactory	72	PM _{2.5}	1
118	Ratlam	Moderate	129	PM ₁₀	1
119	Rohtak	Very Poor	311	PM _{2.5}	1
120	Rupnagar	Poor	236	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sasaram	Very Poor	360	PM _{2.5}	1
122	Satna	Satisfactory	78	PM ₁₀	1
123	Shivamogga	Good	44	PM ₁₀	1
124	Siliguri	Satisfactory	86	PM ₁₀	1
125	Singrauli	Very Poor	344	PM _{2.5}	1
126	Sirsa	Poor	233	PM _{2.5}	1
127	Siwan	Severe	435	PM _{2.5}	1
128	Solapur	Moderate	101	PM ₁₀	1
129	Sonipat	Poor	283	PM _{2.5}	1
130	Srinagar	Moderate	117	PM ₁₀	1
131	Talcher	Moderate	114	PM _{2.5}	1
132	Thane	Poor	204	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thiruvananthapuram	Satisfactory	54	PM ₁₀ , CO	2
134	Thoothukudi	Good	18	PM ₁₀	1
135	Tirupati	Satisfactory	75	PM _{2.5}	1
136	Udaipur	Moderate	130	PM ₁₀	1
137	Ujjain	Moderate	130	PM ₁₀	1
138	Vapi	Moderate	171	PM _{2.5}	1
139	Varanasi	Poor	280	PM _{2.5}	4
140	Vatva	Poor	228	PM ₁₀	1
141	Vijayapura	Satisfactory	64	PM _{2.5}	1
142	Visakhapatnam	Moderate	153	PM _{2.5}	1
143	Vrindavan	Poor	274	PM _{2.5}	1
144	Yadgir	Satisfactory	84	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yamunanagar	Very Poor	308	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	erate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Chhapra, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Karnal, Kishanganj, Kochi, Kolar, Mandi Gobindgarh, Manglore, Munger, Sagar, Saharsa, Shillong, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.