Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	66	PM_{10}	2
2	Agra	Satisfactory	98	O_3, $PM_{2.5}$, PM_{10}	6
3	Ahmedabad	Poor	224	$PM_{2.5}$	7
4	Aizawl	Good	40	PM_{10}	1
5	Ajmer	Moderate	135	PM_{10}	1
6	Alwar	Satisfactory	94	PM_{10}	1
7	Amaravati	Satisfactory	72	O_3	1
8	Ambala	Moderate	186	$PM_{2.5}$	1
9	Amritsar	Satisfactory	90	PM_{10}	1
10	Ankleshwar	Moderate	148	$PM_{2.5}$	1
11	Arrah	Moderate	126	PM_{10}	1
12	Asansol	Satisfactory	98	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	159	PM_{10}	1
14	Aurangabad (Maharashtra)	Moderate	111	PM_{10}	1
15	Baddi	Moderate	112	PM_{10}	1
16	Bagalkot	Good	50	$PM_{2.5}$	1
17	Baghpat	Moderate	174	$PM_{2.5}$	1
18	Bahadurgarh	Moderate	193	$PM_{2.5}$	1
19	Ballabgarh	Moderate	115	PM_{10}	1
20	Bathinda	Satisfactory	82	PM_{10}	1
21	Bengaluru	Satisfactory	77	$PM_{2.5}$, CO, PM_{10}	9
22	Bhagalpur	Moderate	110	PM_{10}	2
23	Bhiwadi	Poor	226	PM_{10}	1
24	Bhopal	Moderate	152	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	150	PM_{10}	1
26	Bihar Sharif	Moderate	168	PM_{10}	1
27	Bilaspur	Satisfactory	51	PM_{10}	1
28	Brajrajnagar	Satisfactory	69	PM_{10}	1
29	Bulandshahr	Moderate	184	O_3	1
30	Buxar	Moderate	129	PM_{10}	1
31	Chamarajanagar	Good	42	PM_{10}	1
32	Chandigarh	Moderate	162	O_3, $PM_{2.5}$, PM_{10}	3
33	Chandrapur	Moderate	105	PM_{10}	2
34	Charkhi Dadri	Poor	275	$PM_{2.5}$	1
35	Chennai	Satisfactory	80	PM_{10}	6
36	Chhapra	Moderate	105	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	72	PM_{10}	1
38	Chikkamagaluru	Good	50	PM_{10}	1
39	Coimbatore	Good	49	PM_{10}	1
40	Damoh	Satisfactory	73	PM_{10}	1
41	Davanagere	Satisfactory	59	PM_{10}	1
42	Delhi	Poor	206	PM_{10}, O_3	36
43	Dewas	Moderate	195	$PM_{2.5}$	1
44	Durgapur	Moderate	144	PM_{10}	1
45	Eloor	Satisfactory	63	PM_{10}	1
46	Ernakulam	Satisfactory	54	NO_2	1
47	Faridabad	Poor	215	$PM_{2.5}$, PM_{10}	3
48	Fatehabad	Poor	224	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	126	PM_{10}, O_3	2
50	Gandhinagar	Poor	218	$PM_{2.5}$, PM_{10}	3
51	Gaya	Moderate	135	O_3, $PM_{2.5}$, PM_{10}	3
52	Ghaziabad	Poor	242	PM_{10}, O_3	4
53	Gorakhpur	Good	45	O_3	1
54	Greater Noida	Moderate	184	PM_{10}	2
55	Gummidipoondi	Good	42	PM_{10}	1
56	Gurugram	Moderate	187	$PM_{2.5}$, PM_{10}	4
57	Guwahati	Satisfactory	92	PM_{10}	2
58	Gwalior	Moderate	149	PM_{10}	1
59	Hajipur	Satisfactory	90	$PM_{2.5}$	1
60	Haldia	Satisfactory	58	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	207	$PM_{2.5}$	1
62	Hassan	Satisfactory	66	PM_{10}	1
63	Haveri	Satisfactory	69	PM_{10}	1
64	Hisar	Poor	244	$PM_{2.5}$	1
65	Howrah	Satisfactory	72	$PM_{2.5}$, PM_{10}	2
66	Hubballi	Moderate	102	PM_{10}	1
67	Hyderabad	Moderate	109	PM_{10}	5
68	Imphal	Satisfactory	76	SO_2	1
69	Indore	Moderate	161	PM_{10}	1
70	Jabalpur	Moderate	157	PM_{10}	1
71	Jaipur	Moderate	184	$PM_{2.5}$, PM_{10}	2
72	Jalandhar	Satisfactory	96	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	173	PM_{10}	1
74	Jind	Very Poor	307	$PM_{2.5}$	1
75	Jodhpur	Poor	251	PM_{10}	1
76	Kaithal	Poor	231	$PM_{2.5}$	1
77	Kalaburgi	Moderate	117	PM_{10}	1
78	Kalyan	Moderate	156	PM_{10}	1
79	Kannur	Satisfactory	72	PM_{10}	1
80	Kanpur	Moderate	152	O_3, PM_{10}	2
81	Katihar	Moderate	125	PM_{10}	1
82	Katni	Moderate	155	PM_{10}	1
83	Khanna	Satisfactory	98	PM_{10}	1
84	Kishanganj	Satisfactory	86	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Moderate	137	CO	1
86	Kohima	Satisfactory	77	PM_{10}	1
87	Kolkata	Satisfactory	83	PM_{10}, NO_2, O_3	6
88	Kollam	Satisfactory	83	PM_{10}	1
89	Koppal	Satisfactory	57	PM_{10}	1
90	Kozhikode	Satisfactory	73	PM_{10}	1
91	Kurukshetra	Poor	271	$PM_{2.5}$	1
92	Lucknow	Moderate	121	$PM_{2.5}$, PM_{10}, O_3	6
93	Ludhiana	Moderate	129	$PM_{2.5}$	1
94	Madikeri	Good	48	PM_{10}	1
95	Mandi Gobindgarh	Moderate	156	$PM_{2.5}$	1
96	Mandideep	Moderate	101	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	101	PM_{10}	1
98	Manglore	Satisfactory	71	NO_2	1
99	Manguraha	Good	32	O_3	1
100	Meerut	Moderate	193	$PM_{2.5}$, PM_{10}	3
101	Moradabad	Moderate	111	PM_{10}	4
102	Motihari	Moderate	108	O_3	1
103	Mumbai	Moderate	189	PM_{10}, $PM_{2.5}$	16
104	Muzaffarpur	Satisfactory	76	PM_{10}, $PM_{2.5}$	2
105	Mysuru	Satisfactory	55	O_3	1
106	Nagpur	Poor	201	$PM_{2.5}$	1
107	Naharlagun	Satisfactory	65	SO_2	1
108	Narnaul	Poor	216	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	161	PM_{10}	3
110	Noida	Poor	224	PM_{10}, O_3	4
111	Palwal	Moderate	107	PM_{10}	1
112	Panchkula	Moderate	104	$PM_{2.5}$	1
113	Panipat	Poor	272	$PM_{2.5}$	1
114	Patiala	Moderate	119	PM_{10}	1
115	Patna	Moderate	138	$PM_{2.5}$, O_3, PM_{10}	6
116	Pithampur	Moderate	138	PM_{10}	1
117	Prayagraj	Satisfactory	100	PM_{10}	3
118	Pune	Poor	236	$PM_{2.5}$	4
119	Purnia	Moderate	104	$PM_{2.5}$	1
120	Raichur	Moderate	111	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	50	PM_{10}	1
122	Rajgir	Satisfactory	92	PM_{10}	1
123	Ramanagara	Satisfactory	60	PM_{10}	1
124	Ratlam	Moderate	162	$PM_{2.5}$	1
125	Rohtak	Moderate	198	$PM_{2.5}$	1
126	Rupnagar	Satisfactory	73	PM_{10}	1
127	Sagar	Moderate	103	$PM_{2.5}$	1
128	Samastipur	Moderate	189	PM_{10}	1
129	Sasaram	Moderate	177	O_3	1
130	Satna	Satisfactory	65	PM_{10}	1
131	Shillong	Good	38	$PM_{2.5}$, PM_{10}	2
132	Shivamogga	Satisfactory	64	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Poor	246	PM_{10}	1
134	Siwan	Moderate	119	PM_{10}	1
135	Solapur	Satisfactory	85	PM_{10}	1
136	Sonipat	Very Poor	399	PM_{10}	1
137	Srinagar	Good	42	PM_{10}	1
138	Talcher	Satisfactory	53	O_3	1
139	Thiruvananthapuram	Good	36	$PM_{2.5}$	2
140	Thoothukudi	Good	48	PM_{10}	1
141	Tirupati	Moderate	126	$PM_{2.5}$	1
142	Udaipur	Moderate	157	PM_{10}	1
143	Ujjain	Moderate	193	PM_{10}	1
144	Varanasi	Satisfactory	93	O_3, PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	134	PM_{10}	1
146	Vijayapura	Satisfactory	51	PM_{10}	1
147	Visakhapatnam	Moderate	107	PM_{10}	1
148	Vrindavan	Satisfactory	84	PM_{10}	1
149	Yadgir	Satisfactory	85	PM_{10}	1
150	Yamunanagar	Poor	206	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bhiwani, Darbhanga, Dehradun, Dharuhera, Gadag, Gangtok, Jorapokhar, Karnal, Kolar, Kota, Maihar, Manesar, Munger, Muzaffarnagar, Nandesari, Nashik, Pali, Puducherry, Saharsa, Siliguri, Sirsa, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.