



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	60	PM <sub>10</sub>	2
2	Agra	Moderate	110	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	4
4	Aizawl	Good	40	PM <sub>10</sub>	1
5	Ajmer	Moderate	110	PM <sub>10</sub>	1
6	Alwar	Moderate	103	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	71	PM <sub>10</sub>	1
8	Ambala	Moderate	140	PM <sub>10</sub>	1
9	Amritsar	Moderate	107	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	113	PM <sub>10</sub>	1
11	Araria	Poor	209	PM <sub>2.5</sub>	1
12	Arrah	Moderate	128	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO <sub>2</sub>	1
14	Aurangabad (Bihar)	Moderate	147	PM <sub>10</sub>	1
15	Aurangabad (Maharashtra)	Moderate	112	PM <sub>10</sub>	1
16	Baddi	Moderate	160	PM <sub>10</sub>	1
17	Bagalkot	Good	50	PM <sub>2.5</sub>	1
18	Baghpat	Moderate	104	CO	1
19	Bathinda	Moderate	113	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	76	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	6
21	Bhagalpur	Moderate	146	PM <sub>10</sub>	2
22	Bhiwadi	Poor	212	PM <sub>2.5</sub>	1
23	Bhopal	Moderate	173	PM <sub>10</sub>	1
24	Bihar Sharif	Moderate	161	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhillai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonapat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	59	PM <sub>10</sub>	1
26	Bulandshahr	Moderate	127	PM <sub>10</sub>	1
27	Buxar	Moderate	165	PM <sub>2.5</sub>	1
28	Chamarajanagar	Good	45	PM <sub>10</sub>	1
29	Chandigarh	Moderate	182	O <sub>3</sub> , PM <sub>10</sub>	3
30	Chandrapur	Moderate	146	PM <sub>10</sub>	2
31	Chennai	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub>	4
32	Chhapra	Moderate	129	PM <sub>10</sub>	1
33	Chikkaballapur	Satisfactory	90	PM <sub>10</sub>	1
34	Coimbatore	Good	50	PM <sub>10</sub>	1
35	Damoh	Good	34	PM <sub>2.5</sub>	1
36	Davanagere	Satisfactory	94	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhillai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dehradun	Moderate	113	PM <sub>10</sub>	1
38	Delhi	Moderate	171	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	32
39	Dewas	Moderate	150	PM <sub>10</sub>	1
40	Durgapur	Moderate	150	PM <sub>10</sub>	1
41	Eloor	Satisfactory	62	PM <sub>10</sub>	1
42	Ernakulam	Satisfactory	54	NO <sub>2</sub>	1
43	Faridabad	Moderate	184	PM <sub>10</sub> , PM <sub>2.5</sub>	2
44	Fatehabad	Moderate	154	PM <sub>10</sub>	1
45	Firozabad	Moderate	116	O <sub>3</sub> , PM <sub>10</sub>	2
46	Gandhinagar	Moderate	157	PM <sub>2.5</sub> , PM <sub>10</sub>	3
47	Gaya	Moderate	106	PM <sub>10</sub> , CO	3
48	Ghaziabad	Moderate	192	O <sub>3</sub> , PM <sub>10</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Good	47	PM <sub>2.5</sub>	1
50	Greater Noida	Moderate	169	O <sub>3</sub> , PM <sub>10</sub>	2
51	Gummidipoondi	Good	39	PM <sub>10</sub>	1
52	Gurugram	Poor	218	PM <sub>2.5</sub>	3
53	Guwahati	Satisfactory	66	PM <sub>10</sub>	2
54	Gwalior	Moderate	132	O <sub>3</sub>	1
55	Hajipur	Satisfactory	84	PM <sub>10</sub>	1
56	Haldia	Good	40	CO	1
57	Hapur	Moderate	140	PM <sub>10</sub>	1
58	Hassan	Satisfactory	86	PM <sub>10</sub>	1
59	Haveri	Satisfactory	81	PM <sub>10</sub>	1
60	Hisar	Poor	248	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonapat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Good	39	PM <sub>10</sub>	3
62	Hubballi	Moderate	112	PM <sub>10</sub>	1
63	Hyderabad	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	5
64	Imphal	Satisfactory	78	SO <sub>2</sub>	1
65	Indore	Moderate	165	PM <sub>10</sub>	1
66	Jabalpur	Moderate	167	PM <sub>10</sub>	1
67	Jaipur	Poor	204	PM <sub>2.5</sub> , PM <sub>10</sub>	3
68	Jalandhar	Moderate	170	PM <sub>10</sub>	1
69	Jhansi	Moderate	159	PM <sub>10</sub>	1
70	Jind	Poor	235	PM <sub>2.5</sub>	1
71	Kaithal	Moderate	141	PM <sub>10</sub>	1
72	Kalyan	Moderate	112	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonapat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Satisfactory	91	PM <sub>10</sub>	3
74	Karnal	Moderate	108	PM <sub>10</sub>	1
75	Katihar	Moderate	146	PM <sub>10</sub>	1
76	Katni	Moderate	164	O <sub>3</sub>	1
77	Khanna	Moderate	132	PM <sub>10</sub>	1
78	Kishanganj	Moderate	135	PM <sub>10</sub>	1
79	Kohima	Satisfactory	63	PM <sub>10</sub>	1
80	Kolkata	Satisfactory	56	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	6
81	Kollam	Moderate	135	PM <sub>10</sub>	1
82	Kota	Poor	265	PM <sub>2.5</sub>	1
83	Kozhikode	Satisfactory	70	PM <sub>10</sub>	1
84	Kurukshetra	Moderate	192	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonapat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Lucknow	Satisfactory	89	PM <sub>2.5</sub> , PM <sub>10</sub>	5
86	Ludhiana	Moderate	178	PM <sub>2.5</sub>	1
87	Madikeri	Satisfactory	84	PM <sub>10</sub>	1
88	Mandi Gobindgarh	Moderate	172	PM <sub>2.5</sub>	1
89	Mandideep	Moderate	110	PM <sub>10</sub>	1
90	Mandikhera	Satisfactory	100	PM <sub>10</sub>	1
91	Manesar	Poor	227	PM <sub>2.5</sub>	1
92	Manglore	Satisfactory	97	NO <sub>2</sub>	1
93	Meerut	Moderate	135	PM <sub>10</sub>	3
94	Moradabad	Satisfactory	64	PM <sub>10</sub> , CO	3
95	Motihari	Moderate	119	O <sub>3</sub>	1
96	Mumbai	Moderate	117	PM <sub>2.5</sub> , PM <sub>10</sub>	16

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Munger	Moderate	199	PM <sub>2.5</sub>	1
98	Muzaffarnagar	Moderate	166	PM <sub>2.5</sub>	1
99	Muzaffarpur	Satisfactory	90	PM <sub>2.5</sub>	2
100	Mysuru	Satisfactory	55	PM <sub>10</sub>	1
101	Nagpur	Poor	248	PM <sub>2.5</sub>	1
102	Naharlagun	Satisfactory	69	SO <sub>2</sub>	1
103	Narnaul	Moderate	142	PM <sub>2.5</sub>	1
104	Navi Mumbai	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	2
105	Noida	Moderate	178	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
106	Pali	Moderate	138	PM <sub>10</sub>	1
107	Palwal	Moderate	124	PM <sub>10</sub>	1
108	Panchkula	Moderate	165	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panipat	Moderate	150	PM <sub>10</sub>	1
110	Patiala	Moderate	117	PM <sub>10</sub>	1
111	Patna	Moderate	132	PM <sub>10</sub> , NO <sub>2</sub>	5
112	Pithampur	Moderate	138	PM <sub>10</sub>	1
113	Prayagraj	Satisfactory	92	PM <sub>10</sub>	3
114	Puducherry	Satisfactory	74	PM <sub>10</sub>	1
115	Pune	Moderate	177	PM <sub>2.5</sub>	5
116	Purnia	Moderate	175	PM <sub>2.5</sub>	1
117	Raichur	Moderate	113	PM <sub>10</sub>	1
118	Rajamahendravaram	Satisfactory	64	PM <sub>10</sub>	1
119	Rajgir	Satisfactory	84	PM <sub>10</sub>	1
120	Ramanagara	Satisfactory	72	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Moderate	134	PM <sub>10</sub>	1
122	Rohtak	Moderate	131	PM <sub>2.5</sub>	1
123	Rupnagar	Satisfactory	97	PM <sub>10</sub>	1
124	Sagar	Moderate	143	PM <sub>2.5</sub>	1
125	Samastipur	Moderate	183	PM <sub>10</sub>	1
126	Sasaram	Moderate	115	PM <sub>10</sub>	1
127	Satna	Satisfactory	64	PM <sub>10</sub>	1
128	Shillong	Good	42	PM <sub>10</sub>	1
129	Shivamogga	Satisfactory	58	PM <sub>10</sub>	1
130	Singrauli	Poor	224	PM <sub>10</sub>	1
131	Sirsa	Moderate	159	PM <sub>10</sub>	1
132	Siwan	Moderate	168	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Talcher	Satisfactory	86	CO	1
134	Thane	Moderate	138	PM <sub>10</sub>	1
135	Thiruvananthapuram	Satisfactory	54	PM <sub>10</sub>	2
136	Thoothukudi	Poor	228	O <sub>3</sub>	1
137	Tirupati	Moderate	128	PM <sub>2.5</sub>	1
138	Udaipur	Moderate	130	PM <sub>10</sub>	1
139	Ujjain	Moderate	166	PM <sub>10</sub>	1
140	Varanasi	Satisfactory	76	O <sub>3</sub> , PM <sub>10</sub>	4
141	Vatva	Satisfactory	79	O <sub>3</sub>	1
142	Vijayapura	Satisfactory	52	PM <sub>10</sub>	1
143	Visakhapatnam	Satisfactory	63	PM <sub>10</sub>	1
144	Vrindavan	Moderate	104	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udipi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Satisfactory	93	PM <sub>10</sub>	1
146	Yamunanagar	Moderate	167	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Darbhanga, Dharuhera, Gadag, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kannur, Kochi, Kolar, Koppal, Maihar, Manguraha, Nandesari, Nashik, Saharsa, Siliguri, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.