

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	PM ₁₀	2
2	Agra	Satisfactory	93	O ₃ , PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	131	PM _{2.5} , PM ₁₀	4
4	Aizawl	Good	14	O ₃	1
5	Ajmer	Moderate	135	PM _{2.5}	1
6	Alwar	Moderate	105	PM ₁₀	1
7	Amaravati	Good	50	O ₃	1
8	Ambala	Moderate	133	PM _{2.5}	1
9	Amritsar	Moderate	152	PM ₁₀	1
10	Ankleshwar	Satisfactory	95	PM ₁₀	1
11	Araria	Satisfactory	86	PM ₁₀	1
12	Arrah	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO ₂	1
14	Aurangabad (Bihar)	Satisfactory	94	PM ₁₀	1
15	Aurangabad (Maharashtra)	Moderate	114	PM ₁₀	1
16	Baddi	Moderate	103	PM ₁₀	1
17	Bagalkot	Good	50	PM _{2.5}	1
18	Baghpat	Moderate	135	СО	1
19	Bahadurgarh	Moderate	146	PM ₁₀	1
20	Ballabgarh	Satisfactory	95	PM ₁₀	1
21	Bathinda	Moderate	115	PM ₁₀	1
22	Begusarai	Good	49	PM ₁₀	1
23	Bengaluru	Satisfactory	84	PM _{2.5} , PM ₁₀	9
24	Bhagalpur	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	167	PM _{2.5}	1
26	Bhopal	Moderate	168	PM ₁₀	1
27	Bihar Sharif	Moderate	114	PM ₁₀	1
28	Bilaspur	Satisfactory	53	PM ₁₀	1
29	Brajrajnagar	Satisfactory	55	со	1
30	Bulandshahr	Moderate	127	PM ₁₀	1
31	Chamarajanagar	Good	43	PM ₁₀	1
32	Chandigarh	Moderate	172	O ₃ , PM ₁₀	3
33	Chandrapur	Moderate	144	PM ₁₀	2
34	Chennai	Satisfactory	81	PM ₁₀ , CO	7
35	Chhapra	Satisfactory	98	PM ₁₀	1
36	Chikkaballapur	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	67	PM ₁₀	1
38	Coimbatore	Satisfactory	66	PM ₁₀	1
39	Damoh	Good	38	PM _{2.5}	1
40	Davanagere	Satisfactory	91	PM ₁₀	1
41	Delhi	Moderate	160	O ₃ , PM _{2.5}	36
42	Dewas	Moderate	193	PM ₁₀	1
43	Dharuhera	Moderate	180	PM ₁₀	1
44	Durgapur	Satisfactory	72	PM ₁₀	1
45	Eloor	Satisfactory	63	PM ₁₀	1
46	Ernakulam	Satisfactory	55	NO ₂	1
47	Faridabad	Moderate	155	PM ₁₀	3
48	Fatehabad	Moderate	148	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	130	O ₃ , PM ₁₀	2
50	Gadag	Satisfactory	54	PM _{2.5}	1
51	Gandhinagar	Moderate	152	PM _{2.5} , PM ₁₀	2
52	Gaya	Satisfactory	70	NO ₂ , CO, PM ₁₀	3
53	Ghaziabad	Moderate	199	O ₃ , PM ₁₀	4
54	Gorakhpur	Good	40	SO ₂	1
55	Greater Noida	Moderate	142	PM ₁₀	2
56	Gummidipoondi	Good	37	PM ₁₀	1
57	Gurugram	Moderate	147	PM _{2.5} , PM ₁₀	3
58	Guwahati	Good	48	PM ₁₀	2
59	Gwalior	Moderate	116	O ₃	1
60	Hajipur	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	44	со	1
62	Hapur	Satisfactory	99	PM _{2.5}	1
63	Hassan	Moderate	111	PM ₁₀	1
64	Haveri	Satisfactory	89	PM ₁₀	1
65	Hisar	Poor	238	PM _{2.5}	1
66	Howrah	Good	39	PM ₁₀ , CO, O ₃	3
67	Hubballi	Moderate	105	PM ₁₀	1
68	Hyderabad	Moderate	143	PM ₁₀ , PM _{2.5}	5
69	Imphal	Satisfactory	77	SO ₂	1
70	Indore	Moderate	156	PM ₁₀	1
71	Jabalpur	Moderate	149	PM ₁₀	1
72	Jaipur	Moderate	177	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	137	PM ₁₀	1
74	Jhansi	Moderate	142	PM ₁₀	1
75	Jind	Moderate	177	O ₃	1
76	Kaithal	Moderate	119	PM ₁₀	1
77	Kalyan	Good	37	со	1
78	Kannur	Satisfactory	84	PM ₁₀	1
79	Kanpur	Satisfactory	90	PM ₁₀	3
80	Karnal	Satisfactory	96	PM ₁₀	1
81	Katihar	Satisfactory	81	PM ₁₀	1
82	Katni	Moderate	117	PM ₁₀	1
83	Khanna	Moderate	113	PM ₁₀	1
84	Kishanganj	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Poor	276	PM _{2.5}	1
86	Kohima	Satisfactory	59	PM ₁₀	1
87	Kolkata	Good	46	NO ₂ , O ₃ , PM ₁₀	7
88	Kollam	Moderate	110	PM ₁₀	1
89	Koppal	Satisfactory	54	PM ₁₀	1
90	Kota	Poor	294	PM _{2.5}	1
91	Kozhikode	Satisfactory	68	PM ₁₀	1
92	Kurukshetra	Moderate	139	PM _{2.5}	1
93	Lucknow	Moderate	116	PM _{2.5} , PM ₁₀	6
94	Ludhiana	Moderate	147	PM _{2.5}	1
95	Madikeri	Satisfactory	59	PM ₁₀	1
96	Mandi Gobindgarh	Moderate	104	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	118	PM ₁₀	1
98	Mandikhera	Satisfactory	99	PM ₁₀	1
99	Manesar	Poor	207	PM _{2.5}	1
100	Manglore	Satisfactory	95	NO ₂	1
101	Meerut	Moderate	114	PM ₁₀	3
102	Moradabad	Satisfactory	92	O ₃ , CO, PM ₁₀	4
103	Motihari	Satisfactory	85	03	1
104	Mumbai	Moderate	114	PM ₁₀ , PM _{2.5} , O ₃	17
105	Munger	Moderate	114	PM ₁₀	1
106	Muzaffarnagar	Moderate	148	PM ₁₀	1
107	Muzaffarpur	Satisfactory	95	PM ₁₀	1
108	Mysuru	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Moderate	196	PM _{2.5}	1
110	Naharlagun	Satisfactory	67	SO ₂	1
111	Nandesari	Satisfactory	73	PM _{2.5}	1
112	Narnaul	Moderate	137	PM _{2.5}	1
113	Navi Mumbai	Satisfactory	76	PM ₁₀ , PM _{2.5}	2
114	Noida	Moderate	146	PM ₁₀	4
115	Pali	Moderate	162	PM _{2.5}	1
116	Palwal	Moderate	119	PM ₁₀	1
117	Panchkula	Satisfactory	85	PM _{2.5}	1
118	Panipat	Moderate	124	PM ₁₀	1
119	Patiala	Moderate	102	PM ₁₀	1
120	Patna	Moderate	115	PM ₁₀ , PM _{2.5} , NO ₂	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	138	PM ₁₀	1
122	Prayagraj	Satisfactory	87	PM ₁₀	3
123	Puducherry	Satisfactory	75	PM ₁₀	1
124	Pune	Moderate	129	PM _{2.5}	3
125	Purnia	Satisfactory	89	PM ₁₀	1
126	Raichur	Moderate	126	PM ₁₀	1
127	Rajamahendravaram	Good	32	PM ₁₀	1
128	Rajgir	Satisfactory	65	PM ₁₀	1
129	Ramanagara	Satisfactory	71	PM ₁₀	1
130	Ratlam	Poor	209	PM _{2.5}	1
131	Rohtak	Poor	248	PM _{2.5}	1
132	Rupnagar	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Michaellance

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sagar	Moderate	110	PM _{2.5}	1
134	Samastipur	Moderate	126	PM ₁₀	1
135	Satna	Satisfactory	63	PM ₁₀	1
136	Shillong	Good	32	PM ₁₀	2
137	Shivamogga	Satisfactory	57	PM ₁₀	1
138	Siliguri	Satisfactory	63	NO ₂	1
139	Singrauli	Moderate	187	PM ₁₀	1
140	Sirsa	Moderate	165	O ₃	1
141	Siwan	Moderate	119	PM ₁₀	1
142	Solapur	Moderate	103	PM ₁₀	1
143	Sonipat	Moderate	162	PM ₁₀	1
144	Srinagar	Good	45	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Talcher	Good	37	со	1
146	Thane	Moderate	126	PM ₁₀	1
147	Thiruvananthapuram	Satisfactory	54	PM ₁₀	1
148	Thoothukudi	Satisfactory	64	PM ₁₀	1
149	Tirupati	Satisfactory	91	PM ₁₀	1
150	Udaipur	Moderate	114	PM ₁₀	1
151	Ujjain	Moderate	188	PM ₁₀	1
152	Vapi	Satisfactory	77	PM ₁₀	1
153	Varanasi	Satisfactory	62	O ₃ , PM ₁₀	4
154	Vatva	Moderate	152	O ₃	1
155	Vijayapura	Satisfactory	56	PM ₁₀	1
156	Visakhapatnam	Good	41	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vrindavan	Satisfactory	91	PM ₁₀	1
158	Yadgir	Moderate	122	PM ₁₀	1
159	Yamunanagar	Moderate	187	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bhiwani, Bidar, Buxar, Charkhi Dadri, Darbhanga, Dehradun, Gangtok, Jodhpur, Jorapokhar, Kalaburgi, Kolar, Maihar, Manguraha, Nashik, Saharsa, Sasaram, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.