

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	40	PM ₁₀ , SO ₂	2
2	Agra	Moderate	101	O ₃ , PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	121	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	19	PM ₁₀	1
5	Ajmer	Moderate	122	PM _{2.5}	1
6	Alwar	Moderate	102	PM ₁₀	1
7	Amaravati	Good	39	0 ₃	1
8	Ambala	Moderate	103	PM _{2.5}	1
9	Amritsar	Satisfactory	97	PM ₁₀	1
10	Ankleshwar	Moderate	101	PM ₁₀	1
11	Araria	Satisfactory	72	0 ₃	1
12	Arrah	Moderate	102	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO ₂	1
14	Baddi	Moderate	156	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Moderate	152	0 ₃	1
17	Bahadurgarh	Moderate	136	PM ₁₀	1
18	Ballabgarh	Satisfactory	75	PM ₁₀	1
19	Bathinda	Satisfactory	81	PM ₁₀	1
20	Bengaluru	Satisfactory	74	РМ ₁₀ , СО	7
21	Bhagalpur	Moderate	114	PM ₁₀	2
22	Bhiwadi	Moderate	153	PM _{2.5}	1
23	Bhopal	Moderate	148	PM ₁₀	1
24	Bilaspur	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Satisfactory	56	со	1
26	Bulandshahr	Moderate	171	O ₃	1
27	Buxar	Moderate	108	со	1
28	Chamarajanagar	Good	46	PM ₁₀	1
29	Chandigarh	Moderate	183	О ₃ , РМ ₁₀	3
30	Chandrapur	Satisfactory	78	РМ ₁₀ , СО	2
31	Chennai	Satisfactory	71	CO, PM ₁₀ , PM _{2.5}	7
32	Chhapra	Moderate	103	PM ₁₀	1
33	Chikkaballapur	Satisfactory	71	PM ₁₀	1
34	Chikkamagaluru	Satisfactory	52	PM ₁₀	1
35	Damoh	Satisfactory	55	PM ₁₀	1
36	Darbhanga	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	64	PM ₁₀	1
38	Dehradun	Satisfactory	64	PM ₁₀	1
39	Delhi	Moderate	156	O ₃ , PM _{2.5}	38
40	Dewas	Moderate	173	PM ₁₀	1
41	Dharuhera	Moderate	167	PM ₁₀	1
42	Durgapur	Moderate	113	PM ₁₀	1
43	Eloor	Satisfactory	56	PM ₁₀	1
44	Ernakulam	Satisfactory	53	NO ₂	1
45	Faridabad	Moderate	140	PM _{2.5} , PM ₁₀	3
46	Fatehabad	Moderate	139	PM ₁₀	1
47	Firozabad	Satisfactory	88	PM ₁₀ , O ₃	2
48	Gadag	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	162	PM _{2.5} , PM ₁₀	3
50	Gaya	Satisfactory	91	O ₃ , CO, PM _{2.5}	3
51	Ghaziabad	Moderate	176	О ₃ , РМ ₁₀	4
52	Gorakhpur	Good	41	SO ₂	1
53	Greater Noida	Moderate	157	О ₃ , РМ ₁₀	2
54	Gummidipoondi	Good	30	PM ₁₀	1
55	Gurugram	Moderate	112	PM ₁₀ , PM _{2.5}	3
56	Guwahati	Good	36	PM _{2.5}	1
57	Hajipur	Satisfactory	68	PM _{2.5}	1
58	Haldia	Good	45	PM ₁₀	1
59	Hapur	Moderate	137	PM ₁₀	1
60	Hassan	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haveri	Satisfactory	74	PM ₁₀	1
62	Howrah	Satisfactory	53	РМ ₁₀ , СО	3
63	Hyderabad	Satisfactory	86	PM ₁₀ , PM _{2.5}	6
64	Imphal	Satisfactory	76	SO ₂	1
65	Indore	Moderate	171	PM ₁₀	1
66	Jabalpur	Moderate	135	PM ₁₀	1
67	Jaipur	Moderate	165	PM _{2.5} , PM ₁₀	2
68	Jalandhar	Poor	204	PM _{2.5}	1
69	Jhansi	Moderate	154	PM ₁₀	1
70	Jind	Moderate	184	0 ₃	1
71	Jodhpur	Moderate	198	PM _{2.5}	1
72	Kaithal	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalaburgi	Moderate	154	PM ₁₀	1
74	Kalyan	Moderate	104	PM ₁₀	1
75	Kannur	Satisfactory	75	PM ₁₀	1
76	Kanpur	Satisfactory	73	О ₃ , РМ ₁₀	3
77	Karnal	Satisfactory	81	PM ₁₀	1
78	Katihar	Satisfactory	90	PM ₁₀	1
79	Katni	Moderate	138	PM ₁₀	1
80	Khanna	Moderate	116	PM ₁₀	1
81	Kishanganj	Satisfactory	73	PM ₁₀	1
82	Kochi	Moderate	137	PM _{2.5}	1
83	Kohima	Good	47	SO ₂	1
84	Kolar	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	53	NO ₂ , PM ₁₀	7
86	Kollam	Satisfactory	83	PM ₁₀	1
87	Koppal	Satisfactory	54	PM ₁₀	1
88	Kota	Moderate	198	PM ₁₀	1
89	Kozhikode	Satisfactory	60	PM ₁₀	1
90	Kurukshetra	Moderate	117	0 ₃	1
91	Lucknow	Moderate	102	PM ₁₀	6
92	Ludhiana	Moderate	114	PM _{2.5}	1
93	Madikeri	Good	46	PM ₁₀	1
94	Maihar	Satisfactory	87	со	1
95	Mandideep	Satisfactory	100	PM ₁₀	1
96	Mandikhera	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	129	PM _{2.5}	1
98	Manglore	Moderate	106	NO ₂	1
99	Meerut	Moderate	114	PM ₁₀	3
100	Moradabad	Moderate	104	О ₃ , СО, РМ ₁₀	3
101	Motihari	Satisfactory	80	0 ₃	1
102	Mumbai	Moderate	118	PM ₁₀ , PM _{2.5}	17
103	Munger	Moderate	120	PM ₁₀	1
104	Muzaffarnagar	Moderate	150	PM ₁₀	1
105	Muzaffarpur	Satisfactory	84	PM ₁₀ , PM _{2.5}	2
106	Mysuru	Good	49	PM ₁₀	1
107	Nagpur	Moderate	172	0 ₃	1
108	Nandesari	Satisfactory	54	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Moderate	122	PM ₁₀	1
110	Navi Mumbai	Satisfactory	97	РМ ₁₀ , СО	3
111	Noida	Moderate	147	PM ₁₀	4
112	Pali	Moderate	168	PM _{2.5}	1
113	Palwal	Moderate	105	PM ₁₀	1
114	Panchkula	Moderate	106	PM _{2.5}	1
115	Panipat	Moderate	127	PM ₁₀	1
116	Patiala	Satisfactory	94	PM ₁₀	1
117	Patna	Moderate	111	PM ₁₀ , PM _{2.5} , NO ₂	6
118	Pithampur	Moderate	157	PM ₁₀	1
119	Prayagraj	Satisfactory	78	PM ₁₀	3
120	Puducherry	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Moderate	104	PM _{2.5} , CO, PM ₁₀	5
122	Purnia	Satisfactory	90	PM ₁₀	1
123	Raichur	Satisfactory	91	PM ₁₀	1
124	Rajamahendravaram	Good	21	СО	1
125	Ramanagara	Satisfactory	68	PM ₁₀	1
126	Rohtak	Moderate	182	PM _{2.5}	1
127	Rupnagar	Satisfactory	71	PM ₁₀	1
128	Sagar	Moderate	103	PM _{2.5}	1
129	Samastipur	Moderate	128	PM ₁₀	1
130	Satna	Satisfactory	66	PM ₁₀	1
131	Shillong	Good	15	со	2
132	Shivamogga	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Satisfactory	70	NO ₂	1
134	Singrauli	Satisfactory	92	NO ₂	1
135	Sirsa	Moderate	179	O ₃	1
136	Sonipat	Moderate	168	PM ₁₀	1
137	Srinagar	Satisfactory	69	PM ₁₀	1
138	Talcher	Moderate	101	со	1
139	Thane	Moderate	126	PM ₁₀	1
140	Thiruvananthapuram	Good	36	со	1
141	Thoothukudi	Good	49	PM ₁₀	1
142	Tirupati	Satisfactory	66	PM ₁₀	1
143	Udaipur	Moderate	124	PM ₁₀	1
144	Udupi	Satisfactory	80	0 ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Poor	207	PM ₁₀	1
146	Vapi	Satisfactory	81	PM _{2.5}	1
147	Varanasi	Satisfactory	77	0 ₃ , NO ₂	4
148	Vatva	Moderate	200	0 ₃	1
149	Vijayapura	Satisfactory	55	PM ₁₀	1
150	Visakhapatnam	Satisfactory	73	PM ₁₀	1
151	Yadgir	Moderate	101	PM ₁₀	1
152	Yamunanagar	Moderate	156	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Charkhi Dadri, Coimbatore, Gangtok, Gwalior, Hisar, Hubballi, Jorapokhar, Mandi Gobindgarh, Manguraha, Naharlagun, Nashik, Rajgir, Ratlam, Saharsa, Sasaram, Siwan, Solapur, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.