



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	57	PM <sub>10</sub>	2
2	Agra	Moderate	141	O <sub>3</sub> , PM <sub>10</sub>	5
3	Ahmedabad	Moderate	184	PM <sub>2.5</sub> , PM <sub>10</sub>	5
4	Aizawl	Good	44	PM <sub>10</sub>	1
5	Ajmer	Moderate	124	PM <sub>10</sub>	1
6	Alwar	Moderate	115	PM <sub>2.5</sub>	1
7	Amaravati	Satisfactory	69	O <sub>3</sub>	1
8	Ambala	Moderate	191	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	96	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	155	CO	1
11	Arrah	Moderate	120	PM <sub>10</sub>	1
12	Asansol	Satisfactory	88	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	190	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Moderate	105	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Baghat	Poor	202	PM <sub>2.5</sub>	1
17	Bahadurgarh	Poor	291	PM <sub>2.5</sub>	1
18	Ballabgarh	Poor	248	PM <sub>2.5</sub>	1
19	Bathinda	Satisfactory	81	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	83	PM <sub>10</sub>	7
21	Bhagalpur	Satisfactory	100	PM <sub>10</sub>	2
22	Bhiwadi	Very Poor	343	PM <sub>2.5</sub>	1
23	Bhopal	Moderate	146	PM <sub>10</sub>	1
24	Bihar Sharif	Moderate	104	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udipi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	245	PM <sub>10</sub>	1
26	Buxar	Moderate	140	PM <sub>10</sub>	1
27	Chamarajanagar	Good	37	PM <sub>10</sub>	1
28	Chandigarh	Poor	217	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
29	Chandrapur	Moderate	104	PM <sub>10</sub> , O <sub>3</sub>	2
30	Charkhi Dadri	Poor	252	PM <sub>2.5</sub>	1
31	Chennai	Satisfactory	69	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	7
32	Chhapra	Satisfactory	100	PM <sub>10</sub>	1
33	Chikkaballapur	Satisfactory	54	PM <sub>10</sub>	1
34	Chikkamagaluru	Satisfactory	55	PM <sub>10</sub>	1
35	Damoh	Satisfactory	63	PM <sub>10</sub>	1
36	Darbhanga	Satisfactory	76	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	90	PM <sub>10</sub>	1
38	Dehradun	Moderate	104	PM <sub>10</sub>	1
39	Delhi	Poor	270	PM <sub>10</sub> , PM <sub>2.5</sub>	29
40	Dewas	Moderate	177	PM <sub>10</sub>	1
41	Durgapur	Moderate	131	PM <sub>10</sub>	1
42	Ernakulam	Good	27	NO <sub>2</sub>	1
43	Faridabad	Poor	267	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
44	Fatehabad	Moderate	172	PM <sub>2.5</sub>	1
45	Firozabad	Moderate	119	PM <sub>10</sub> , PM <sub>2.5</sub>	2
46	Gandhinagar	Poor	210	PM <sub>2.5</sub> , PM <sub>10</sub>	3
47	Gangtok	Good	35	O <sub>3</sub>	1
48	Gaya	Moderate	145	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Poor	258	PM <sub>10</sub>	4
50	Gorakhpur	Satisfactory	54	O <sub>3</sub>	1
51	Greater Noida	Poor	267	PM <sub>10</sub>	2
52	Gummidipoondi	Good	49	PM <sub>10</sub>	1
53	Gurugram	Poor	235	PM <sub>10</sub> , PM <sub>2.5</sub>	3
54	Guwahati	Good	34	O <sub>3</sub> , CO	2
55	Gwalior	Moderate	149	PM <sub>10</sub>	1
56	Hajipur	Satisfactory	83	PM <sub>10</sub>	1
57	Haldia	Satisfactory	56	PM <sub>10</sub>	1
58	Hapur	Poor	246	PM <sub>2.5</sub>	1
59	Hassan	Satisfactory	93	PM <sub>10</sub>	1
60	Haveri	Satisfactory	90	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Moderate	197	PM <sub>2.5</sub>	1
62	Howrah	Satisfactory	56	PM <sub>10</sub>	2
63	Hubballi	Moderate	105	PM <sub>10</sub>	1
64	Hyderabad	Satisfactory	100	PM <sub>10</sub> , PM <sub>2.5</sub>	6
65	Imphal	Satisfactory	60	SO <sub>2</sub> , PM <sub>10</sub>	2
66	Indore	Moderate	156	PM <sub>10</sub>	1
67	Jabalpur	Moderate	123	PM <sub>10</sub>	1
68	Jaipur	Moderate	180	PM <sub>10</sub> , PM <sub>2.5</sub>	2
69	Jalandhar	Satisfactory	63	O <sub>3</sub>	1
70	Jhansi	Moderate	152	PM <sub>10</sub>	1
71	Jind	Poor	241	PM <sub>2.5</sub>	1
72	Jodhpur	Moderate	174	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udipi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	169	PM <sub>10</sub>	1
74	Kalaburgi	Moderate	116	PM <sub>10</sub>	1
75	Kalyan	Moderate	134	PM <sub>10</sub>	1
76	Kannur	Satisfactory	73	PM <sub>10</sub>	1
77	Kanpur	Moderate	149	PM <sub>2.5</sub> , PM <sub>10</sub>	3
78	Katihar	Satisfactory	99	PM <sub>10</sub>	1
79	Katni	Moderate	188	PM <sub>10</sub>	1
80	Khanna	Moderate	157	PM <sub>10</sub>	1
81	Kishanganj	Satisfactory	69	O <sub>3</sub>	1
82	Kochi	Satisfactory	91	PM <sub>2.5</sub>	1
83	Kohima	Good	48	SO <sub>2</sub>	1
84	Kolkata	Satisfactory	62	NO <sub>2</sub> , O <sub>3</sub> , PM <sub>10</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	78	PM <sub>10</sub>	1
86	Kota	Moderate	151	PM <sub>10</sub>	1
87	Kozhikode	Satisfactory	63	PM <sub>10</sub>	1
88	Kurukshetra	Poor	267	PM <sub>2.5</sub>	1
89	Lucknow	Moderate	156	PM <sub>2.5</sub> , PM <sub>10</sub>	6
90	Ludhiana	Moderate	105	PM <sub>2.5</sub>	1
91	Madikeri	Satisfactory	61	PM <sub>10</sub>	1
92	Maihar	Satisfactory	62	CO	1
93	Mandi Gobindgarh	Very Poor	321	PM <sub>2.5</sub>	1
94	Mandideep	Satisfactory	66	PM <sub>10</sub>	1
95	Mandikhera	Moderate	112	PM <sub>10</sub>	1
96	Manesar	Very Poor	312	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	73	NO <sub>2</sub>	1
98	Meerut	Poor	202	PM <sub>2.5</sub> , PM <sub>10</sub>	2
99	Moradabad	Moderate	144	O <sub>3</sub> , PM <sub>10</sub>	3
100	Motihari	Moderate	153	O <sub>3</sub>	1
101	Mumbai	Moderate	132	PM <sub>2.5</sub> , PM <sub>10</sub>	17
102	Munger	Moderate	153	PM <sub>10</sub>	1
103	Muzaffarnagar	Poor	221	PM <sub>2.5</sub>	1
104	Muzaffarpur	Satisfactory	53	PM <sub>2.5</sub>	1
105	Mysuru	Good	38	PM <sub>10</sub>	1
106	Nagpur	Moderate	124	PM <sub>10</sub>	1
107	Narnaul	Poor	240	PM <sub>2.5</sub>	1
108	Nashik	Satisfactory	86	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	125	PM <sub>10</sub>	3
110	Noida	Very Poor	306	PM <sub>10</sub>	3
111	Pali	Moderate	179	PM <sub>2.5</sub>	1
112	Palwal	Moderate	184	PM <sub>10</sub>	1
113	Panchkula	Moderate	172	PM <sub>2.5</sub>	1
114	Panipat	Poor	211	PM <sub>2.5</sub>	1
115	Patiala	Moderate	140	PM <sub>10</sub>	1
116	Patna	Moderate	136	PM <sub>10</sub> , PM <sub>2.5</sub>	5
117	Pithampur	Moderate	110	PM <sub>10</sub>	1
118	Prayagraj	Moderate	130	PM <sub>10</sub>	3
119	Puducherry	Satisfactory	55	PM <sub>10</sub>	1
120	Pune	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	5

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	103	PM <sub>10</sub>	1
122	Rajamahendravaram	Good	37	PM <sub>10</sub>	1
123	Ramanagara	Good	41	PM <sub>10</sub>	1
124	Rohtak	Poor	294	PM <sub>2.5</sub>	1
125	Rupnagar	Satisfactory	99	PM <sub>10</sub>	1
126	Sasaram	Poor	202	O <sub>3</sub>	1
127	Satna	Satisfactory	87	PM <sub>10</sub>	1
128	Shillong	Good	30	PM <sub>2.5</sub>	1
129	Shivamogga	Satisfactory	53	PM <sub>10</sub>	1
130	Siliguri	Satisfactory	88	NO <sub>2</sub>	1
131	Singrauli	Moderate	198	PM <sub>10</sub>	1
132	Siwan	Moderate	111	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	72	CO	1
134	Sonipat	Poor	276	PM <sub>10</sub>	1
135	Srinagar	Satisfactory	74	PM <sub>10</sub>	1
136	Talcher	Good	47	O <sub>3</sub>	1
137	Thane	Moderate	162	PM <sub>10</sub>	1
138	Thiruvananthapuram	Good	32	CO	1
139	Thoothukudi	Good	33	O <sub>3</sub>	1
140	Thrissur	Good	43	PM <sub>10</sub>	1
141	Tirupati	Satisfactory	82	PM <sub>10</sub>	1
142	Udaipur	Moderate	173	PM <sub>10</sub>	1
143	Ujjain	Moderate	178	PM <sub>10</sub>	1
144	Vapi	Satisfactory	95	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Moderate	140	O <sub>3</sub>	2
146	Vatva	Moderate	136	PM <sub>10</sub>	1
147	Vijayapura	Satisfactory	56	PM <sub>10</sub>	1
148	Visakhapatnam	Satisfactory	71	PM <sub>10</sub>	1
149	Vrindavan	Moderate	137	PM <sub>10</sub>	1
150	Yadgir	Satisfactory	98	PM <sub>10</sub>	1
151	Yamunanagar	Poor	266	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baddi, Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Coimbatore, Dharuhera, Eloor, Gadag, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sirsa, Udupi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.