

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM ₁₀	2
2	Agra	Moderate	140	PM ₁₀	5
3	Ahmedabad	Moderate	126	PM ₁₀ , PM _{2.5}	5
4	Aizawl	Satisfactory	63	O ₃	1
5	Ajmer	Moderate	130	PM ₁₀	1
6	Alwar	Satisfactory	88	PM ₁₀	1
7	Amaravati	Satisfactory	79	O ₃	1
8	Ambala	Poor	216	PM _{2.5}	1
9	Amritsar	Moderate	114	PM ₁₀	1
10	Ankleshwar	Satisfactory	96	PM ₁₀	1
11	Arrah	Moderate	118	PM ₁₀	1
12	Asansol	Satisfactory	67	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	181	PM ₁₀	1
14	Aurangabad (Maharashtra)	Moderate	103	PM ₁₀	1
15	Baddi	Moderate	187	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Baghpat	Poor	208	PM _{2.5}	1
18	Bahadurgarh	Poor	211	PM _{2.5}	1
19	Ballabgarh	Poor	201	PM _{2.5}	1
20	Bathinda	Satisfactory	81	PM ₁₀	1
21	Begusarai	Satisfactory	82	PM ₁₀	1
22	Bengaluru	Satisfactory	70	PM ₁₀ , CO	6
23	Bhagalpur	Moderate	162	PM _{2.5} , CO	2
24	Bhiwadi	Very Poor	313	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	137	PM ₁₀	1
26	Bihar Sharif	Satisfactory	97	PM _{2.5}	1
27	Bilaspur	Satisfactory	60	PM ₁₀	1
28	Bulandshahr	Poor	277	PM ₁₀	1
29	Buxar	Moderate	171	PM _{2.5}	1
30	Chamarajanagar	Good	39	PM ₁₀	1
31	Chandigarh	Moderate	173	O ₃ , PM ₁₀	2
32	Chandrapur	Moderate	112	PM ₁₀ , O ₃	2
33	Charkhi Dadri	Moderate	182	PM _{2.5}	1
34	Chennai	Satisfactory	69	CO, PM ₁₀	6
35	Chhapra	Moderate	142	PM ₁₀	1
36	Chikkaballapur	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Satisfactory	55	PM ₁₀	1
38	Darbhanga	Satisfactory	92	PM ₁₀	1
39	Davanagere	Moderate	106	PM ₁₀	1
40	Dehradun	Moderate	119	PM ₁₀	1
41	Delhi	Poor	242	PM ₁₀ , PM _{2.5}	32
42	Dewas	Moderate	134	PM _{2.5}	1
43	Dharuhera	Poor	270	PM ₁₀	1
44	Faridabad	Moderate	165	PM ₁₀ , PM _{2.5}	3
45	Fatehabad	Moderate	154	PM ₁₀	1
46	Firozabad	Moderate	128	O ₃ , PM ₁₀	2
47	Gadag	Satisfactory	51	PM _{2.5}	1
48	Gandhinagar	Moderate	165	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gangtok	Good	40	PM ₁₀	1
50	Gaya	Moderate	136	PM _{2.5} , PM ₁₀	3
51	Ghaziabad	Poor	294	PM ₁₀	4
52	Gorakhpur	Good	46	03	1
53	Greater Noida	Poor	296	PM ₁₀	2
54	Gurugram	Moderate	199	PM ₁₀ , PM _{2.5}	3
55	Guwahati	Good	36	O ₃ , PM _{2.5}	2
56	Gwalior	Moderate	151	PM ₁₀	1
57	Hajipur	Satisfactory	86	PM _{2.5}	1
58	Haldia	Good	45	PM ₁₀	1
59	Hapur	Poor	242	PM ₁₀	1
60	Hassan	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haveri	Satisfactory	98	PM ₁₀	1
62	Hisar	Moderate	196	PM _{2.5}	1
63	Howrah	Good	44	PM ₁₀ , CO	2
64	Hubballi	Moderate	108	PM ₁₀	1
65	Hyderabad	Satisfactory	94	PM ₁₀ , O ₃ , PM _{2.5}	5
66	Imphal	Satisfactory	58	SO ₂ , PM _{2.5}	2
67	Indore	Moderate	151	PM ₁₀	1
68	Jabalpur	Moderate	173	PM ₁₀	1
69	Jaipur	Moderate	158	PM _{2.5} , PM ₁₀	2
70	Jalandhar	Moderate	119	PM _{2.5}	1
71	Jhansi	Moderate	147	PM ₁₀	1
72	Jind	Poor	232	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	200	PM _{2.5}	1
74	Kaithal	Poor	206	PM _{2.5}	1
75	Kalaburgi	Satisfactory	94	PM ₁₀	1
76	Kalyan	Moderate	115	PM ₁₀	1
77	Kannur	Satisfactory	74	PM ₁₀	1
78	Kanpur	Moderate	131	O ₃ , PM ₁₀	3
79	Katihar	Moderate	118	PM ₁₀	1
80	Katni	Moderate	191	PM ₁₀	1
81	Khanna	Moderate	144	PM ₁₀	1
82	Kishanganj	Moderate	109	O ₃	1
83	Kochi	Satisfactory	51	PM _{2.5}	1
84	Kohima	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	52	NO ₂ , O ₃ , PM ₁₀	6
86	Kollam	Satisfactory	78	PM ₁₀	1
87	Kota	Moderate	135	PM ₁₀	1
88	Kozhikode	Satisfactory	56	PM ₁₀	1
89	Kurukshetra	Poor	293	PM _{2.5}	1
90	Lucknow	Moderate	119	PM _{2.5} , PM ₁₀	5
91	Ludhiana	Moderate	148	PM ₁₀	1
92	Madikeri	Satisfactory	84	PM ₁₀	1
93	Maihar	Good	33	PM ₁₀	1
94	Mandi Gobindgarh	Poor	256	PM _{2.5}	1
95	Mandideep	Satisfactory	57	PM ₁₀	1
96	Mandikhera	Moderate	114	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Poor	298	PM _{2.5}	1
98	Manglore	Moderate	110	NO ₂	1
99	Meerut	Poor	231	PM ₁₀ , PM _{2.5}	3
100	Moradabad	Moderate	157	O ₃ , PM ₁₀	3
101	Motihari	Satisfactory	86	03	1
102	Mumbai	Moderate	118	PM _{2.5} , O ₃ , PM ₁₀	16
103	Munger	Moderate	188	PM _{2.5}	1
104	Muzaffarnagar	Poor	217	PM ₁₀	1
105	Muzaffarpur	Satisfactory	63	PM _{2.5}	1
106	Mysuru	Good	42	PM ₁₀	1
107	Nagpur	Moderate	143	PM ₁₀	1
108	Narnaul	Moderate	133	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	74	PM ₁₀	1
110	Navi Mumbai	Moderate	111	PM ₁₀ , CO	3
111	Noida	Poor	275	PM ₁₀	4
112	Pali	Moderate	157	PM _{2.5}	1
113	Palwal	Moderate	162	PM ₁₀	1
114	Panchkula	Moderate	166	PM _{2.5}	1
115	Panipat	Poor	275	PM _{2.5}	1
116	Patiala	Moderate	154	O ₃	1
117	Patna	Moderate	130	PM _{2.5} , PM ₁₀	6
118	Pithampur	Moderate	108	PM ₁₀	1
119	Prayagraj	Moderate	111	PM ₁₀	3
120	Puducherry	Satisfactory	51	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Moderate	115	PM _{2.5} , PM ₁₀	7
122	Purnia	Moderate	130	PM ₁₀	1
123	Raichur	Moderate	111	PM ₁₀	1
124	Rajamahendravaram	Satisfactory	58	PM ₁₀	1
125	Ramanagara	Satisfactory	54	PM ₁₀	1
126	Ratlam	Moderate	142	PM ₁₀	1
127	Rohtak	Moderate	190	PM _{2.5}	1
128	Rupnagar	Moderate	124	PM ₁₀	1
129	Saharsa	Moderate	153	PM ₁₀	1
130	Samastipur	Moderate	126	PM ₁₀	1
131	Sasaram	Moderate	179	03	1
132	Satna	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	46	NO ₂	1
134	Shivamogga	Satisfactory	54	PM ₁₀	1
135	Siliguri	Satisfactory	95	NO ₂	1
136	Singrauli	Poor	291	PM ₁₀	1
137	Siwan	Moderate	185	PM ₁₀	1
138	Sonipat	Poor	249	PM ₁₀	1
139	Srinagar	Satisfactory	90	PM ₁₀	1
140	Talcher	Good	42	03	1
141	Thane	Moderate	158	PM ₁₀	1
142	Thiruvananthapuram	Good	29	со	1
143	Thoothukudi	Good	36	03	1
144	Thrissur	Good	36	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Satisfactory	72	PM ₁₀	1
146	Udaipur	Moderate	194	PM ₁₀	1
147	Udupi	Satisfactory	56	со	1
148	Ujjain	Moderate	174	PM ₁₀	1
149	Vapi	Satisfactory	86	PM ₁₀	1
150	Varanasi	Moderate	167	O ₃	4
151	Vatva	Moderate	111	PM ₁₀	1
152	Vijayapura	Satisfactory	56	PM ₁₀	1
153	Vrindavan	Moderate	147	PM ₁₀	1
154	Yadgir	Satisfactory	84	PM ₁₀	1
155	Yamunanagar	Poor	276	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bettiah, Bhilai, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Rajgir, Sagar, Sirsa, Solapur, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.