


(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	39	PM <sub>10</sub>	1
2	Agra	Moderate	154	PM <sub>10</sub>	5
3	Ahmedabad	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	6
4	Aizawl	Good	50	03	1
5	Ajmer	Moderate	178	PM <sub>2.5</sub>	1
6	Alwar	Moderate	127	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	65	O <sub>3</sub>	1
8	Ambala	Poor	203	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	120	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	102	PM <sub>10</sub>	1
11	Araria	Moderate	145	PM <sub>2.5</sub>	1
12	Arrah	Moderate	128	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha, Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur, Srinagar, Udupi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	69	NO <sub>2</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	99	PM <sub>10</sub>	1
15	Baddi	Moderate	174	PM <sub>10</sub>	1
16	Bagalkot	Good	50	PM <sub>2.5</sub>	1
17	Baghpat	Moderate	183	PM <sub>10</sub>	1
18	Bahadurgarh	Poor	288	PM <sub>10</sub>	1
19	Ballabgarh	Moderate	144	PM <sub>10</sub>	1
20	Bathinda	Moderate	114	PM <sub>10</sub>	1
21	Bengaluru	Satisfactory	84	PM <sub>10</sub> , CO	5
22	Bettiah	Moderate	168	PM <sub>10</sub>	1
23	Bhagalpur	Moderate	134	CO, PM <sub>10</sub>	2
24	Bhiwadi	Very Poor	309	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha, Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur, Srinagar, Udupi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	148	PM <sub>10</sub>	1
26	Bihar Sharif	Poor	290	PM <sub>10</sub>	1
27	Bulandshahr	Very Poor	324	PM <sub>10</sub>	1
28	Buxar	Poor	202	PM <sub>2.5</sub>	1
29	Chandigarh	Moderate	191	O <sub>3</sub> , PM <sub>10</sub>	3
30	Chandrapur	Satisfactory	96	PM <sub>10</sub>	2
31	Charkhi Dadri	Poor	254	PM <sub>10</sub>	1
32	Chennai	Satisfactory	52	CO, PM <sub>10</sub>	5
33	Chhapra	Poor	209	PM <sub>10</sub>	1
34	Chikkaballapur	Satisfactory	80	PM <sub>10</sub>	1
35	Chikkamagaluru	Good	49	PM <sub>10</sub>	1
36	Damoh	Satisfactory	65	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),

Notes: Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha, Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur, Srinagar, Udupi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	121	PM <sub>10</sub>	1
38	Delhi	Poor	297	PM <sub>10</sub>	31
39	Dewas	Moderate	129	PM <sub>10</sub>	1
40	Dharuhera	Very Poor	333	PM <sub>10</sub>	1
41	Faridabad	Poor	288	PM <sub>10</sub> , PM <sub>2.5</sub>	3
42	Fatehabad	Poor	280	PM <sub>2.5</sub>	1
43	Firozabad	Moderate	160	PM <sub>10</sub>	1
44	Gadag	Good	45	PM <sub>2.5</sub>	1
45	Gandhinagar	Poor	202	PM <sub>2.5</sub> , PM <sub>10</sub>	3
46	Gangtok	Good	34	PM <sub>10</sub>	1
47	Gaya	Moderate	107	PM <sub>2.5</sub> , PM <sub>10</sub>	2
48	Ghaziabad	Very Poor	322	PM <sub>10</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha, Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur, Srinagar, Udupi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Satisfactory	57	03	1
50	Greater Noida	Very Poor	366	PM <sub>10</sub>	2
51	Gurugram	Poor	285	PM <sub>10</sub> , PM <sub>2.5</sub>	3
52	Guwahati	Good	34	O <sub>3</sub> , PM <sub>2.5</sub>	2
53	Gwalior	Moderate	186	PM <sub>10</sub>	1
54	Hajipur	Satisfactory	92	PM <sub>10</sub>	1
55	Haldia	Good	44	PM <sub>10</sub>	1
56	Hapur	Poor	277	PM <sub>10</sub>	1
57	Hassan	Satisfactory	91	PM <sub>10</sub>	1
58	Haveri	Satisfactory	86	PM <sub>10</sub>	1
59	Hisar	Poor	260	PM <sub>10</sub>	1
60	Howrah	Good	46	PM <sub>10</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha, Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur, Srinagar, Udupi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	93	PM <sub>10</sub>	1
62	Hyderabad	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub>	5
63	Imphal	Good	35	PM <sub>10</sub>	1
64	Indore	Moderate	138	PM <sub>10</sub>	1
65	Jabalpur	Moderate	157	PM <sub>10</sub>	1
66	Jaipur	Moderate	198	PM <sub>2.5</sub> , PM <sub>10</sub>	2
67	Jalandhar	Moderate	115	PM <sub>2.5</sub>	1
68	Jhansi	Moderate	142	PM <sub>10</sub>	1
69	Jind	Poor	282	PM <sub>2.5</sub>	1
70	Jodhpur	Poor	243	PM <sub>10</sub>	1
71	Kaithal	Poor	249	PM <sub>2.5</sub>	1
72	Kalaburgi	Satisfactory	93	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar,
  Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam,
  Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha,
  Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur,
  Srinagar, Udupi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Moderate	110	PM <sub>10</sub>	1
74	Kannur	Satisfactory	89	PM <sub>10</sub>	1
75	Kanpur	Moderate	144	PM <sub>2.5</sub> , PM <sub>10</sub>	3
76	Katihar	Moderate	103	PM <sub>10</sub>	1
77	Katni	Poor	207	PM <sub>10</sub>	1
78	Khanna	Moderate	145	PM <sub>10</sub>	1
79	Kishanganj	Moderate	104	03	1
80	Kochi	Satisfactory	86	PM <sub>2.5</sub>	1
81	Kohima	Good	48	PM <sub>10</sub>	1
82	Kolkata	Satisfactory	57	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	7
83	Kollam	Satisfactory	80	PM <sub>10</sub>	1
84	Kota	Moderate	153	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha, Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur, Srinagar, Udupi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	64	PM <sub>10</sub>	1
86	Kurukshetra	Poor	289	PM <sub>2.5</sub>	1
87	Lucknow	Moderate	150	PM <sub>2.5</sub> , PM <sub>10</sub>	6
88	Ludhiana	Moderate	144	PM <sub>10</sub>	1
89	Madikeri	Satisfactory	74	PM <sub>10</sub>	1
90	Maihar	Good	31	PM <sub>10</sub>	1
91	Mandi Gobindgarh	Poor	281	PM <sub>2.5</sub>	1
92	Mandideep	Satisfactory	53	PM <sub>10</sub>	1
93	Mandikhera	Moderate	112	PM <sub>10</sub>	1
94	Manglore	Moderate	121	NO <sub>2</sub>	1
95	Meerut	Poor	242	PM <sub>10</sub>	3
96	Moradabad	Moderate	124	O <sub>3</sub> , PM <sub>10</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha, Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur, Srinagar, Udupi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Moderate	103	O <sub>3</sub>	1
98	Mumbai	Moderate	131	PM <sub>2.5</sub> , NO <sub>2</sub> , O <sub>3</sub>	14
99	Munger	Moderate	166	PM <sub>2.5</sub>	1
100	Muzaffarnagar	Poor	234	PM <sub>2.5</sub>	1
101	Muzaffarpur	Satisfactory	99	PM <sub>2.5</sub>	2
102	Mysuru	Good	47	PM <sub>10</sub>	1
103	Nagpur	Moderate	104	PM <sub>10</sub>	1
104	Narnaul	Moderate	186	PM <sub>2.5</sub>	1
105	Nashik	Satisfactory	68	PM <sub>10</sub>	1
106	Navi Mumbai	Moderate	101	PM <sub>10</sub> , CO	3
107	Noida	Very Poor	343	PM <sub>10</sub>	4
108	Pali	Poor	202	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha, Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur, Srinagar, Udupi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Moderate	183	PM <sub>10</sub>	1
110	Panchkula	Moderate	169	PM <sub>2.5</sub>	1
111	Patiala	Moderate	150	PM <sub>10</sub>	1
112	Patna	Moderate	155	PM <sub>2.5</sub> , PM <sub>10</sub>	6
113	Pithampur	Satisfactory	100	PM <sub>10</sub>	1
114	Prayagraj	Moderate	118	PM <sub>10</sub>	2
115	Puducherry	Good	39	03	1
116	Pune	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	4
117	Purnia	Moderate	108	PM <sub>2.5</sub>	1
118	Raichur	Moderate	108	PM <sub>10</sub>	1
119	Rajamahendravaram	Good	48	PM <sub>10</sub>	1
120	Rajgir	Moderate	118	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: Begusara

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar,
  Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam,
  Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha,
  Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur,
  Srinagar, Udupi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Good	48	PM <sub>10</sub>	1
122	Ratlam	Moderate	140	PM <sub>10</sub>	1
123	Rupnagar	Moderate	112	PM <sub>10</sub>	1
124	Saharsa	Poor	209	PM <sub>10</sub>	1
125	Samastipur	Moderate	147	PM <sub>10</sub>	1
126	Sasaram	Moderate	194	03	1
127	Satna	Satisfactory	86	PM <sub>10</sub>	1
128	Shillong	Satisfactory	55	NO <sub>2</sub>	1
129	Shivamogga	Satisfactory	60	PM <sub>10</sub>	1
130	Siliguri	Satisfactory	91	NO <sub>2</sub>	1
131	Singrauli	Moderate	129	PM <sub>10</sub>	1
132	Sonipat	Very Poor	337	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar,
  Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam,
  Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha,
  Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur,
  Srinagar, Udupi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Talcher	Satisfactory	57	03	1
134	Thane	Moderate	144	PM <sub>10</sub>	1
135	Thiruvananthapuram	Good	32	со	1
136	Thoothukudi	Good	35	03	1
137	Thrissur	Good	36	со	1
138	Tirupati	Satisfactory	80	PM <sub>10</sub>	1
139	Udaipur	Poor	264	PM <sub>2.5</sub>	1
140	Ujjain	Moderate	167	PM <sub>10</sub>	1
141	Vapi	Satisfactory	79	PM <sub>10</sub>	1
142	Varanasi	Satisfactory	88	O <sub>3</sub> , PM <sub>10</sub>	3
143	Vatva	Moderate	118	PM <sub>10</sub>	1
144	Vijayapura	Satisfactory	55	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Notes: Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar, Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam, Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha, Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur, Srinagar, Udupi, Visakhapatnam as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vrindavan	Moderate	178	PM <sub>10</sub>	1
146	Yadgir	Satisfactory	74	PM <sub>10</sub>	1
147	Yamunanagar	Poor	264	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Aurangabad (Bihar),
  Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Brajrajnagar, Chamarajanagar,
  Coimbatore, Davanagere, Dehradun, Durgapur, Eloor, Ernakulam,
  Gummidipoondi, Jorapokhar, Karnal, Kolar, Koppal, Manesar, Manguraha,
  Naharlagun, Nandesari, Panipat, Rohtak, Sagar, Sirsa, Siwan, Solapur,
  Srinagar, Udupi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.