



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	42	PM ₁₀	2
2	Agra	Moderate	194	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Poor	227	PM _{2.5} , PM ₁₀	5
4	Aizawl	Good	39	O ₃	1
5	Ajmer	Poor	231	PM _{2.5}	1
6	Alwar	Moderate	128	PM ₁₀	1
7	Amaravati	Satisfactory	57	O ₃	1
8	Ambala	Moderate	124	PM ₁₀	1
9	Amritsar	Moderate	123	PM ₁₀	1
10	Ankleshwar	Moderate	172	PM _{2.5}	1
11	Araria	Moderate	104	PM _{2.5}	1
12	Asansol	Satisfactory	68	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	89	PM ₁₀	1
14	Baddi	Moderate	141	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Moderate	132	PM ₁₀	1
17	Bahadurgarh	Poor	208	PM ₁₀	1
18	Ballabgarh	Moderate	131	PM _{2.5}	1
19	Bathinda	Moderate	108	PM ₁₀	1
20	Bengaluru	Satisfactory	61	PM ₁₀ , CO	8
21	Bhagalpur	Satisfactory	92	PM _{2.5} , PM ₁₀	2
22	Bhiwadi	Very Poor	305	PM _{2.5}	1
23	Bhopal	Moderate	139	PM ₁₀	1
24	Brajrajnagar	Satisfactory	96	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	236	PM ₁₀	1
26	Buxar	Moderate	181	PM ₁₀	1
27	Chamarajanagar	Good	40	PM ₁₀	1
28	Chandigarh	Moderate	143	O ₃ , PM ₁₀	3
29	Chandrapur	Moderate	121	PM ₁₀	1
30	Charkhi Dadri	Poor	248	PM _{2.5}	1
31	Chennai	Satisfactory	57	PM ₁₀	4
32	Chhapra	Moderate	142	PM ₁₀	1
33	Chikkaballapur	Good	29	CO	1
34	Damoh	Satisfactory	61	PM ₁₀	1
35	Davanagere	Good	42	PM ₁₀	1
36	Delhi	Poor	239	PM ₁₀ , PM _{2.5}	33

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dewas	Moderate	174	PM _{2.5}	1
38	Dharuhera	Very Poor	328	PM ₁₀	1
39	Faridabad	Poor	209	PM ₁₀	2
40	Fatehabad	Poor	207	PM _{2.5}	1
41	Firozabad	Moderate	186	PM ₁₀	1
42	Gadag	Satisfactory	72	PM _{2.5}	1
43	Gandhinagar	Poor	249	PM _{2.5} , PM ₁₀	3
44	Gangtok	Good	41	O ₃	1
45	Gaya	Moderate	168	O ₃ , PM _{2.5} , PM ₁₀	3
46	Ghaziabad	Poor	226	PM ₁₀	4
47	Gorakhpur	Satisfactory	52	O ₃	1
48	Greater Noida	Poor	248	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gummidipoondi	Good	46	PM ₁₀	1
50	Gurugram	Poor	247	PM ₁₀ , PM _{2.5}	4
51	Guwahati	Good	30	CO, O ₃	2
52	Gwalior	Moderate	188	PM ₁₀	1
53	Hajipur	Satisfactory	94	PM ₁₀	1
54	Haldia	Good	39	PM ₁₀	1
55	Hapur	Poor	206	PM ₁₀	1
56	Hassan	Good	40	PM ₁₀	1
57	Haveri	Satisfactory	52	CO	1
58	Hisar	Poor	271	PM ₁₀	1
59	Howrah	Satisfactory	52	PM ₁₀ , CO	3
60	Hubballi	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Satisfactory	82	PM _{2.5} , PM ₁₀ , O ₃	6
62	Imphal	Satisfactory	57	SO ₂ , PM ₁₀	2
63	Indore	Moderate	162	PM ₁₀	1
64	Jabalpur	Moderate	152	PM ₁₀	1
65	Jaipur	Poor	265	PM _{2.5}	3
66	Jalandhar	Satisfactory	76	PM _{2.5}	1
67	Jhansi	Moderate	162	PM ₁₀	1
68	Jind	Poor	207	PM _{2.5}	1
69	Jodhpur	Poor	263	PM _{2.5}	1
70	Kaithal	Moderate	162	PM ₁₀	1
71	Kalaburgi	Satisfactory	98	PM ₁₀	1
72	Kalyan	Moderate	151	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	65	CO	1
74	Kanpur	Poor	201	PM _{2.5} , PM ₁₀	3
75	Katni	Poor	222	PM ₁₀	1
76	Khanna	Moderate	134	PM ₁₀	1
77	Kochi	Moderate	111	PM _{2.5}	1
78	Kohima	Good	50	PM ₁₀	1
79	Kolkata	Satisfactory	55	NO ₂ , PM ₁₀ , O ₃	7
80	Kollam	Satisfactory	60	PM _{2.5}	1
81	Koppal	Satisfactory	59	PM ₁₀	1
82	Kota	Poor	225	PM _{2.5}	1
83	Kozhikode	Satisfactory	66	PM ₁₀	1
84	Kurukshetra	Moderate	130	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Lucknow	Poor	243	PM ₁₀ , PM _{2.5}	6
86	Ludhiana	Moderate	150	PM ₁₀	1
87	Madikeri	Good	35	O ₃	1
88	Maihar	Good	40	PM ₁₀	1
89	Mandi Gobindgarh	Moderate	166	PM _{2.5}	1
90	Mandideep	Satisfactory	66	PM ₁₀	1
91	Mandikhera	Moderate	113	PM ₁₀	1
92	Manesar	Poor	264	PM _{2.5}	1
93	Manglore	Moderate	104	NO ₂	1
94	Meerut	Moderate	186	PM ₁₀	3
95	Moradabad	Satisfactory	72	PM ₁₀	2
96	Motihari	Moderate	170	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mumbai	Moderate	157	PM _{2.5} , O ₃ , PM ₁₀	17
98	Munger	Moderate	168	PM ₁₀	1
99	Muzaffarnagar	Poor	211	PM _{2.5}	1
100	Muzaffarpur	Satisfactory	88	PM _{2.5}	2
101	Mysuru	Good	43	PM ₁₀	1
102	Nagpur	Moderate	182	O ₃	1
103	Narnaul	Poor	213	PM _{2.5}	1
104	Nashik	Satisfactory	95	PM ₁₀	1
105	Navi Mumbai	Moderate	141	PM ₁₀	3
106	Noida	Poor	264	PM ₁₀ , O ₃	4
107	Pali	Moderate	186	PM _{2.5}	1
108	Palwal	Moderate	160	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Moderate	161	PM _{2.5}	1
110	Panipat	Moderate	146	PM ₁₀	1
111	Patiala	Moderate	117	PM ₁₀	1
112	Patna	Moderate	136	PM ₁₀ , PM _{2.5} , CO	6
113	Pithampur	Moderate	113	PM ₁₀	1
114	Prayagraj	Moderate	141	PM ₁₀	3
115	Puducherry	Good	41	PM ₁₀	1
116	Pune	Moderate	183	PM _{2.5}	6
117	Rajamahendravaram	Good	29	PM ₁₀	1
118	Rajgir	Moderate	114	PM ₁₀	1
119	Ramanagara	Good	28	SO ₂	1
120	Ratlam	Moderate	156	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Poor	292	PM _{2.5}	1
122	Rupnagar	Satisfactory	81	PM _{2.5}	1
123	Saharsa	Moderate	147	PM ₁₀	1
124	Samastipur	Moderate	131	PM ₁₀	1
125	Sasaram	Moderate	151	O ₃	1
126	Satna	Satisfactory	88	PM ₁₀	1
127	Shillong	Good	44	NO ₂	1
128	Shivamogga	Satisfactory	59	PM ₁₀	1
129	Siliguri	Satisfactory	77	NO ₂	1
130	Singrauli	Moderate	195	PM ₁₀	1
131	Sirsa	Poor	220	PM ₁₀	1
132	Siwan	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Moderate	102	PM ₁₀	1
134	Sonipat	Poor	233	PM ₁₀	1
135	Srinagar	Satisfactory	66	PM ₁₀	1
136	Talcher	Good	43	O ₃	1
137	Thane	Moderate	197	PM ₁₀	1
138	Thiruvananthapuram	Good	32	CO	1
139	Thoothukudi	Good	35	O ₃	1
140	Thrissur	Good	36	CO	1
141	Tirupati	Satisfactory	64	PM _{2.5}	1
142	Udaipur	Very Poor	313	PM _{2.5}	1
143	Ujjain	Moderate	188	PM ₁₀	1
144	Vapi	Moderate	124	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Satisfactory	98	PM ₁₀ , O ₃	4
146	Vatva	Moderate	118	PM ₁₀	1
147	Vijayapura	Satisfactory	56	PM ₁₀	1
148	Visakhapatnam	Satisfactory	67	PM ₁₀	1
149	Vrindavan	Moderate	164	PM ₁₀	1
150	Yadgir	Satisfactory	72	PM ₁₀	1
151	Yamunanagar	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad (Bihar), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bihar Sharif, Bilaspur, Chikkamagaluru, Coimbatore, Darbhanga, Dehradun, Durgapur, Eloor, Ernakulam, Jorapokhar, Karnal, Katihar, Kishanganj, Kolar, Manguraha, Naharlagun, Nandesari, Purnia, Raichur, Sagar, Udipi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.