

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	36	PM <sub>10</sub>	2
2	Agra	Moderate	154	PM <sub>10</sub>	5
3	Ahmedabad	Poor	282	PM <sub>2.5</sub> , PM <sub>10</sub>	6
4	Aizawl	Satisfactory	71	O <sub>3</sub>	1
5	Ajmer	Poor	239	PM <sub>2.5</sub>	1
6	Alwar	Moderate	133	PM <sub>10</sub>	1
7	Amaravati	Good	50	0 <sub>3</sub>	1
8	Ambala	Moderate	141	PM <sub>10</sub>	1
9	Amritsar	Moderate	110	PM <sub>10</sub>	1
10	Ankleshwar	Poor	232	PM <sub>2.5</sub>	1
11	Araria	Moderate	149	PM <sub>2.5</sub>	1
12	Arrah	Moderate	120	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO <sub>2</sub>	1
14	Aurangabad (Bihar)	Moderate	195	PM <sub>10</sub>	1
15	Baddi	Moderate	160	PM <sub>10</sub>	1
16	Bagalkot	Good	50	PM <sub>2.5</sub>	1
17	Baghpat	Moderate	129	PM <sub>10</sub>	1
18	Bahadurgarh	Poor	248	PM <sub>10</sub>	1
19	Ballabgarh	Moderate	148	PM <sub>2.5</sub>	1
20	Bathinda	Moderate	125	PM <sub>10</sub>	1
21	Bengaluru	Satisfactory	58	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
22	Bettiah	Moderate	170	PM <sub>10</sub>	1
23	Bhagalpur	Moderate	114	PM <sub>2.5</sub>	2
24	Bhiwadi	Poor	296	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	162	PM <sub>10</sub>	1
26	Bihar Sharif	Satisfactory	88	PM <sub>2.5</sub>	1
27	Brajrajnagar	Satisfactory	56	со	1
28	Bulandshahr	Moderate	181	PM <sub>10</sub>	1
29	Buxar	Moderate	164	PM <sub>10</sub>	1
30	Chamarajanagar	Good	40	PM <sub>10</sub>	1
31	Chandigarh	Moderate	162	О <sub>3</sub> , РМ <sub>10</sub>	3
32	Chandrapur	Moderate	127	О <sub>3</sub> , РМ <sub>10</sub>	2
33	Charkhi Dadri	Very Poor	330	PM <sub>2.5</sub>	1
34	Chennai	Satisfactory	57	РМ <sub>10</sub> , СО	5
35	Chhapra	Moderate	147	PM <sub>10</sub>	1
36	Chikkaballapur	Good	30	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	34	PM <sub>10</sub>	1
38	Coimbatore	Good	40	PM <sub>2.5</sub>	1
39	Damoh	Satisfactory	81	PM <sub>10</sub>	1
40	Darbhanga	Moderate	134	PM <sub>10</sub>	1
41	Davanagere	Good	44	PM <sub>10</sub>	1
42	Delhi	Poor	251	PM <sub>10</sub> , PM <sub>2.5</sub>	30
43	Dharuhera	Very Poor	302	PM <sub>10</sub>	1
44	Ernakulam	Good	43	NO <sub>2</sub>	1
45	Faridabad	Poor	289	PM <sub>10</sub> , PM <sub>2.5</sub>	3
46	Fatehabad	Poor	252	PM <sub>2.5</sub>	1
47	Firozabad	Moderate	166	О <sub>3</sub> , РМ <sub>10</sub>	2
48	Gadag	Good	34	0 <sub>3</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Poor	278	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Gangtok	Good	46	O <sub>3</sub>	1
51	Gaya	Moderate	144	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Ghaziabad	Poor	221	PM <sub>10</sub> , O <sub>3</sub>	4
53	Gorakhpur	Good	50	0 <sub>3</sub>	1
54	Greater Noida	Poor	250	PM <sub>10</sub>	2
55	Gummidipoondi	Satisfactory	57	PM <sub>10</sub>	1
56	Gurugram	Moderate	193	PM <sub>2.5</sub> , PM <sub>10</sub>	3
57	Guwahati	Good	34	PM <sub>2.5</sub>	2
58	Gwalior	Moderate	187	PM <sub>10</sub>	1
59	Hajipur	Satisfactory	99	PM <sub>10</sub>	1
60	Haldia	Good	32	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	202	PM <sub>10</sub>	1
62	Hassan	Good	35	O <sub>3</sub>	1
63	Haveri	Satisfactory	53	СО	1
64	Hisar	Poor	299	PM <sub>10</sub>	1
65	Howrah	Good	48	РМ <sub>10</sub> , СО	3
66	Hubballi	Satisfactory	79	PM <sub>10</sub>	1
67	Hyderabad	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	6
68	Imphal	Satisfactory	62	SO <sub>2</sub> , PM <sub>10</sub>	2
69	Indore	Moderate	182	PM <sub>10</sub>	1
70	Jabalpur	Moderate	171	PM <sub>10</sub>	1
71	Jaipur	Poor	248	PM <sub>2.5</sub>	3
72	Jalandhar	Moderate	104	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	189	PM <sub>10</sub>	1
74	Jind	Poor	242	PM <sub>2.5</sub>	1
75	Jodhpur	Poor	230	PM <sub>2.5</sub>	1
76	Kaithal	Moderate	194	PM <sub>10</sub>	1
77	Kalaburgi	Satisfactory	53	PM <sub>2.5</sub>	1
78	Kannur	Satisfactory	64	PM <sub>10</sub>	1
79	Kanpur	Moderate	151	PM <sub>2.5</sub> , PM <sub>10</sub>	3
80	Karnal	Moderate	136	PM <sub>10</sub>	1
81	Katihar	Moderate	113	PM <sub>10</sub>	1
82	Katni	Poor	236	PM <sub>10</sub>	1
83	Khanna	Moderate	130	PM <sub>10</sub>	1
84	Kochi	Satisfactory	73	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Good	47	SO <sub>2</sub>	1
86	Kolkata	Satisfactory	51	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	7
87	Kollam	Satisfactory	60	PM <sub>10</sub>	1
88	Koppal	Satisfactory	59	PM <sub>10</sub>	1
89	Kota	Moderate	187	PM <sub>2.5</sub>	1
90	Kozhikode	Satisfactory	60	PM <sub>10</sub>	1
91	Kurukshetra	Moderate	169	PM <sub>2.5</sub>	1
92	Lucknow	Moderate	174	PM <sub>2.5</sub> , PM <sub>10</sub>	6
93	Ludhiana	Moderate	185	PM <sub>10</sub>	1
94	Madikeri	Good	28	0 <sub>3</sub>	1
95	Maihar	Good	41	PM <sub>10</sub>	1
96	Mandi Gobindgarh	Moderate	141	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Satisfactory	80	PM <sub>10</sub>	1
98	Manesar	Poor	284	PM <sub>2.5</sub>	1
99	Manglore	Satisfactory	73	со	1
100	Meerut	Moderate	159	PM <sub>10</sub>	3
101	Moradabad	Moderate	111	PM <sub>10</sub>	4
102	Motihari	Moderate	106	0 <sub>3</sub>	1
103	Mumbai	Poor	212	PM <sub>2.5</sub> , PM <sub>10</sub>	17
104	Munger	Moderate	151	PM <sub>2.5</sub>	1
105	Muzaffarnagar	Moderate	184	PM <sub>10</sub>	1
106	Muzaffarpur	Satisfactory	99	PM <sub>2.5</sub>	2
107	Mysuru	Good	38	PM <sub>10</sub>	1
108	Nagpur	Moderate	159	0 <sub>3</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Satisfactory	69	SO <sub>2</sub>	1
110	Narnaul	Poor	270	PM <sub>2.5</sub>	1
111	Nashik	Moderate	111	PM <sub>10</sub>	1
112	Navi Mumbai	Moderate	156	PM <sub>10</sub> , PM <sub>2.5</sub>	3
113	Noida	Poor	243	PM <sub>10</sub>	3
114	Pali	Moderate	195	PM <sub>10</sub>	1
115	Palwal	Moderate	160	PM <sub>10</sub>	1
116	Panchkula	Moderate	200	PM <sub>2.5</sub>	1
117	Panipat	Moderate	119	PM <sub>2.5</sub>	1
118	Patiala	Moderate	151	PM <sub>10</sub>	1
119	Patna	Moderate	141	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	6
120	Pithampur	Moderate	119	PM <sub>10</sub>	1

Notes:

#### **Possible Health Impacts**

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	146	PM <sub>10</sub>	3
122	Puducherry	Good	37	O <sub>3</sub>	1
123	Pune	Moderate	193	PM <sub>2.5</sub> , PM <sub>10</sub>	3
124	Purnia	Moderate	112	PM <sub>10</sub>	1
125	Rajamahendravaram	Good	36	PM <sub>10</sub>	1
126	Ramanagara	Good	30	SO <sub>2</sub>	1
127	Ratlam	Moderate	172	PM <sub>10</sub>	1
128	Rohtak	Poor	240	PM <sub>2.5</sub>	1
129	Rupnagar	Satisfactory	82	PM <sub>10</sub>	1
130	Saharsa	Moderate	145	PM <sub>10</sub>	1
131	Samastipur	Moderate	136	PM <sub>10</sub>	1
132	Sasaram	Moderate	148	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Satisfactory	72	NO <sub>2</sub>	1
134	Shivamogga	Good	45	PM <sub>10</sub>	1
135	Siliguri	Good	49	PM <sub>10</sub>	1
136	Singrauli	Very Poor	307	PM <sub>10</sub>	1
137	Sirsa	Poor	228	PM <sub>10</sub>	1
138	Siwan	Moderate	199	PM <sub>10</sub>	1
139	Solapur	Satisfactory	83	PM <sub>10</sub>	1
140	Sonipat	Very Poor	384	PM <sub>10</sub>	1
141	Srinagar	Satisfactory	57	PM <sub>10</sub>	1
142	Talcher	Satisfactory	74	со	1
143	Thiruvananthapuram	Good	40	РМ <sub>10</sub> , СО	2
144	Thoothukudi	Good	43	0 <sub>3</sub>	1

Notes:

#### **Possible Health Impacts**

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Good	36	со	1
146	Tirupati	Satisfactory	55	PM <sub>10</sub>	1
147	Udaipur	Poor	267	PM <sub>2.5</sub>	1
148	Udupi	Satisfactory	69	СО	1
149	Ujjain	Poor	265	PM <sub>10</sub>	1
150	Vapi	Moderate	196	PM <sub>2.5</sub>	1
151	Varanasi	Moderate	102	PM <sub>10</sub> , O <sub>3</sub>	4
152	Vatva	Moderate	174	PM <sub>2.5</sub>	1
153	Vijayapura	Satisfactory	55	PM <sub>10</sub>	1
154	Visakhapatnam	Satisfactory	52	PM <sub>10</sub>	1
155	Vrindavan	Moderate	154	PM <sub>10</sub>	1
156	Yadgir	Good	48	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Dewas, Durgapur, Eloor, Jorapokhar, Kalyan, Kishanganj, Kolar, Mandikhera, Manguraha, Nandesari, Raichur, Rajgir, Sagar, Satna, Thane, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.