

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	34	PM ₁₀	2
2	Agra	Moderate	116	PM ₁₀ , O ₃ , PM _{2.5}	5
3	Ahmedabad	Poor	235	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	31	03	1
5	Ajmer	Poor	217	PM _{2.5}	1
6	Alwar	Moderate	139	PM _{2.5}	1
7	Amaravati	Good	48	O ₃	1
8	Ambala	Moderate	115	PM ₁₀	1
9	Amritsar	Moderate	112	PM ₁₀	1
10	Ankleshwar	Poor	242	PM _{2.5}	1
11	Araria	Moderate	191	PM _{2.5}	1
12	Arrah	Moderate	162	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO ₂	1
14	Aurangabad (Bihar)	Poor	230	PM ₁₀	1
15	Aurangabad (Maharashtra)	Moderate	154	PM _{2.5}	1
16	Baddi	Moderate	146	PM ₁₀	1
17	Bagalkot	Good	50	PM _{2.5}	1
18	Baghpat	Poor	238	O ₃	1
19	Bahadurgarh	Moderate	181	PM ₁₀	1
20	Ballabgarh	Moderate	152	PM ₁₀	1
21	Bathinda	Moderate	113	PM ₁₀	1
22	Bengaluru	Satisfactory	57	PM ₁₀ , CO, PM _{2.5}	6
23	Bhagalpur	Moderate	130	PM ₁₀	2
24	Bhiwadi	Poor	260	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	187	PM ₁₀	1
26	Bihar Sharif	Very Poor	321	PM ₁₀	1
27	Brajrajnagar	Satisfactory	60	PM ₁₀	1
28	Bulandshahr	Moderate	182	PM ₁₀	1
29	Buxar	Poor	206	PM ₁₀	1
30	Chamarajanagar	Good	34	PM ₁₀	1
31	Chandigarh	Moderate	191	O ₃ , PM ₁₀	3
32	Chandrapur	Satisfactory	79	O ₃ , PM ₁₀	2
33	Charkhi Dadri	Poor	280	PM _{2.5}	1
34	Chennai	Satisfactory	57	O ₃ , CO, PM ₁₀	6
35	Chhapra	Moderate	132	PM _{2.5}	1
36	Chikkaballapur	Good	29	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Begusarai, Bettiah,
Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag,
Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar,
Satna, Siwan, Sonipat, Thoothukudi as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	26	NO ₂	1
38	Coimbatore	Good	31	PM _{2.5}	1
39	Damoh	Satisfactory	70	PM ₁₀	1
40	Darbhanga	Moderate	164	PM ₁₀	1
41	Davanagere	Good	37	PM ₁₀	1
42	Delhi	Poor	202	PM ₁₀ , PM _{2.5} , O ₃	38
43	Dewas	Poor	223	PM _{2.5}	1
44	Dharuhera	Poor	296	PM ₁₀	1
45	Ernakulam	Good	36	со	1
46	Faridabad	Poor	248	PM _{2.5} , PM ₁₀	3
47	Fatehabad	Poor	230	PM _{2.5}	1
48	Firozabad	Moderate	175	O ₃ , PM ₁₀	2


Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Poor	241	PM _{2.5} , PM ₁₀	3
50	Gangtok	Good	35	O ₃	1
51	Gaya	Moderate	135	O ₃ , PM _{2.5} , PM ₁₀	3
52	Ghaziabad	Moderate	187	O ₃ , PM ₁₀	3
53	Gorakhpur	Satisfactory	57	03	1
54	Greater Noida	Poor	254	O ₃ , PM ₁₀	2
55	Gummidipoondi	Good	45	PM ₁₀	1
56	Gurugram	Moderate	156	PM _{2.5} , PM ₁₀	3
57	Guwahati	Good	36	PM ₁₀	2
58	Gwalior	Moderate	192	PM ₁₀	1
59	Hajipur	Moderate	161	PM _{2.5}	1
60	Haldia	Good	32	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	163	PM ₁₀	1
62	Hassan	Good	36	NO ₂	1
63	Haveri	Moderate	133	со	1
64	Hisar	Poor	268	PM _{2.5}	1
65	Howrah	Good	43	O ₃ , PM ₁₀ , CO	3
66	Hubballi	Moderate	117	PM ₁₀	1
67	Hyderabad	Satisfactory	70	PM ₁₀ , CO, NO ₂	6
68	Imphal	Satisfactory	62	SO ₂ , O ₃	2
69	Indore	Moderate	194	PM ₁₀	1
70	Jabalpur	Moderate	139	PM ₁₀	1
71	Jaipur	Poor	212	PM _{2.5}	3
72	Jalandhar	Moderate	144	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	185	PM ₁₀	1
74	Jind	Poor	218	PM _{2.5}	1
75	Jodhpur	Poor	232	PM _{2.5}	1
76	Kaithal	Moderate	140	PM ₁₀	1
77	Kalaburgi	Satisfactory	81	PM ₁₀	1
78	Kalyan	Poor	241	PM ₁₀	1
79	Kannur	Satisfactory	86	PM ₁₀	1
80	Kanpur	Moderate	139	PM ₁₀	2
81	Karnal	Satisfactory	93	PM ₁₀	1
82	Katihar	Moderate	186	PM ₁₀	1
83	Katni	Moderate	182	PM ₁₀	1
84	Khanna	Moderate	124	PM ₁₀	1

Possible Health Impacts

Misimal Impact

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	81	PM _{2.5}	1
86	Kochi	Satisfactory	98	PM _{2.5}	1
87	Kohima	Satisfactory	61	PM ₁₀	1
88	Kolkata	Good	47	NO ₂ , PM ₁₀ , O ₃	7
89	Kollam	Satisfactory	68	PM ₁₀	1
90	Kota	Poor	209	PM _{2.5}	1
91	Kozhikode	Satisfactory	71	PM ₁₀	1
92	Kurukshetra	Poor	260	O ₃	1
93	Lucknow	Poor	228	PM _{2.5} , PM ₁₀	6
94	Ludhiana	Moderate	152	PM ₁₀	1
95	Madikeri	Good	22	SO ₂	1
96	Maihar	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Begusarai, Bettiah,

- Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Moderate	143	PM _{2.5}	1
98	Mandideep	Moderate	103	PM ₁₀	1
99	Manesar	Poor	263	PM _{2.5}	1
100	Meerut	Moderate	129	PM ₁₀	3
101	Moradabad	Moderate	120	PM ₁₀ , O ₃	4
102	Motihari	Moderate	147	PM _{2.5}	1
103	Mumbai	Poor	238	PM _{2.5} , PM ₁₀	15
104	Munger	Moderate	172	PM ₁₀	1
105	Muzaffarnagar	Moderate	154	PM _{2.5}	1
106	Muzaffarpur	Moderate	152	PM _{2.5}	2
107	Mysuru	Good	33	PM ₁₀	1
108	Nagpur	Moderate	152	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Satisfactory	65	SO ₂	1
110	Nandesari	Satisfactory	99	PM _{2.5}	1
111	Narnaul	Poor	226	PM _{2.5}	1
112	Nashik	Moderate	137	PM ₁₀	1
113	Navi Mumbai	Poor	236	PM ₁₀	3
114	Noida	Poor	203	PM ₁₀	3
115	Pali	Moderate	157	PM ₁₀	1
116	Palwal	Moderate	148	PM ₁₀	1
117	Panchkula	Moderate	144	PM _{2.5}	1
118	Panipat	Moderate	148	PM ₁₀	1
119	Patiala	Satisfactory	97	O ₃	1
120	Patna	Poor	218	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	123	PM ₁₀	1
122	Prayagraj	Moderate	167	PM ₁₀	3
123	Puducherry	Good	43	03	1
124	Pune	Poor	250	PM _{2.5}	4
125	Purnia	Moderate	166	PM _{2.5}	1
126	Raichur	Satisfactory	57	PM ₁₀	1
127	Rajamahendravaram	Good	30	PM ₁₀	1
128	Ramanagara	Good	30	SO ₂	1
129	Ratlam	Poor	217	PM ₁₀	1
130	Rohtak	Very Poor	326	PM _{2.5}	1
131	Rupnagar	Satisfactory	91	PM ₁₀	1
132	Saharsa	Poor	230	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Samastipur	Moderate	199	PM ₁₀	1
134	Sasaram	Moderate	184	PM ₁₀	1
135	Shillong	Satisfactory	56	NO ₂ , PM ₁₀	2
136	Shivamogga	Good	41	PM ₁₀	1
137	Siliguri	Satisfactory	63	NO ₂	1
138	Singrauli	Poor	243	PM ₁₀	1
139	Sirsa	Moderate	199	PM ₁₀	1
140	Solapur	Satisfactory	88	PM ₁₀	1
141	Srinagar	Satisfactory	78	PM ₁₀	1
142	Talcher	Good	41	PM ₁₀	1
143	Thane	Poor	225	PM ₁₀	1
144	Thiruvananthapuram	Good	49	PM ₁₀ , CO	2

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Good	43	PM ₁₀	1
146	Tirupati	Good	35	PM ₁₀	1
147	Udaipur	Moderate	125	PM ₁₀	1
148	Udupi	Poor	206	03	1
149	Ujjain	Poor	257	PM ₁₀	1
150	Vapi	Poor	247	PM _{2.5}	1
151	Varanasi	Moderate	112	PM ₁₀	4
152	Vatva	Poor	246	PM _{2.5}	1
153	Vijayapura	Satisfactory	56	PM ₁₀	1
154	Visakhapatnam	Good	43	PM ₁₀	1
155	Vrindavan	Moderate	147	PM ₁₀	1
156	Yadgir	Satisfactory	52	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Poor	258	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Bilaspur, Dehradun, Durgapur, Eloor, Gadag, Jorapokhar, Kolar, Koppal, Mandikhera, Manglore, Manguraha, Rajgir, Sagar, Satna, Siwan, Sonipat, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.