

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	41	PM ₁₀	2
2	Agra	Moderate	159	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	156	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	32	PM ₁₀	1
5	Ajmer	Moderate	182	PM ₁₀	1
6	Alwar	Moderate	129	PM ₁₀	1
7	Amaravati	Satisfactory	84	03	1
8	Ambala	Moderate	192	PM ₁₀	1
9	Amritsar	Moderate	121	PM ₁₀	1
10	Ankleshwar	Moderate	114	PM ₁₀	1
11	Araria	Satisfactory	81	03	1
12	Arrah	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO ₂	1
14	Aurangabad (Bihar)	Moderate	183	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Moderate	180	PM ₁₀	1
17	Bahadurgarh	Poor	249	PM ₁₀	1
18	Ballabgarh	Moderate	130	PM ₁₀	1
19	Bathinda	Moderate	121	PM ₁₀	1
20	Begusarai	Satisfactory	54	PM ₁₀	1
21	Bengaluru	Satisfactory	58	PM ₁₀ , CO	7
22	Bettiah	Moderate	152	PM ₁₀	1
23	Bhagalpur	Satisfactory	88	PM ₁₀ , PM _{2.5}	2
24	Bhiwadi	Very Poor	365	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Very Poor	349	PM _{2.5}	1
26	Bhopal	Moderate	171	PM ₁₀	1
27	Bulandshahr	Very Poor	327	PM ₁₀	1
28	Buxar	Moderate	156	PM ₁₀	1
29	Chamarajanagar	Good	44	PM ₁₀	1
30	Chandigarh	Moderate	160	PM ₁₀	2
31	Chandrapur	Moderate	107	PM ₁₀ , O ₃	2
32	Charkhi Dadri	Very Poor	307	PM _{2.5}	1
33	Chennai	Satisfactory	79	PM ₁₀ , PM _{2.5}	8
34	Chhapra	Moderate	105	PM ₁₀	1
35	Chikkaballapur	Satisfactory	51	PM ₁₀	1
36	Chikkamagaluru	Satisfactory	57	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Satisfactory	70	PM ₁₀	1
38	Darbhanga	Moderate	107	PM ₁₀	1
39	Davanagere	Satisfactory	55	PM ₁₀	1
40	Delhi	Poor	285	PM _{2.5} , PM ₁₀	37
41	Dewas	Moderate	109	PM ₁₀	1
42	Dharuhera	Very Poor	385	PM ₁₀	1
43	Durgapur	Satisfactory	86	PM ₁₀	1
44	Faridabad	Poor	252	PM ₁₀	1
45	Fatehabad	Very Poor	332	PM _{2.5}	1
46	Firozabad	Moderate	130	PM _{2.5}	2
47	Gadag	Satisfactory	59	PM _{2.5}	1
48	Gandhinagar	Moderate	158	PM _{2.5} , PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gangtok	Good	37	O ₃	1
50	Gaya	Moderate	145	O ₃ , PM _{2.5}	2
51	Ghaziabad	Very Poor	313	PM ₁₀	4
52	Gorakhpur	Good	50	O ₃	1
53	Gummidipoondi	Good	32	PM ₁₀	1
54	Gurugram	Poor	280	PM ₁₀	2
55	Guwahati	Good	26	O ₃ , CO	2
56	Gwalior	Poor	210	PM ₁₀	1
57	Hajipur	Satisfactory	89	PM ₁₀	1
58	Haldia	Satisfactory	59	PM ₁₀	1
59	Hapur	Very Poor	304	PM ₁₀	1
60	Hassan	Satisfactory	85	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Very Poor	352	PM ₁₀	1
62	Howrah	Satisfactory	61	PM ₁₀	3
63	Hubballi	Satisfactory	54	со	1
64	Hyderabad	Satisfactory	69	PM ₁₀ , NO ₂	5
65	Imphal	Satisfactory	70	PM ₁₀	1
66	Indore	Moderate	176	PM ₁₀	1
67	Jabalpur	Moderate	171	PM ₁₀	1
68	Jaipur	Moderate	189	PM _{2.5} , PM ₁₀	3
69	Jalandhar	Moderate	131	PM ₁₀	1
70	Jhansi	Poor	232	PM ₁₀	1
71	Jodhpur	Poor	238	PM ₁₀	1
72	Kaithal	Very Poor	361	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Moderate	143	PM ₁₀	1
74	Kannur	Satisfactory	56	PM ₁₀	1
75	Kanpur	Moderate	119	PM ₁₀ , PM _{2.5}	3
76	Katni	Poor	216	PM ₁₀	1
77	Khanna	Moderate	128	PM ₁₀	1
78	Kochi	Satisfactory	67	PM _{2.5}	1
79	Kohima	Satisfactory	67	PM ₁₀	1
80	Kolar	Satisfactory	55	PM ₁₀	1
81	Kolkata	Satisfactory	61	NO ₂ , O ₃ , PM ₁₀	6
82	Kollam	Satisfactory	72	PM ₁₀	1
83	Koppal	Satisfactory	56	PM ₁₀	1
84	Kota	Moderate	180	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	55	PM ₁₀	1
86	Kurukshetra	Poor	252	PM _{2.5}	1
87	Lucknow	Moderate	155	PM _{2.5} , PM ₁₀	6
88	Ludhiana	Moderate	143	PM ₁₀	1
89	Madikeri	Satisfactory	68	PM ₁₀	1
90	Maihar	Good	42	PM ₁₀	1
91	Mandi Gobindgarh	Moderate	162	PM _{2.5}	1
92	Mandideep	Satisfactory	51	PM ₁₀	1
93	Mandikhera	Moderate	193	PM ₁₀	1
94	Manesar	Very Poor	301	PM _{2.5}	1
95	Manglore	Satisfactory	65	со	1
96	Meerut	Poor	258	PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	136	O ₃ , PM _{2.5} , PM ₁₀	3
98	Motihari	Moderate	116	03	1
99	Mumbai	Moderate	147	PM _{2.5} , PM ₁₀ , O ₃	17
100	Muzaffarnagar	Poor	271	PM ₁₀	1
101	Muzaffarpur	Satisfactory	56	PM _{2.5}	1
102	Mysuru	Good	46	PM ₁₀	1
103	Nandesari	Satisfactory	75	PM _{2.5}	1
104	Narnaul	Poor	255	PM _{2.5}	1
105	Nashik	Satisfactory	98	PM ₁₀	1
106	Navi Mumbai	Moderate	128	PM ₁₀	3
107	Noida	Very Poor	312	PM ₁₀	3
108	Pali	Moderate	150	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Moderate	183	PM ₁₀	1
110	Panchkula	Very Poor	314	PM _{2.5}	1
111	Patiala	Moderate	164	PM ₁₀	1
112	Patna	Moderate	126	PM ₁₀ , O ₃ , PM _{2.5}	6
113	Pithampur	Satisfactory	89	PM ₁₀	1
114	Prayagraj	Moderate	122	PM ₁₀	3
115	Puducherry	Satisfactory	52	PM ₁₀	1
116	Pune	Moderate	155	PM _{2.5} , PM ₁₀	4
117	Raichur	Satisfactory	84	PM ₁₀	1
118	Rajamahendravaram	Good	37	PM ₁₀	1
119	Ramanagara	Satisfactory	53	PM ₁₀	1
120	Ratlam	Moderate	173	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Very Poor	371	PM _{2.5}	1
122	Rupnagar	Moderate	112	PM ₁₀	1
123	Samastipur	Moderate	142	PM ₁₀	1
124	Sasaram	Moderate	158	03	1
125	Shillong	Good	30	PM ₁₀ , O ₃	2
126	Shivamogga	Satisfactory	59	PM ₁₀	1
127	Siliguri	Satisfactory	63	NO ₂	1
128	Singrauli	Very Poor	310	PM ₁₀	1
129	Sirsa	Very Poor	302	PM ₁₀	1
130	Siwan	Moderate	129	PM ₁₀	1
131	Srinagar	Good	45	NH ₃	1
132	Talcher	Satisfactory	51	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thiruvananthapuram	Good	48	PM ₁₀ , CO	2
134	Thoothukudi	Good	35	PM ₁₀	1
135	Thrissur	Good	40	03	1
136	Tirupati	Satisfactory	63	PM ₁₀	1
137	Udaipur	Moderate	134	PM ₁₀	1
138	Ujjain	Poor	244	PM ₁₀	1
139	Varanasi	Satisfactory	84	PM ₁₀	4
140	Vatva	Moderate	106	PM _{2.5}	1
141	Vijayapura	Satisfactory	56	PM ₁₀	1
142	Visakhapatnam	Satisfactory	87	PM ₁₀	1
143	Vrindavan	Moderate	151	PM ₁₀	1
144	Yadgir	Satisfactory	87	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yamunanagar	Poor	237	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baddi, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Coimbatore, Dehradun, Eloor, Ernakulam, Greater Noida, Haveri, Jind, Jorapokhar, Kalaburgi, Karnal, Katihar, Kishanganj, Manguraha, Munger, Nagpur, Naharlagun, Panipat, Purnia, Rajgir, Sagar, Saharsa, Satna, Solapur, Sonipat, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.